

LAUFEN



2017/18

GENERAL CATALOGUE



ILBAGNOALESSI ONE

page 16



ILBAGNOALESSI DOT

page 32



PALOMBA COLLECTION

page 36



KARTELL BY LAUFEN

page 52



LIVING

page 74



LB3

page 92



INO

page 98



VAL

page 106



PALACE

page 118



LAUFEN PRO

page 130



CLEANET RIVA

page 186

OVERVIEW OF CERAMIC COLOURS

ILBAGNOALESSI ONE

 **.400** white LCC (Laufen Clean Coat)

ILBAGNOALESSI DOT

 **.400** white LCC (Laufen Clean Coat)

PALOMBA COLLECTION

 **.000** white

 **.400** white LCC (Laufen Clean Coat)

 **.757** white matt

KARTELL BY LAUFEN

 **.000** white

 **.400** white LCC (Laufen Clean Coat)

 **.757** white matt*

 **.020** black glossy*

 **.759** grey matt*

LIVING

 **.000** white

 **.400** white LCC (Laufen Clean Coat)

LB3

 **.000** white

INO

 **.000** white

 **.400** white LCC (Laufen Clean Coat)

VAL

 **.000** white

 **.400** white LCC (Laufen Clean Coat)

PALACE

 **.000** white

LAUFEN PRO S


 **.000** white

 **.400** white LCC (Laufen Clean Coat)

LAUFEN PRO A AND B

 **.000** white

 **.400** white LCC (Laufen Clean Coat)

 **.018** bahama beige

 **.037** manhattan

 **.049** pergamon

CLEANET RIVA

 **.400** white LCC (Laufen Clean Coat)

 **.757** white matt

FLORAKIDS

 **.000** white

 **.062** white/red

 **.072** white/green

*only available for selected products

OVERVIEW OF CERAMIC OPTIONS

Options for washbasins

- .104** one tap hole, centre
- .105** one tap hole, left
- .106** one tap hole, right
- .107** two tap holes
- .108** three tap holes
- .109** without tap hole
- .111** one tap hole, without overflow hole
- .112** without tap hole, without overflow hole
- .113** one tap hole, left, without overflow hole
- .114** one tap hole, right, without overflow hole
- .115** two tap holes, without overflow hole
- .135** one tap hole, cutable on one side
- .136** three tap holes US/CAN, 8 inches apart
- .142** without tap hole, without overflow hole, without open drain
- .147** one tap hole, cutable on two sides
- .155** outer surface glazed
- .156** one tap hole, without overflow hole, without open drain
- .158** three tap holes, without overflow
- .814** one tap hole, one hole on the right side
- .815** one tap hole, one hole on the right side, without overflow

Options for bidets

- .302** with one tap hole at centre, without lateral holes for water inlet
- .304** with one tap hole at centre, with lateral holes for water inlet

Tap hole symbols

- = without tap hole
- = one tap hole
- = two tap holes
- = three tap holes

CONTENTS

ABOUT US

02	THE LAUFEN COMPANY
04	THE HERITAGE OF LAUFEN
05	THE LAUFEN FORUM
06	SAPHIRKERAMIK
08	OUTSTANDING DESIGN
09	THE DESIGNERS
10	THE PRODUCTION
11	SUSTAINABLE QUALITY
12	THE REFERENCES – PUBLIC BUILDINGS
14	THE REFERENCES – HOTELS
15	THE REFERENCES – RESIDENTIAL BUILDINGS

DESIGNLINE

16	ILBAGNOALESSI ONE
32	ILBAGNOALESSI DOT
36	PALOMBA COLLECTION
52	KARTELL BY LAUFEN
74	LIVING
92	LB3
98	INO
106	VAL
118	PALACE
130	LAUFEN PRO

WASHBASINS

174	WASHBASIN BOWLS
176	WASHBASINS, UNDERSURFACE GROUND
178	SEMI-RECESSED WASHBASINS
180	DROP-IN WASHBASINS
182	BUILT-IN WASHBASINS
184	TALUX

SHOWER TOILETS

186	CLEANET RIVA
-----	--------------

SPECIAL APPLICATIONS

190	FLORAKIDS
194	LAUFEN PRO LIBERTY/MODERNA R
196	LIBERTYLINE/REHAB
198	HIJET WC
200	ONE PIECE TOILETS
202	UNIVERSAL CISTERN
204	LIS LAUFEN INSTALLATION SYSTEM WCS AND URINALS
208	SPECIAL ARTICLES

URINALS

210	PUBLIC URINALS
212	ANTERO
218	HOME URINALS

BATHROOM FURNITURE

222	WHAT GOES WITH WHAT?
223	OVERVIEW OF FURNITURE COLOURS
224	CASE
230	CASE WASHTOPS
240	CASE MIRRORS
242	FRAME 25 MIRROR
244	FRAME 25 MIRROR CABINETS
248	SPACE
258	BOUTIQUE

WELLNESS

270	SENTEC SOLID SURFACE BATHTUBS AND SHOWER TRAYS
274	MARBOND SHOWER TRAYS
276	ACRYLIC BATHTUBS AND SHOWER TRAYS
280	LAUFEN SOLUTIONS
286	WHIRL SYSTEMS
290	STEEL BATHTUBS AND SHOWER TRAYS
298	CERAMIC SHOWER TRAYS

FAUCETS

300	OVERVIEW
304	KARTELL BY LAUFEN
308	CURVEPRIME
312	TWINPRIME
316	TWINPRIME PIN
320	CURVEPLUS
323	TWINPLUS
326	CITYPLUS
330	CURVEPRO
332	CITYPRO S
334	CITYPRO
338	SIMIBOX
342	CURVETRONIC
344	TWINTRONIC
346	HANDSPRAYS AND RAIN SHOWER HEADS
350	SHOWER ACCESSORIES

ACCESSORIES

352	CERAMIC SHELVES AND ACCESSORIES
-----	---------------------------------

APPENDIX

354	PRODUCT FEATURES AND BENEFITS
COVER	CERAMIC COLOURS AND OPTIONS

THE COMPANY

Laufen stands for swissness, quality and design, offering complete bathroom solutions around the world.

LAUFEN IN FIGURES

Laufen Bathrooms AG is a Swiss company specialised on premium segment solutions for bathrooms. The headquartes are located in Laufen near Basel. Managed by the family-owned Roca group since 1999 Laufen runs 7 manufacturing sites in Central Europe, 2500 employees and sales offices in 44 countries.



1 Palomba Collection, 2012
2 Living Square, SaphirKeramik, 2013



MAKING THE BATHROOM A LIVING ENVIRONMENT

The personality of this highly traditional Swiss brand reflects a symbiosis of design, quality and functionality. LAUFEN is one of the world's leading manufacturers with a global distribution network. The company's core competence is its knowledge in the area of sanitary ware manufacturing. Over 125 years, the LAUFEN brand has been using the oldest malleable material known to man to make innovative sanitary products in state-of-the-art plants with legendary Swiss precision. Knowledge of the bathroom as a whole developed from the competence of LAUFEN in ceramics manufacturing, and sophisticated design. What makes LAUFEN products unique at the first glance is that their Swiss design unites two major design trends: emotional Italian design from the south and the northern tradition of design precision and clarity. For LAUFEN, quality has two aspects: manufacturing knowledge and high degree of practical benefit that the finished bathroom affords the customer – which is often not immediately apparent. LAUFEN, a Swiss company manufacturing products that allow water, a precious resource, to be used sparingly, demonstrates in this manner a commitment to preserving natural resources and environmentally-friendly production.



- 1 The first one-piece, floorstanding washbasin
ILBAGNOALESSI One, 2001
- 2 LAUFEN headquarters with Forum, ceramic and
faucet factory, training and logistic centre

FROM HUMBLE BEGINNINGS TO TODAY'S GLOBAL PLAYER

When Laufen was founded in Switzerland in 1892, sanitation was still a far cry from the standards and comforts offered today; standards, which were particularly influenced by Laufen, the only sanitary ceramics producer that manufactures exclusively in Europe.

Some of the production facilities that belong to the company today can be traced back even further into history. In 1878 for example, the pioneer in the mechanical manufacture of sanitary ceramics was a production site belonging to the Austrian monarchy.

It is not just tradition, but also the strong anchor the various European manufacturing sites maintain in their domestic markets, Switzerland, Austria and Czech Republic, that underpin the quality of Laufen as a company. Laufen's goal then was the same as today's: to lead on technology, service and design. Back in the 1980s, Laufen engineers invented the most efficient high-pressure casting technology for ceramic production and therefore ensured a sustainable breakthrough in industrial production.

Just as important at Laufen are the constant developments in design: wall-mounted WCs and floor-standing washbasins have enabled a new sense of aesthetics. In 2013 Laufen's world wide material innovation SaphirKeramik succeeded in revolutionising the design language of ceramic.

The innovative and valuable SaphirKeramik formulation gives the starting material unprecedented possibilities and scopes. SaphirKeramik is used when a design includes thin walled shapes and tight radii.

Laufen has extended its expertise and its portfolio of ceramic products, bathtubs, furniture and accessories to include faucets. In 1854 Charles Kugler founded a small company for brass products in Lausanne. The first water and gas fittings on Swiss soil were made there in 1863. Since 2009 faucets have been produced at the newly built factory in Laufen.



1 First mechanical factory for sanitary ware on the European continent, Znojmo

2 SaphirKeramik a new formulation revolutions the design language of ceramic, January 2013

3 Development of the wall hung toilet by Laufen engineer Xaver Jermann, 1964

A BUILDING OF GREAT SYMBOLIC VALUE

Laufen is synonymous with perfection in terms of form and craftsmanship and for advanced technology with an unobtrusive face. LAUFEN's headquarters in the Baselland canton reflect this identity. Ludovica and Roberto Palomba designed "bowl/08", a wash-basin for the Palomba Collection.

Architects Nissen & Wentzlaff created a larger version of this object in the form of the building which stands out with its impressive exposed concrete and elegant statics.

An inventive spirit and desire for technical innovation are also part of the building's concept and (just like the manufacture of LAUFEN's products) require efficient resource usage and an acceptable ecological footprint. As a result, the multi-award-winning building is an outstanding feature in the Basel area which is rich in superb architecture.

With the Forum, LAUFEN has created a new architectural setting for its products: it is a comprehensive architectural statement in concrete with the bathroom at its centre and acknowledges Switzerland unequivocally as the company's headquarters and production site. A space for the bathroom with the power to inspire clients, architects, retailers and tradesmen alike and provide a source of information.

This is also the home of the training centre of LAUFEN Bathrooms AG. A wide range of seminars is held here to train groups and communicate product knowledge. Training sessions also take place in the Sky Gallery in Wilhelmsburg, Austria, and in Znojmo in the Czech Republic.

LAUFEN won the "Award for Marketing + Architecture" in the category "Office and commercial buildings - industrial and commercial interiors" in 2010. It also won the Green Good Design Award and, in 2011, the "best architects award 2011" in the category "Business and Industrial Buildings".



- 1 The Canton of Baselland between the Doubs and the Rhine River
- 2 LAUFEN Forum – flagship showroom as a platform for dialogue.
- 3 The LAUFEN Forum is a 6,500 cubic metre architectural statement, a visitor and presentation centre designed by Basel based architects Nissen & Wentzlaff, photographed by Maurizio Marcato.




FREEDOM TO RESHAPE

Launched in 2013, SaphirKeramik is pioneering Swiss company LAUFEN's latest innovation. This revolutionary, ceramic material reaches its exceptional hardness blended with corundum, a colourless mineral, which is a component of sapphires. This gives SaphirKeramik a flexural strength equal to that of steel. Yet it has the potential to be wafer-thin, giving designers almost infinite freedom to experiment – and tear up the rulebook of bathroom design. With over two years' experience of producing SaphirKeramik pieces on an industrial scale, LAUFEN is now stretching the patent-pending material's limits by exploiting its super-fine forms not only to create exquisitely detailed textures and patterns but also by engineering the innovative material to increase its maximum size – a 120 cm-long washbasin in SaphirKeramik is the largest to date. LAUFEN has also applied its impressively efficient, high-pressure casting technology to other, high-volume pieces in SaphirKeramik. In collaboration with cutting-edge designers Konstantin Grcic and Toan Nguyen, LAUFEN unveiled design prototyping at such prestigious design events as the Milan Furniture Fair, Art Basel/Design Miami and London Design Festival 2014. Visitors appreciated the wondrous qualities of ceramic – its tactile appeal, luminosity and enduringly spotless surface – and SaphirKeramik's bewitchingly thin and robust walls.




BENDING STRENGTH



Source: Bundesanstalt für Materialforschung und Prüfung, Berlin, 2011

IMPACT ENERGY



Source: Keramik-Institut GmbH, Meissen, 2011


SaphirKeramik



Proven sanitaryware




Simultaneously hard and malleable, SaphirKeramik enables pieces to be made with very thin, yet very strong walls of only 3–5 mm, as well as with narrowly defined radii of only 1–2 mm. The slim profile of SaphirKeramik means that it saves space, is light and environmentally friendly. The new design characteristics of this innovative material are rooted in its exceptional hardness and strength. When the mechanical properties of the two traditional sanitary ceramic masses – namely vitreous china and fine fire clay – are compared, the performance of SaphirKeramik is unique even in international comparison. The comparative values measured by the Federal Institute for Materials Research and Testing in Berlin (BAM) for SaphirKeramik are, at an average of over 120 MPa, comparable with carbon steel and twice as high as for vitreous china.




- 1 Production site for the manufacture of SaphirKeramik in Gmunden (Upper Austria)
- 2 Kartell by Laufen washbasin, SaphirKeramik, 2015
- 3 The thin-walled SaphirKeramik was tested for impact resistance at the Keramik Institut Meissen
- 4 SaphirKeramik has a two to three times higher bending resistance than traditional ceramics

OUTSTANDING DESIGN


Meet internationally acclaimed designs of Laufen.







BEST of year INTERIOR DESIGN
HONOREE 2015


DESIGN PLUS





interior innovation award 2013
winner


2013




reddot award 2016
winner

DESIGN PLUS









INTERNATIONAL DESIGN EXCELLENCE AWARDS 16
GOLD

PLA'13 : The 13th International Product Award
Product Innovation Award


DESIGN PLUS











2013






German Design Award
SPECIAL
AWARD FOR 2014







reddot award 2014
winner




2014








ELLE DECO
INTERNATIONAL DESIGN AWARDS




WEEK
DESIGN AWARDS 2014
winner


KBCULTURE AWARDS 2014



BEST OF PRODUCTS AWARDS
winner 2016





reddot award 2014
winner

AWARDED DESIGN



The aesthetic design and the high creative product quality of LAUFEN products have already convinced a large number of international judges and independent organisations and resulted in awards for individual products, whole series, innovative materials and show rooms.



- 1 Konstantin Grcic, Konstantin Grcic Industrial Design
- 2 Andreas Dimitriadis, platinumdesign
- 3 Ludovica+Roberto Palomba, Palomba Serafini Associati
- 4 Toan Nguyen, Toan Nguyen Studio
- 5 Peter Wirz, Vetica
- 6 Stefano Giovannoni, Giovannoni Design
- 7 Andreas Haug/Harald Lutz/Bernd Eigenstetter/Tom Schönherr, Phoenix Design
- 8 Hee Welling, Hee Welling Studio
- 9 Antti Ylisassi, Design BOD
- 10 Wiel Arets, Wiel Arets Architects

THE PRODUCTION

Global network with local service



PRODUCTION EXCLUSIVELY IN CENTRAL EUROPE

- 1 The company is named after the town of Laufen near Basel in Switzerland where it has produced washbasins, bidets and toilets in sanitary ceramic for 125 years. The management of LAUFEN Bathrooms AG, faucet production, training centre and the LAUFEN Forum are also located here.
- 2 The production facility in Gmunden specialises in the manufacture of highly sophisticated bathroom sanitary wares. The Gmunden facility has acquired this expertise through a long tradition in ceramics production.
- 3 English earthenware was already produced in 1795 in Wilhelmsburg, Austria. Today, this factory practises the fine art of sanitary ware production.
- 4 The state-of-the art factory in Znojmo, in the Czech Republic, produces high quality bathroom ceramics. This factory has a long tradition which goes back more than 135 years.
- 5 Bechyně is not only the home of the oldest vocational school of ceramics in the Czech Republic, it is also a modern factory where high quality ceramics have been produced for more than 50 years.
- 6 LAUFEN ceramics products are produced in accordance with strict LAUFEN quality standards (LQS) at the state-of-the-art Roca Group factory in Gliwice.
- 7 In addition, LAUFEN bathtubs are made of acrylic and mineral cast materials in Gryfice, Poland.

SUSTAINABLE QUALITY

Environmentally-compatible production of durable and resource-saving products



ECONOMIC WATER FLUSH SYSTEMS

LAUFEN's 4.5/3-litre toilets meet all functional requirements defined by international standards EN 997 Class 1 Type 5, EN 997 Class 2 and SAI/Wels 4 Stars.

Please take into consideration your local requirements that can vary from country to country.

Find further information in the chapter Product features and benefits.



CERTIFICATION

The first two LAUFEN production facilities were successfully ISO 14001 certified and EMAS registered in 1997.

Both of these factories were awarded the European Environment Prize 2007 for exemplary environmental management. All the LAUFEN production facilities are now certified with the Environmental and Quality Management Systems ISO 9001 and ISO 14001.



EUROPEAN WATER LABEL

The database of the European Water Label provides architects, planners and consumers with a comparative tool that is valid in the whole of Europe and that allows them to evaluate the water consumption of a water-using product in the bathroom or kitchen at a glance.

Find further information in the chapter Product features and benefits.



SWISS QUALITY

Products with the Q-Plus certification meet both the European standard and the established more stringent Swiss suissetec/VSA standard. LAUFEN sanitary ware products meet these Swiss quality standards and have been recommended for approval accordingly.



ENVIRONMENTAL PROTECTION STANDARDS


Since 1998, LAUFEN has continually monitored the use of resources in all its internal and external processes. Targeted measures and appropriate investments promote the efficient and sustainable use of manufacturing resources. Important key environmental protection indicators now clearly show that LAUFEN production sites fulfil the legally-prescribed environmental protection standards, and in most cases also exceed them.

THE REFERENCES

Buildings all over the world
by renowned architects
using Laufen.



Hungerburg Funicular, Innsbruck, Zaha Hadid



Fantomas Design Agentur, München, Arnold/Werner Architekten



Amphion Theatre, Doetinchem, Mecanoo Architects

Demonstrating its commitment to the project sector, LAUFEN has strengthened its global team, ensuring that its extensive product range is backed up by the very best levels of customer service and support. LAUFEN can support clients all over the world with a dedicated global projects team based in the design centres of London, New York, Singapore and Dubai.



Tate Modern, London, Herzog & de Meuron



International Commerce Centre, Hong Kong,
Kohn Pedersen Fox Associates



Olympiastadion, Berlin, by Gerkan, Marg and Partner



FH Campus Vienna, Delugan Meissl



Changi International Airport, Singapore, Woodhead

HOTELS



Inside New York NoMad by Meliã, New York, Peter Poon Architects



Sheraton Melbourne Hotel



La Isla y el Mar Hotel, Lanzarote, José María Pérez



MOXY Milan Malpensa Airport Hotel, Mailand



Hotel Silken Puerta America 1st floor, Madrid, Zaha Hadid



W Hotel, Barcelona, Ricardo Bofill

RESIDENTIAL



Brammy Residence, Adelaide,
Tropo Architects



56 Leonard Street, New York, Herzog & de Meuron, developed
by Alexico Group LLC



Inside Outside House, Gloucestershire,
Loyn & Co Architects



BC House, Monterrey, Gilberto L. Rodriguez, Photo: Jorge Taboada



The Lily, Hong Kong, Foster + Partners



Market Hall Rotterdam, MVRDV,
Photo: Daria Scagliola and Stijn Brakkee

IL BAGNO **ALESSI** One





The architect and designer, Stefano Giovannoni, born 1954 in La Spezia (Italy), lives and works in Milan. His work has received international acclaim. A number of his designs can be found in the permanent collections of the Centre Georges Pompidou in Paris and the Museum of Modern Art in New York. According to Alberto Alessi, the Managing Director of ALESSI, Giovannoni is one of the few designers who understands how to combine the unusual with the popular, which is also why he was commissioned to develop the first complete bathroom scenario for ALESSI.



DESIGN PLUS



A free-standing bathtub made from solid surface Sentec in a gentle, comfortable shape with or without whirl system. Also as a fitted version. All faucets Il Bagno Alessi One are available from Oras.





The collection is complemented by accessories of functional and symbolic value, including a shelf with integrated towel holder, made from revolutionary SaphirKeramik. Toilet roll holders and clothes hanger are also available.

The playful, slightly eccentric form of the washbasins is quite iconic and fires the imagination without compromising functionality. The wide variety of ILBAGNOALESSI One washbasins demonstrates that good design can take more than one shape. From the small washbasin to the countertop washbasins, the character of the range is unmistakable. Most washbasins have a concealed ceramic overflow system. The ceramic of the washbasins is finished with LAUFEN Clean Coat, making it particularly easy to clean.







The sanitary ware with its poetic design language was created by the prolific Italian designer, Stefano Giovannoni. ILBAGNOALESSI One includes not only the characteristic and spectacular washbasins, but also an aesthetically-pleasing high-quality and functional range of furniture, bathtubs made of solid surface and sanitary acrylic as well as accessories made from SaphirKeramik.





An icon of contemporary design: the floor-mounted TamTam by LAUFEN opens up new dimensions in bathroom design. The taps, mounted on the rim of the basin, wall-mounted or floor-standing, combine perfectly with the washbasin. Behind this lies an exceptionally high degree of functionality: invisible overflow, concealed connection hoses, hidden mounting.

The surfaces are top-quality Noce Canaletto real wood veneer or white high-gloss lacquer with a quartz cover plate. It goes without saying of course that all surface finishes are not sensitive to water.







ILBAGNOALESSI ONE

81497.5 
Countertop washbasin, asymmetric,
shelf on the right



Matching vanity unit:
42447.0




Options: .104 .109

81497.6 
Countertop washbasin, asymmetric,
shelf on the left



Matching vanity unit:
42445.0



Options: .104 .109

81497.3 
Countertop washbasin, asymmetric,
shelf on the right



Matching vanity unit:
42452.0



Options: .104 .109

81497.4 
Countertop washbasin, asymmetric,
shelf on the left



Matching vanity unit:
42450.0




Options: .104 .109

81497.1 
Countertop washbasin, asymmetric,
shelf on the right



Matching vanity unit:
42436.0



Options: .104 .109



81897.3 
Washbasin bowl, shelf on the left
or right

Matching vanity unit:
42416.1, 42416.2, 42426.1, 42426.2,
42422.4, 42424.4






Options: .112

81197.1 
Washbasin with integral pedestal,
wall-mounted











Options: .104 .109

81197.2 
Washbasin, free-standing, with
integral pedestal










Options: .104 .109

ILBAGNOALESSI ONE

<div><div>81197.3</div><div>Washbasin bowl</div><div></div></div> <div></div> <div><div>Options: .109</div></div>	<div><div>81897.1</div><div>Washbasin bowl</div><div>Matching vanity unit: 42402.3, 42412.1, 42412.2</div></div> <div></div> <div><div>Options: .104 .109</div></div>	<div><div>81897.2</div><div>Washbasin bowl</div><div>Matching vanity unit: 42403.3, 42413.1, 42413.2</div></div> <div></div> <div><div>Options: .104 .109</div></div>	<div><div>81397.1</div><div>Drop-in washbasin</div><div>Matching vanity unit: 42404.3, 42414.1, 42414.2, 42424.4</div></div> <div></div> <div><div>Options: .104</div></div>
<div><div>81397.2</div><div>Semi-recessed washbasin</div><div>Matching vanity unit: 42405.3, 42415.1, 42415.2</div></div> <div></div> <div><div>Options: .104</div></div>	<div><div>81597.0</div><div>Small washbasin with integral half-pedestal</div></div> <div></div> <div><div>Options: .104</div></div>	<div><div>81097.1</div><div>Washbasin with integral half-pedestal</div></div> <div></div> <div><div>Options: .104</div></div>	<div><div>81097.2</div><div>Washbasin with integral half-pedestal</div></div> <div></div> <div><div>Options: .104</div></div>

ILBAGNOALESSI ONE

<div><p>87097.0</p><p>Toilet roll holder</p></div> <div></div> <div><p>Colours: .000</p><p>Options: .000 .899</p></div>	<div><p>87097.2</p><p>Shelf with integrated towel holder</p></div> <div></div> <div><p>Colours: .000</p><p>Options: .000 .899</p></div>	<div><p>82097.6</p><p>Wall-hung WC, washdown</p></div> <div><p>4,5L 3L</p></div> <div><p>Colours: .000</p><p>Options: .000 .899</p></div>	<div><p>82097.1</p><p>Wall-hung WC rimless, washdown</p></div> <div><p>NEW</p><p>4,5L 3L</p></div> <div><p>Colours: .000</p><p>Options: .000 .899</p></div>
<div><p>87097.6</p><p>Hanger</p></div> <div></div> <div><p>Colours: .000</p><p>Options: .000 .899</p></div>	<div><p>Options:</p><p>.000 Screwed mounting</p><p>.899 Glued mounting</p></div> <div><p>Colours ceramic accessories</p><p> .000 white</p></div>	<div><p>82197.1</p><p>Floor standing WC, washdown</p><p>Outlet horizontal/vertical</p></div> <div><p>4,5L 3L</p></div> <div><p>Colours: .000</p><p>Options: .000 .899</p></div>	

ILBAGNOALESSI ONE

83097.1
Wall-hung bidet

Options: .304

82297.6
Floor standing WC combination, washdown, vario outlet

82697.1
Cistern, Dual-Flush

4,5L 3L

89297.1
Seat and cover, removable, with lowering system

83297.1
Floor standing bidet

Options: .304

84097.5
Siphonic urinal, without cover

Options: .000 without target fly

84097.1
Siphonic urinal, with holes for cover

89497.1
Urinal cover

Options: .000 without target fly

Colours ceramic

.000 white

.400 white LCC




Further information:
Product properties of
SaphirKeramik




ILBAGNOALESSI ONE

42445.0
Vanity unit for washbasin 81497.6,
with soft close mechanism, with
2 drawers




Colours: .630 .631

42447.0
Vanity unit for washbasin 81497.5,
with soft close mechanism, with
2 drawers




Colours: .630 .631

42450.0
Vanity unit for washbasin 81497.4,
with soft close mechanism, with
2 drawers




Colours: .630 .631

42452.0
Vanity unit for washbasin 81497.3,
with soft close mechanism, with
2 drawers




Colours: .630 .631

42436.0
Vanity unit for washbasin 81497.1,
with soft close mechanism, with
2 drawers




Colours: .630 .631

42405.3
800 mm vanity unit for semi-
recessed washbasin 81397.2 cut-
out in the middle, with soft close
mechanism, with 1 drawer




Colours: .630 .631

42415.1
1200 mm vanity unit for semi-
recessed washbasin 81397.2 cut-out
left, with soft close mechanism, with
3 drawers



Colours: .630 .631

42415.2
1200 mm vanity unit for semi-
recessed washbasin 81397.2 cut-out
right, with soft close mechanism,
with 3 drawers



Colours: .630 .631

ILBAGNOALESSI ONE

800 mm vanity unit, with central cut-out, with soft close mechanism

42402.3


For 81897.1 with two drawers

42403.3

For 81897.2 with two drawers

42404.3

For 81397.1 with 1 drawer



Colours: .630 .631

1200 mm, vanity unit with cut-out left, soft close mechanism

42412.1

For 81897.1 with 4 drawers

42413.1


For 81897.2 with 4 drawers

42414.1

For 81397.1 with 3 drawers

42416.1

For 81897.3 with 3 drawers



Colours: .630 .631

1200 mm, vanity unit with cut-out right, soft close mechanism

42412.2

For 81897.1 with 4 drawers

42413.2


For 81897.2 with 4 drawers

42414.2

For 81397.1 with 3 drawers

42416.2

For 81897.3 with 3 drawers




Colours: .630 .631

49240.2

Drawer organizer

Not available for:


43012.1 / 43022.1 / 42405.3 / 42415.1 / 42415.2 / 42436.0 / 42445.0 / 42450.0 / 42447.0 / 42452.0



Colours: .630 .631

42426.1


1600 mm vanity unit for washbasin 81897.3, with left hand cut-out, with 3 drawers, with soft close mechanism



Colours: .630 .631

42426.2

1600 mm vanity unit for washbasin 81897.3, with right hand cut-out, with 3 drawers, with soft close mechanism



Colours: .630 .631


Vanity unit, 1600 mm, with cut-out left and right, with soft close mechanism

42422.4

For 81897.1 with 4 drawers

42424.4

For 81397.1 with 2 drawers




Colours: .630 .631

49240.1

Drawer organizer for small drawer

Not available for:

42405.3 / 42415.1 / 42415.2 / 42436.0



Colours: .630 .631

ILBAGNOALESSI ONE


Cover plate for vanity unit

42460.2
With cut-out left, for two vanity units with wide drawers left


42460.3
With cut-out right, for two vanity units with wide drawers left

42460.4
With cut-out left and right, for two vanity units with wide drawers left


When ordering, please take note of the washbasin item number.



42417.0
Vanity unit without cover plate with wide drawers left, with 4 drawers, with soft close mechanism



42417.0
Vanity unit without cover plate with wide drawers left, with 4 drawers, with soft close mechanism



Colours: .630 .631


Cover plate for vanity unit

42461.2
With cut-out left, for two vanity units with wide drawers right


42461.3
With cut-out right, for two vanity units with wide drawers right

42461.4
With cut-out left and right, for two vanity units with wide drawers right


When ordering, please take note of the washbasin item number.



42418.0
Vanity unit without cover plate with wide drawers right, with 4 drawers, with soft close mechanism



42418.0
Vanity unit without cover plate with wide drawers right, with 4 drawers, with soft close mechanism




Colours: .630 .631


Cover plate for vanity unit

42462.4
With cut-outs centrally, for one vanity unit with wide drawers right and for one vanity unit with wide drawers left


When ordering, please take note of the washbasin item number.



42418.0
Vanity unit without cover plate with wide drawers right, with 4 drawers, with soft close mechanism



42417.0
Vanity unit without cover plate with wide drawers left, with 4 drawers, with soft close mechanism



Colours: .630 .631

Tall cabinet with double-sided mirror, 4 glass shelves and soft-close mechanism

45801.1
Hinge left

45802.1
Hinge right

45803.1
Hinge left with illuminated shelving

45804.1
Hinge right, with illuminated shelving



Colours: .630 .631


Tall cabinet with double-sided mirror, 2 glass shelves, 2 interior drawers and soft-close mechanism

45801.2
Hinge left

45802.2
Hinge right

45803.2
Hinge left with illuminated shelving

45804.2
Hinge right, with illuminated shelving



Colours: .630 .631

Furniture colours

-  **.631** white lacquered
-  **.630** Noce canaletto

ILBAGNOALESSI ONE

44841.1

Mirror, 400 mm, with lighting, mirror frame and anti-misting system, 2x8W, IP44, 230V

24597.1

Bathtub, solid surface material, 1780 x 820 mm, fitted version, with frame

Colours: .000

Options: .000 .605 .615 .625

24397.0

Bathtub, fitted version, without panel, with frame, sanitary acrylic, 2030 x 1020 mm, also available with whirl system

Colours .000

Options: .000

24197.0

Bathtub, free-standing, with one-piece panel, sanitary acrylic, 2030 x 1020 mm, also available with whirl system

Colours: .000

Options: .000

Mirror, with lighting, mirror frame and anti-misting system

	A
44842.1	800, 2x13 W
44843.1	1200, 1x28 W
44844.1	1600, 1x35 W

24597.2

Bathtub, solid surface material, 1830 x 870 mm, freestanding version

For the installation of the bathtub a cut out in the floor is needed. Please see the technical fact sheet.

Colours: .000

Options: .000 .605 .615 .625

24497.0

Bathtub, semi-recessed version, with front panel, with frame, sanitary acrylic, 2030 x 1020 mm, also available with whirl system

Colours: .000

Options: .000

Colours bathtubs

24197.0, 24397.0 and 24497.0

.000

White

Options bathtubs with whirl system

.000 Without whirl system

Electronic sensor control

	Air massage	LED-light
Option .605	x	
Option .615		x
Option .625	x	x

IL BAGNO **ALESSI** dOt



IL BAGNO ALESSI dOt – a cooperation between Alessi, LAUFEN Bathrooms and Oras – was the first bathroom project of the designer, Wiel Arets.

In drawing up the design, Arets paid particular attention to ensuring that the individual objects did not distract from the real purpose of the bathroom – to cleanse the body and spirit.

Wiel Arets: “The ensemble as a whole is based on the strengths of its individual parts. Each must fulfil its purpose without becoming overly dominant. All objects must, in all respects, serve the purpose of relaxation. The design of the forms is very low key yet consistent for all objects which means they project an overall impression of peace and tranquillity.

On closer inspection, it can also be seen that their form perfectly follows their function.” While the designs of the Dutch architect and designer Wiel Arets are undoubtedly based on intellectual concepts, they are also pragmatic.

His most significant work includes the Academy of Art and Architecture in Maastricht and the AZL Pensions Fund Headquarters in Heerlen, Netherlands.

Wiel Arets was born in 1955 in Heerlen and received his diploma from the Technical University of Eindhoven in 1983. In 1984, he founded the office Wiel Arets Architect & Associates in Heerlen, which subsequently moved to Maastricht in 1996. He has lectured all over the world at academies and universities in London, Vienna and New York and other cities. He currently holds the Berlage professorship at the Technical University of Delft.








Formal and minimalistic: this is the impression created by the elements of ILBAGNOALESSI dOt.

The unifying key element is the circle – even if this is not always obvious.

The highly minimalist design with closed form and low-key elegance radiates an air of tranquillity.

81590.1


Small washbasin with integrated siphon cover



Options: .104

81090.2


Countertop washbasin



Options: .104

81190.2


Floorstanding washbasin with wall connection



Options: .104


82090.0

Wall-hung WC, washdown



83090.1.304

Wall-hung bidet, without lateral holes for water connection



89290.1

Seat and cover, removable, with lowering system, stainless steel hinges

89290.2

Seat and cover, without "dOt", removable, with lowering system, stainless steel hinges

Colours ceramic

.400 white LCC

PALOMBA COLLECTION







With the introduction of the successful LAUFEN PALOMBA COLLECTION in 2005 the famous Italian designers Ludovica and Roberto Palomba created a design language that the couple describe as a “fingerprint of nature”. The tension between rigorous geometrical and organic shapes is typical of the entire collection, and ensures that all elements can be combined with one another. If recent editions have favoured geometrical shapes, this time round the Milanese designers are again focusing more on soft organic lines. The highlights of the PALOMBA COLLECTION are the “Menhir” washbasin and an exceptional bathtub. These two leading protagonists are accompanied by a cast of four countertop washbasins, two washbasin bowls and a new bathroom furniture collection.





reddot design award
winner 2005



reddot design award
winner 2007



product
design
award
2007



product
design
award
2013



MANUFACTURER
AWARDS 2005



interior
innovation
award
2013
Winner



GOOD
DESIGN



GOOD
DESIGN



BEST
OF
YEAR
HONOREE
2012

DESIGN PLUS




The PALOMBA COLLECTION offers endless creative possibilities, as many of the objects can be combined with each other. LAUFEN has set itself the task of continuously adding new design solutions to the PALOMBA COLLECTION. The versatile design tonalities give architects, interior decorators and designers a wide selection of superior quality, up-to-date products at their disposal in the planning of bathrooms, thus offering them a great opportunity: To break free from all clichés and have full design freedom.

LAUFEN extends its range of washbasins introduced in previous editions of the collection by four countertop washbasins in 50, 65, 80 and 100 cm lengths. An organically shaped bowl blends lagoon-like into the ultra-flat washbasin panel. The central position of the bowl leaves ample storage space at either side.

To match the ceramic washbasin LAUFEN has created a bathroom furniture series for the PALOMBA COLLECTION. It includes vanity units whose handles and bases can be optionally selected with atmospheric LED lighting, a tall cabinet, medium cabinet and washtops








Innovative axialities: organic decisive lines for a large washbasin that characterize and shape the entire range of architectural objects. A unique product in the world of sanitary wares which poses a real challenge to the laws of production. This iconic 1600 mm washbasin is also available in widths of 1200 mm and 800 mm. Together with the asymmetric washbasin bowl, this washbasin won the coveted red dot design award.















The bathroom is also architecture. This room can become a real part of the home by devising bathtub, washbasin, WC, bidet and furniture configurations. The WC and bidet in white ceramic are available as a floorstanding bidet/WC, wall-hung bidet/WC and WC with cistern. The toilet seat has a lowering system. The WC seat with ultra-flat cover fits existing stylish WC versions.



Symmetrical and asymmetrical bathtubs made of acrylic and Sentec mineral material. The PALOMBA COLLECTION takes pure geometry to a new level. A modern international bathroom, thanks to essential shapes that are unique, sensual and readily combinable. These innovative and unprecedented creations mark the start of a new chapter in the art of bathroom design.




PALOMBA COLLECTION

<p>81780.1 Countertop washbasin</p> <p>○/●</p>  <p>Options: .105 .106 .109 .113 .114</p> <p>Vanity unit with 1 drawer, matches washbasin 81780.1</p> <p>40620.1 Without socket</p>  <p>Colours: .220 .222 .223</p> <p>Vanity unit with 2 drawers, matches washbasin 81780.1</p> <p>40620.2 Without socket</p>  <p>Colours: .220 .222 .223</p>	<p>81780.2 Countertop washbasin</p> <p>○/●</p>  <p>Options: .105 .106 .109 .113 .114</p> <p>Vanity unit with 1 drawer, matches washbasin 81780.2</p> <p>40630.1 Without socket</p>  <p>Colours: .220 .222 .223</p> <p>Vanity unit with 2 drawers, matches washbasin 81780.2</p> <p>40630.2 Without socket</p>  <p>Colours: .220 .222 .223</p>	<p>81780.4 Countertop washbasin</p> <p>○/●</p>  <p>Options: .105 .106 .109 .113 .114</p> <p>Vanity unit with 1 drawer, matches washbasin 81780.4</p> <p>40640.1 Without socket</p>  <p>Colours: .220 .222 .223</p> <p>Vanity unit with 2 drawers, matches washbasin 81780.4</p> <p>40640.2 Without socket</p>  <p>Colours: .220 .222 .223</p>	<p>81780.6 Countertop washbasin</p> <p>○/●</p>  <p>Options: .105 .106 .109 .113 .114</p> <p>Vanity unit with 1 drawer, matches washbasin 81780.6</p> <p>40650.1 Without socket</p>  <p>Colours: .220 .222 .223</p> <p>Vanity unit with 2 drawers, matches washbasin 81780.6</p> <p>40650.2 Without socket</p>  <p>Colours: .220 .222 .223</p>
---	--	---	--

PALOMBA COLLECTION

81480.4


Countertop washbasin



Options: .104 .109 .111


Towel holder, chrome

38180.1 (760 mm)
for washbasin 81480.4



Vanity unit with 2 drawers,
matches washbasin 81480.4


40720.2
Without socket



Colours: .220 .222 .223

81480.6


Countertop washbasin



Options: .104 .109 .111


Towel holder, chrome

38180.2 (1160 mm)
for washbasin 81480.6



Vanity unit with 4 drawers,
matches washbasin 81480.6


40730.4
Without socket



Colours: .220 .222 .223

81480.8


Countertop washbasin



Options: .104 .109 .111


Towel holder, chrome

38180.3 (1560 mm)
for washbasin 81480.8



Vanity unit with 4 drawers,
matches washbasin 81480.8


40740.4
Without socket



Colours: .220 .222 .223

81480.9


Double countertop washbasin



Options: .104 .109 .111 .112


Towel holder, chrome

38180.4 (1560 mm)
for washbasin 81480.9



Vanity unit with 4 drawers,
matches washbasin 81480.9

40745.4
Without socket



Colours: .220 .222 .223

PALOMBA COLLECTION

81680.1

Washbasin bowl

Top view dimensions: 900 (width), 420 (depth), 225 (radius), 150 (height).
Side view dimensions: 900 (width), 580 (height), 650 (height), 130 (height), 135 (height), 190 (height).

Options: .112

81680.2

Bowl

Top view dimensions: 520 (width), 380 (depth), 170 (radius), 175 (height).
Side view dimensions: 900 (width), 580 (height), 650 (height), 110 (height).

Options: .112

81680.3

Bowl with tapbank

Top view dimensions: 600 (width), 400 (depth), 505 (radius), 250 (radius), 105 (height), 200 (height).
Side view dimensions: 900 (width), 580 (height), 650 (height), 165 (height).

Options: .104 .109 .111 .112

81180.3

Freestanding washbasin

Top view dimensions: 525 (width), 400 (depth), 80 (radius), 300 (radius), 115 (height), 195 (height), 120 (height), 280 (height).
Side view dimensions: 900 (width), 140 (height).

Options: .104 .109

81180.4

Floorstanding washbasin with wall connection

Top view dimensions: 525 (width), 435 (depth), 80 (radius), 115 (height), 230 (height), 280 (height).
Side view dimensions: 900 (width), 530-580 (height), 600-650 (height), 140 (height), 160 (height), 65 (height).




Options: .104 .109

PALOMBA COLLECTION

82080.1

Wall-hung WC, washdown




4,5L 3L



82380.6

Floorstanding WC, washdown,
Vario outlet




4,5L 3L



82480.6




Floorstanding WC combination,
back-to-wall, washdown, Dual Flush,
Vario outlet

4,5L 3L



83080.1.304




Wall-hung bidet



Options: .304

83280.1

Floorstanding bidet



Options: .304

82880.1/.2

Cistern, Dual Flush, water
connection at side (left or right) and
rear middle


Options: .278

89180.2

Seat and cover, removable, with
lowering system, flat version


PALOMBA COLLECTION

23180.0
Bathtub, sanitary acrylic,
1800x900 mm, freestanding
version, with panel, 40 mm border




Options: .000

23280.0
Bathtub, sanitary acrylic,
1800x900 mm, fitted version,
40 mm border




Options: .000

23280.1
Bathtub, sanitary acrylic,
1800x900 mm, fitted version, with
frame 40 mm border




Options: .000

24280.0
Bathtub, sanitary acrylic,
1800x800 mm, fitted version,
20 mm border




Options: .000

24280.1
Bathtub, sanitary acrylic,
1800x800 mm, fitted version, with
frame, 20 mm border




Options: .000

24380.0
Bathtub, sanitary acrylic,
1800x800 mm, fitted version,
80 mm border




Options: .000

24380.1
Bathtub, sanitary acrylic,
1800x800 mm, fitted version, with
frame, 80 mm border



Options: .000

24580.2
Bathtub, solid surface,
1800x900/750 mm, freestanding
version, with lifting system



Options: .000 .625

PALOMBA COLLECTION

Colours ceramic



.000 white



.400 white LCC

Colours bathtubs



.000 white

Options solid surface bathtub

000

**Without whirl system, without
underwater lighting**

625

**Whirl systems with sensor, with
underwater lighting**

Number of air holes 62


For detailed information on the
whirl systems, refer to the chapter
"Wellness".



PALOMBA COLLECTION


Vanity unit with 2 drawers, matches washbasin 81680.2

40610.2
Without socket




Colours: .220 .222 .223

40700.1
Square box




Colours: .220 .223 .224 .225

40710.1
Rectangular box




Colours: .220 .223 .224 .225

40710.2
Rectangular box with shelf




Colours: .220 .223 .224 .225

40710.3
Rectangular box with shelf, floorstanding




Colours: .220 .223 .224 .225

40715.1
Back wall square



Colours: .200 .222 .226 .227

40715.2
Back wall rectangular




Colours: .200 .222 .226 .227

49030.1
Organizer for drawer, glass



40670.1
Medium cabinet, door hinge left or right



Colours: .220 .222 .223

Colours furniture

 **.220** white

 **.222** cherry Vermont dark

 **.223** stone grey

Colours boxes

 **.220** white

 **.223** stone grey

 **.224** pigeon blue

Colours back walls

 **.200** mirror

 **.222** cherry Vermont dark


 **.226** pur orange

 **.227** ruby red

Tall cabinet

40675.1
Door hinge left

40675.2
Door hinge right



Colours: .220 .222 .223



◆ SaphirKeramik



Since its launch Kartell by LAUFEN has celebrated great successes with clients, at design events, award ceremonies and trade shows around the globe. With a range of exciting products, LAUFEN opened another chapter in this success story. There's a 120 cm wide washbasin made from SaphirKeramik. This generously sized piece is perfect for larger washing areas. And a 90 cm washbasin with a shelf on the right, an extremely compact guest basin with storage on the right or left. This range is made from SaphirKeramik and includes innovative features such as a special hidden outlet and optional invisible overflow.



ELLE
DECO
INTERNATIONAL
DESIGN AWARDS

KE CULTURE AWARDS 2014









To this collection we have also added an easy to clean rimless toilet and space saving vanity units for guest bathroom washbasins. Vanity units with one or two drawers for 90cm and 120cm washbasins. With its products Kartell by LAUFEN furthers its reputation as a complete bathroom collection, offering innovative and stylish options for exceptional bathrooms, both compact and generously sized.








The line of fittings in the Kartell by LAUFEN range combines quality design and pure lifestyle in one. LAUFEN has expanded its range with elegant fittings and single lever operation. To select from is a washbasin faucet, a column faucet for countertop bowls as well as a bidet faucet and a 2-hole faucet with swivel spout and individually positionable operation.

LAUFEN complements the Kartell by LAUFEN fittings range with wall-mounted faucets for washbasins, bathtubs and showers. They provide the user with a convenient storage space for personal accessories and can be installed quickly and easily thanks to the innovative flush-mounted Simibox 1 point unit.













KARTELL BY LAUFEN

81133.1 ○/●/●●/●●●
Freestanding washbasin, with special hidden outlet





Colours: .000 .020 .400
Options: .111 .112 .158 .815

81233.1 ○
Washbasin bowl





Colours: .000 .020 .400 .757 .759
Options: .112

81233.2 ○/●/●●●
Washbasin bowl with tapbank, with special hidden outlet





Colours: .000 .020 .400 .757 .759
Options: .111 .112 .158 .104 .108

81533.1 ○/●/●●/●●●
Small washbasin, with special hidden outlet





Colours: .000 .020 .400 .757 .759
Options: .111 .112 .158 .104 .108

81533.4 ○/●
Countertop small washbasin, asymmetric, tap bank right, with special hidden outlet



Colours: .000 .020 .400 .757 .759
Options: .111 .112

81533.5 ○/●
Countertop small washbasin, asymmetric, tap bank left, with special hidden outlet





Colours: .000 .020 .400 .757 .759
Options: .111 .112

KARTELL BY LAUFEN

81033.4



Washbasin, shelf right, with special hidden outlet





Colours: .000 .020 .400 .757 .759
Options: .111 .112 .158 .104 .108

81033.8



Countertop washbasin, shelf right, with special hidden outlet





Colours: .000 .020 .400 .757 .759
Options: .104 .108 .111 .112 .158 .814 .815

81333.2



Countertop washbasin, shelf right, with special hidden outlet





Colours: .000 .020 .400 .757 .759
Options: .104 .108 .111 .112 .158 .814 .815

81033.5



Washbasin, shelf left, with special hidden outlet





Colours: .000 .020 .400 .757 .759
Options: .111 .112 .158 .104 .108

81033.9



Washbasin, shelf left, with special hidden outlet



Colours: .000 .020 .400 .757 .759
Options: .111 .112 .158 .104 .108



➔ **Further information:**
Product properties of
SaphirKeramik




KARTELL BY LAUFEN

82033.1

Wall-hung WC, washdown

4,5L 3L




Colours: .000 .020 .400 .757

82033.6

Wall-hung WC, rimless, washdown

4,5L 3L




Colours: .000 .020 .400 .757

82333.6

Floorstanding WC rimless, washdown, horizontal/vertical outlet, Vario

NEW

4,5L 3L




Colours: .000 .020 .400 .757

82333.1

Floorstanding WC, washdown, horizontal/vertical outlet, Vario


4,5L 3L



Colours: .000 .020 .400 .757

83033.1


Wall-hung bidet



Colours: .000 .020 .400 .757
Options: .302

83233.1

Floorstanding bidet



Colours: .000 .020 .400 .757
Options: .302 .308

KARTELL BY LAUFEN

Floorstanding WC combination

82333.1
 Floorstanding WC, washdown, horizontal/vertical outlet, Vario

82866.0/1
 Floorstanding cistern, Dual Flush

Colours: .000 .400 .757

89133.0
 Seat and cover, removable

89133.1
 Seat and cover, removable, with lowering system

Colours: .000 .757

Floorstanding cistern, Dual Flush

82866.0.730 6/3L
 Water connection left or right at the top of the cistern

82866.1.731 6/3L
 Water connection back left at the top of the cistern

Colours: .000 .400 .757

Colours ceramic

.000 white

.400 white LCC

.757 white matt*

.020 black glossy*

.759 grey matt*

*only for selected products

21133.1
 Shower tray, square, solid surface Sentec

Colours: .000

21233.x
 Shower tray, rectangular, solid surface Sentec

	A	B
21233.1	1000	75
21233.2	1100	175
21233.3	1200	275
21233.4	1300	375
21233.5	1400	475


Colours: .000

Colours shower trays

.000 white


KARTELL BY LAUFEN

22233.2
Bathtub, solid surface, 1760x760 mm, freestanding version, with panel, with slot overflow and tap bank at feet side, with lifting system




Options: .616

22333.1
Bathtub, solid surface, 1700x860 mm, fitted version, for corner right, with frame, with tap bank, with slot overflow at front side




Options: .616

22333.2
Bathtub, solid surface, 1700x860 mm, freestanding version, with panel, with tap bank, with slot overflow at front side, with lifting system



Options: .616


22333.5
Bathtub, solid surface, 1700x860 mm, for corner right, with frame, with L-panel left, with tap bank, with slot overflow at front side



Options: .616


Options bathtubs
.616
With illuminated slot overflow

22433.1
Bathtub, solid surface, 1700x860 mm, fitted version, for corner left, with frame, with tap bank, with slot overflow at front side




Options: .616

22433.2
Bathtub, solid surface, 1700x860 mm, freestanding version, with panel, with tap bank, with slot overflow at front side, with lifting system



Options: .616

22433.6
Bathtub, solid surface, 1700x860 mm, for corner left, with frame, with L-panel right, with tap bank, with slot overflow at front side




Options: .616

KARTELL BY LAUFEN

40751.2


Vanity unit with one door and 1 movable panel, for washbasin 81533.4



Colours: .631 .633 .634 .635

40751.1


Vanity unit with one door and 1 movable panel, for washbasin 81533.5



Colours: .631 .633 .634 .635

40760.1

Vanity unit with one drawer and internal shelf with Soft-Close for washbasin 81033.8/9




Colours: .631 .633 .634 .635

40752.0

Open shelf element

40753.0

Glass cover plate, optional



Colours: .631 .633 .634 .635


Vanity unit with Soft-Close, for washbasin 81533.1

40750.1

With one drawer and internal shelf

40750.2

With two drawers



Colours: .631 .633 .634 .635

Vanity unit Soft-Close

40755.1


With one drawer and internal shelf for washbasin 81033.4 and 81033.5

40755.2

With two drawers for washbasin 81033.4

40756.2


With two drawers for washbasin 81033.5



Colours: .631 .633 .634 .635

40761.2


Vanity unit with two drawers with Soft-Close for washbasin 81033.8



Colours: .631 .633 .634 .635

40760.2

Vanity unit with two drawers with Soft-Close for washbasin 81033.9



Colours: .631 .633 .634 .635

KARTELL BY LAUFEN

40762.0.033.004.1
Foot set (2 pieces)

Washtop

40772.0
Without cut out

40772.1
With center cut out for washbasin bowl s1233.1

40772.2
With cut out left for washbasin bowl s1233.1

40772.3
With cut out right for washbasin bowl s1233.1

40772.4
With cut out left and right for washbasin bowl s1233.1

40773.1
With center cut out for washbasin bowl s1233.2

40773.2
With cut out left for washbasin bowl s1233.2

40773.3
With cut out right for washbasin bowl s1233.2

Washtop

40778.0
Without cut out

40778.1
With center cut out for washbasin bowl s1233.1

40778.2
With cut out left for washbasin bowl s1233.1

40778.3
With cut out right for washbasin bowl s1233.1

40778.4
With cut out left and right for washbasin bowl s1233.1

40779.1
With center cut out for washbasin bowl s1233.2

40779.2
With cut out left for washbasin bowl s1233.2

40779.3
With cut out right for washbasin bowl s1233.2

40779.4
With cut out left and right for washbasin bowl s1233.2

40780.0
Drawer element with 12 mm top, usable as sideboard


40782.0
Glass cover plate, optional

40780.1
Drawer element with 12 mm top, with center cut out

NEW


40782.1
Glass cover plate, optional, with center cut out

NEW



Colours: .631 .633 .634 .635


40764.2
Vanity unit with two drawers with Soft-Close for washbasin s1333.2



Colours: .631 .633 .634 .635



Colours: .631



Colours: .631

40785.0
Drawer element with 12 mm top, usable as sideboard


40787.0
Glass cover plate, optional

40785.1
Drawer element with 12 mm top, with center cut out

NEW

40787.1
Glass cover plate, optional, with center cut out

NEW




Colours: .631 .633 .634 .635

KARTELL BY LAUFEN

Tall cabinet


40815.1
With one door left

40815.2
With one door right




Colours: .631 .633 .634 .635

38533.4
Towel frame for washbasin 81533.1




Colours: .004 .450

38533.5
Towel frame for washbasin 81033.4/5



Colours: .004 .450

40810.0
Medium cabinet with mirror front and side open




Colours: .631 .633 .634 .635

Colours furniture



	.631 white glossy
	.633 black glossy
	.634 grey matt
	.635 orange glossy

38533.6
Towel frame for washbasin 81033.8/9



Colours: .004 .450

Colours towel frame

	.004 chrome
	.450 matt black

KARTELL BY LAUFEN

38633.1

Mirror *All saints*

38633.3

With indirect LED lighting for
*transparent mirrors

Colours: *.081 *.082 *.084 .086
.087 .089

38933.0

Stool *Max-Beam*

Colours: .081 .082 .083 .084 .085

38533.1

Shelf for basin

Colours: .084 .085

38133.0

Towel Rail 300 mm

38133.1

Towel Rail 450 mm

38133.2

Towel Rail 600 mm

Colours: .081 .082 .083 .084 .085

38533.0

Shelf wall-mounted *Shelfish*

Colours: .081 .082 .083 .084 .085
.089

38933.1

Rack *Sound-rack*

Colours: .081 .082 .083 .084 .085

38533.2

Shelf for bathtub

Colours: .084 .085

KARTELL BY LAUFEN

38933.2


Lamp *Rifly* wall-mounted



Colours: .084

38933.3


Pendant lamp *Rifly* 300 mm



Colours: .084 .086 .087 .089

38533.3.004.000.1

Wall tray



Including disc in colour Transparent crystal

Colours accessories



.081 amber



.082 tangerine orange



.083 blue



.084 transparent crystal



.085 smoky grey



.086 silver




.087 gold




.089 copper


Colours Disc




.081 amber



.082 tangerine orange




.084 transparent crystal



.085 smoky grey

38933.4


Pendant lamp *Rifly* 600 mm



Colours: .084 .086 .087 .089

38933.5


Pendant lamp *Rifly* 900 mm



Colours: .084 .086 .087 .089

38433.2.004.000.1

Toilet paper holder



Including disc in colour Transparent crystal

Discs in additional colours to be ordered separately :

Disc ø 183 mm

39833.5.081.001.1
Amber

39833.5.082.001.1
Tangerine orange

39833.5.084.001.1
Transparent crystal

39833.5.085.001.1
Smoky grey

Disc ø 275 mm

39833.5.081.002.1
Amber

39833.5.082.002.1
Tangerine orange

39833.5.084.002.1
Transparent crystal

39833.5.085.002.1
Smoky grey

LIVING CITY



A system with corners and edges, yet so flexible and easy to maintain: living city has a clear concept and clear forms. Thanks to the modular system, washbasins with and without storage are available in many widths. Reduction, not stone cold sobriety; individualism without idiosyncrasy: The language of the living city forms is aimed at people who live in modern surroundings and create a living environment with refined awareness and sensitivity to materials. The design of LAUFEN rectangular wall-hung WCs and bidets suits this context perfectly.







Urbane and modern: living city demonstrates a bold tendency towards reduction and interprets sanitary ware as a cube. This bathroom design is characterised by a clear line and aesthetic sophistication.

Pure geometry: The sanitary ware products of living city speak a clear formal language are a celebration of modern lines – and are also eyecatching in combination with the matching city line, citypro and cityprime faucets.

Case, the bathroom furniture series, is the perfect compliment and provides more storage space for all living city washbasins (see chapter “case”).







LIVING CITY


ø1543.2


Small washbasin

○/●

ø1543.3

Small washbasin, undersurface ground







Options: .104 .109

Washbasin bowl

○/●/●●●

	A	B	C	D
ø1143.0	450	380	200	140
ø1143.1	500	425	225	165
ø1143.2	600	425	225	165





Options: .104 .109

also for ø1143.1/2
.108 .136


Countertop washbasin


○/●/●●●

	A	B	C
ø1743.1	500	460	460
ø1743.3	600	460	560

Washbasin, undersurface ground

	A	B
ø1743.2	500	460
ø1743.4	600	460





Options: .104 .108 .109 .136


Countertop washbasin


○/●/●●●

	A	B	C
ø1743.6	800	460	760
ø1843.7	1000	460	960

Washbasin, undersurface ground

	A	B
ø1743.7	800	460
ø1843.8	1000	460





Options: .104 .108 .109 .136

also for ø1843.7/8
.107 .115

Countertop washbasin,

cutable to 700 mm


○/●/●●●


ø1843.1

Shelf left

ø1843.2

Shelf right





Options: .104 .108 .109 .135

Towel holder, chrome-plated

ø9542.3

Suitable for 500 mm washbasin

ø1743.1

ø9542.4

Suitable for 600 mm washbasin

ø1743.3, ø1843.1/2/5/6

ø9542.5

Suitable for 800 mm washbasin

ø1743.6

ø9542.6

Suitable for 1000 mm washbasin

ø1843.1/2/5/6/7



LIVING CITY

Built-in washbasin

	A	B	C	D
81243.2	350	400	280	335
81243.1	490	535	310	360

*ground

Options: .109 .155

81343.9

Built-in washbasin

Options: .109 .155

81343.1

Semi-recessed washbasin

Options: .104 .109

81343.2

Semi-recessed washbasin

Options: .104 .108 .109

Colours ceramic

.000 white


CASE FOR LIVING CITY

Vanity unit, with soft close mechanism, suitable for living city washbasin 81543.2

40111.1
With one drawer

40111.2
With two drawers

Feet, optional:
48309.9




Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism, suitable for living city washbasin 81743.1

40113.1
With one drawer

40113.2
With two drawers

Feet, optional:
48309.9




Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism, suitable for living city washbasin 81743.3

40118.1
With one drawer

40118.2
With two drawers

Feet, optional:
48309.9




Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism, suitable for living city washbasin 81743.6

40124.1
With one drawer

40124.2
With two drawers

Feet, optional:
48309.9




Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism, suitable for living city washbasin 81843.7, 81843.1, 81843.2

40128.1
With one drawer

40128.2
With two drawers

Feet, optional:
48309.9



Colours: .463 .464 .519 .548 .999

For matching cabinets and mirrors please refer to chapter "case". Matching mirrors or mirror cabinets can be found in the case or frame25 chapters.

Colours furniture

	.463 white matt
	.464 white glossy
	.519 chalked oak
	.548 anthracite oak
	.999 multicolor


Please state colour number in the order text:

01	02	03
04	05	06
07	08	09
10	11	12
13	14	15
16	17	18
19	20	21
22	23	24
25	26	27
28	29	30
31	32	33
34	35	36
37	38	39

For more information on the choice of 39 colours, refer to the "Product features and benefits" chapters.

49095.0
Towel holder, anodised aluminium, 270 mm


Suitable for:
case for living city
40111.1/2



Colours: .463 .464 .519 .548 .999

49095.1
Towel holder, anodised aluminium, 320 mm


Suitable for:
case for living city
40111.1/2, 40113.1/2, 40118.1/2, 40124.1/2, 40128.1/2



Colours: .463 .464 .519 .548 .999

49095.2
Towel holder, anodised aluminium, 400 mm

Suitable for:
case for living city
40113.1/2, 40118.1/2, 40124.1/2, 40128.1/2



Colours: .463 .464 .519 .548 .999

LIVING SQUARE






living square pushes the art of ceramic manufacturing to its limits. The extremely flat washbasin, with its flat surfaces and defined edges, appears to float in front of the wall. This is how elegant sanitary ware can be. living square inspires with its slender outline: The double washbasin, with a useful width of 180 cm in combination with the ceramic shelf, creates a fully functional washing facility. The case range of furniture is equally well matched (for more information see the chapter “case”).





Different configurations are possible for the living square washbasin: traditional wall mounting; incorporated in a furniture unit; as a back-to-wall washbasin bowl; recessed into the top of a countertop or with additional practical towel holder.





The living square washbasins are cutable and can be trimmed to almost any requirement: on the right, left or at both ends. Thanks to precision engineering, they can be cut in our factory to within a millimetre of customer specifications. This means we can produce tailor-made solutions that fit perfectly into niches and corners.



living square inspires with its slender outline: The double washbasin, with a useful width of 180 cm in combination with the ceramic splash back, creates a fully functional washing facility.

LIVING SQUARE

81543.4

Small washbasin

○/●

81543.5

Drop-in washbasin, wall-mounted

Options:

.104 .109 .

81643.1

Countertop washbasin

○/●/●●●

81643.2

Drop-in washbasin, wall-mounted

Options:

.104 .108 .109

81643.3

Countertop washbasin, cutable to 650 mm

○/●/●●●

81643.4

Drop-in washbasin, wall-mounted

Options:

.104 .108 .109

also for:

81643.3 .135 .147 .

81643.5

Countertop washbasin, cutable to 650 m

○/●/●●●

Options:

.104 .108 .109 .135.147

81743.8

Countertop washbasin, asymmetrical, storage area on the right

○/●/●●●

Options:

.104 .108 .109

81743.9

Countertop washbasin, asymmetrical, storage area on the left

○/●/●●●

Options:

.104 .108 .109

81643.6

Countertop double washbasin,

○/●/●●/●●●

Options:

.104 .107 .108 .109

81643.8

Countertop washbasin, cutable to 1000 mm

○/●/●●/●●●

Options:

.104 .107. 108 .109 .135.147

Ceramic shelf, cutable

	A
87043.3	900
87043.4	1200
87043.5	1300
87043.6	1500
87043.8	1800

Options:

.000 uncut
.710 cut right
.711 cut left
.712 cut on both sides

Towel holder, chrome-plated

88143.1

Suitable for living square washbasin 500 mm 81543.4

88143.2

Suitable for living square washbasin 650 mm 81643.1

88143.3

Suitable for living square washbasin 900 mm 81643.3

88143.4

Suitable for 1300 mm living square washbasin 81643.5

88143.5

Suitable for 1800 mm living square washbasin 81643.8

Colours ceramic

.000 white

CASE FOR LIVING SQUARE

Vanity unit, with soft close mechanism, suitable for living square washbasin 81543.4

40114.1


With one drawer

40114.2

With two drawers

Feet, optional:

48309.7



Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism, suitable for living square washbasin 81643.1

40121.1


With one drawer

40121.2

With two drawers

Feet, optional:

48309.7



Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism, suitable for living square washbasin 81643.3

40126.1


With one drawer

40126.2

With two drawers

Feet, optional:

48309.7



Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism, suitable for living square washbasin 81743.8

40142.1


With one drawer

40142.2

With two drawers

Feet, optional:

48309.7



Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism, suitable for living square washbasin 81743.9

40144.1


With one drawer

40144.2

With two drawers

Feet, optional:

48309.7



Colours: .463 .464 .519 .548 .999

Vanity unit, with two glass shelves, soft close mechanism, suitable for 1300 mm living square washbasin 81643.5 and 81643.6

40131.1


With one drawer and two doors left/right

40131.2

With two drawers and two doors left/right

Feet, optional:

48309.7



Colours: .463 .464 .519 .548 .999

Vanity unit, with two glass shelves, soft close mechanism, suitable for 1800 mm living square washbasin 81643.8

40136.1


With one drawer and two doors left/right

40136.2

With two drawers and two doors left/right

Feet, optional:

48309.7



Colours: .463 .464 .519 .548 .999

49095.0

Towel holder, aluminium, 270 mm

Suitable for:

case for living square

40114.1, 40114.2




49095.2

Towel holder, aluminium, 400 mm

Suitable for:

case for living square

40121.1/2, 40126.1/2, 40131.1/2, 40136.1/2



Colours furniture



.463 white matt



.464 white glossy



.519 chalked oak



.548 anthracite oak



.999 multicolor

Please state colour number in the order text:



01



02



03



04



05



06



07



08



09



10



11



12



13



14



15



16



17



18



19



20



21



22



23



24



25



26



27



28



29



30



31



32



33



34



35



36



37



38



39

For more information on the choice of 39 colours, refer to the "Product features and benefits" chapters.

For matching cabinets and mirrors please refer in "case" or "frame25" chapters.

LIVING SAPHIRKERAMIK

◆ SaphirKeramik



Design: platinumdesign,
Andreas Dimitriadis



LAUFEN really makes the most of the advantages of the SaphirKeramik material: New possibilities and flexibility regarding the modelling of ceramic can now be seen clearly in the delicate, thin-walled shapes and narrow radii of the SaphirKeramik.

To complement the revolutionary Living SaphirKeramik bowls, LAUFEN offers simple yet elegant furniture which shows off the delicate bowls in the right light. The floor-standing furniture units are connected to the wall and available in two sizes to suit all of the washbasin bowls.




DESIGN PLUS



81143.3

Washbasin bowl

Waste valve, always open,
with ceramic valve cover plate
89818.8 recommended




Options: .112

81143.4

Washbasin bowl

Waste valve, always open,
with ceramic valve cover plate
89818.8 recommended




Options: .112

81143.5

Washbasin bowl

Waste valve, always open,
with ceramic valve cover plate
89818.8 recommended



Options: .112

Colours ceramic

-  .000 white
-  .400 white LCC
-  .757 white matt

LB³



Perfect combination with contemporary furnishings: Lb3 classic is the formal language of the middle-class living environments of the 19th century – adapted to the present day and uncapricious. The double contour lends the washbasin a timelessly elegant and light appearance. As washbasin with pedestal or siphon cover, as cutable countertop washbasin or as built-in washbasin – Lb3 classic offers a wide selection that gives you ultimate flexibility when choosing your fixtures and fittings. This range offers a nod to the past – yet is still highly contemporary in terms of its design: furniture in white, oak or wenge. For wall-mounting or flexible installation on chrome-plated metal feet. Tall cabinets with glass shelves can store a great deal ensure the bathroom stays tidy. Perfection down to the last detail: The accessories are perfectly matched to the design of the three Lb3 versions and have sophisticated chrome fittings.



reddot design award
winner 2010

LB³ COMFORT




Lb3 Comfort WCs – for greater comfort: The seat position is 6 cm higher which makes it considerably easier to sit down, allows a more ergonomic sitting position and lets you stand up more easily. It fits existing connections, which makes replacement clean and easy.


- seating position raised by 6 cm for more comfort
- knee angle of about 90° for ergonomic sitting position and ease of sitting and standing
- easy installation due to standard fixing dimensions (e.g. for renovation)

universal
design award 2011

universal
design consumer
favorite 2011



Standard
42 cm



Comfort
48 cm

Whether floorstanding or wall-hung, whether with face mounted or recessed cistern: the Lb3 WC and bidet range is convincing due to its variety – with or without lowering system. Many convincing practical details: bidet overflow without overflow hole and concealed fixings for WC and bidet.




- 81068.6

Countertop washbasin, cutable to 700 mm
- 81968.0

Pedestal, ceramic
- 81968.1

Siphon cover, ceramic
- 87868.1/.2

Side cover left/right, ceramic



Options: .104 .108 .135 .147


- 81068.8

Countertop washbasin, cutable to 900 mm
- 81968.0

Pedestal, ceramic
- 81968.1

Siphon cover, ceramic
- 87868.1/.2


Side cover left/right, ceramic



Options: .104 .108 .135 .147

- 81168.2

Drop-in washbasin



Options: .104 .108

82068.0
Wall-hung WC, washdown

4,5L 3L

Top view: 360 x 560
Front view: 180 x 100 x 135 x 255
Side view: 130 x 30 x 430

82068.1
Wall-hung WC, comfort, washdown raised 6 cm

4,5L 3L

Top view: 360 x 560
Front view: 180 x 100 x 135 x 225
Side view: 100 x 30 x 460

82168.4
Floorstanding WC, washdown, Vario horizontal/vertical outlet

Top view: 360 x 560
Front view: 150
Side view: 30 x 380 x 185 x 70 x 125 x 220 x 430

Suitable universal cistern 82866.0/1

82468.4
Floorstanding WC combination, washdown, Vario horizontal/vertical outlet

4,5L 3L

Top view: 360 x 700
Front view: 380 x 775 x 880 x 140
Side view: 170 x 185 x 260 x 70-305 x 390 x 430 x 15

83068.2.302
Wall-hung bidet, without lateral holes for water inlet

Top view: 360 x 560
Front view: 180 x 100 x 135 x 215 x 355
Side view: 275 x 125 x 225 x 430

83268.1
Floorstanding bidet, without lateral holes for water inlet

Top view: 360 x 560
Front view: 180 x 100 x 135 x 110 x 150
Side view: 275 x 125 x 225 x 430

Options: .302

82868.1/2
Cistern, Dual Flush, water connection at side (left or right) and at back for 82468.4

Top view: 360 x 435
Front view: 380 x 285
Side view: 170 x 330 x 60 x 160

89568.0
Seat and cover classic, removable

89568.1
Seat and cover classic, removable, with lowering system

Colours ceramic

	.000 white
	.400 white LCC

INO

◆ SaphirKeramik





A fine feeling for the trends and developments in business and the environment characterise the design of Toan Nguyen: With his design studio, the Toan Nguyen Studio, he designs products that lend the spirit of the times a timeless shape. Toan Nguyen was born in Paris in 1969 and graduated in 1995 as an industrial designer from ENSI-Les Ateliers in Paris. Nguyen gained experience by working at various design offices in Paris, Barcelona and Madrid, before starting a 10-year collaboration as a design director and design partner with Antonio Citterio in 1998. During this period, he came up with designs for brands like Axor Hansgrohe, B&B Italia, Flos, Fusital, Guzzini, Iittala, Kartell, Metalco, Skantherm, Technogym and Vitra. Toan Nguyen established his own design studio in Milan in 2008.

WEIGHTLESS AESTHETIC

The new bathroom collection Ino, designed for LAUFEN by French designer Toan Nguyen, understands itself as a fresh interpretation of classic washbasin forms. The innovative collection skilfully uses the creative possibilities of LAUFEN's SaphirKeramik. Elegant, inviting and almost weightless objects, the pieces work with simple lines, creating soft yet extremely stable walls. The collection includes a wall-mounted washbasin, a countertop or half inserted washbasin bowl, as well as high-quality bathroom furniture and two bathtubs.





One of the collection's stand out features is its sensational washbasin with seamlessly integrated console. The easy-to-clean shelf, which defines the space next to the generous washbasin has a drawn up back wall, and can be located on the left or right of the washbasin. In 2015 this piece was awarded the coveted Design Plus Award by the ISH jury.

A free-standing bathtub made from Sentec is available in 1700x750 mm and 1800x800 mm forms, including an integrated headrest and creates a relaxing atmosphere. With its narrow edges the oval tub looks as delicate as the washbasins made from SaphirKeramik. The piece, distinguished by its light weight, is made with a single layer cast from a single mould.





Ino also includes wall-mounted washbasins in 450 and 560 mm widths and washbasin bowls in widths of 350 and 500 mm, which are available as countertop or as half-inserted versions.



Nguyen has also designed a set of bathroom furniture that visually and functionally accompanies his Ino collection. A highlight is the ultra-thin panel on the drawer made from real wood veneer or mirrored aluminium, which seamlessly flows over the sides and base of the cabinet making it appear as one piece. A matching cupboard with a corner door is also available.



81530.1

Small washbasin

81630.0

Small washbasin, undersurface ground

Colours: .000 .400

Options: .104 .109 .111 .112

81030.2

Washbasin

81630.2

Washbasin, undersurface ground

Colours: .000 .400

Options: .104 .109 .111 .112

81330.1

Washbasin, shelf left

Colours: .000 .400

Options: .104 .109 .111 .112

81330.2

Washbasin, shelf right

Colours: .000 .400

Options: .104 .109 .111 .112

81230.0

Washbasin bowl

Colours: .000 .400

Options: .109 .112

81230.2

Washbasin bowl

Colours: .000 .400

Options: .109 .112

81730.1

Half-inserted washbasin

Colours: .000 .400

Options: .109 .112

81730.2

Half-inserted washbasin

Colours: .000 .400


Options: .109 .112

42530.1

Vanity unit, with one door left, 2 integrated shelves, 1 shelf in the body, with Softclose, with walnut-veneered or powder-coated and matt lacquered 5 mm aluminium front, for washbasin ø1530.1

42530.2

Like above, with one door right




Colours: .170 .171

42535.1

Vanity unit, with one door left, 2 integrated shelves, 1 shelf in the body, with Softclose, with walnut-veneered or powder-coated and matt lacquered 5 mm aluminium front, for washbasin ø1030.2

42535.2



Like above, with one door right



Colours: .170 .171


23030.2

Bathtub, freestanding, 1800x800x520 mm, made of solid surface material Sentec, with integrated overflow, head rest and feet, cut-out in floor needed




Colours: .000

Colours ceramic




Colours furniture



For further furniture see chapter Boutique and Space

42540.1


Vanity unit with one drawer, with push and pull function, with walnut-veneered or powder-coated and matt lacquered 5 mm aluminium front, for washbasin ø1330.1/2



Colours: .170 .171

49541.1

Storage shelf, for drawer, matt white, powder-coated



Colours: .170

42545.1

Tall cabinet with one door left

42545.2



Tall cabinet with one door right, front made of 5 mm-thick aluminium, 5 shelves in the body



Colours: .170 .171

23130.2

Bathtub, freestanding, 1700x750x520 mm, made of solid surface material Sentec, with integrated overflow and feet, cut-out in floor needed



Colours: .000

Colours bathtubs



Further information:
Product properties of
SaphirKeramik



VAL

◆ SaphirKeramik





Munich designer Konstantin Grcic is not only one of the most influential designers of his time, he is also renowned for his ability to stretch new materials and production methods to their limits. With the SaphirKeramik range, we offered Grcic the opportunity to redefine and push the creative boundaries of bathroom ceramics. The intensive collaboration started with the SaphirKeramik project and focussed on a series of spectacular concept studies based on washbasins with a decorative, functional surface.



FUNCTION AS ORNAMENT

The extraordinary design potential of LAUFEN's revolutionary SaphirKeramik reveals itself in the bathroom collection Val, designed for the Swiss bathroom specialist by star designer Konstantin Grcic from Munich. Simple architectural lines, extremely narrow edges and fine surface structures make the washbasins of this collection globally unique. The Val range includes washbasins, washbasin bowls, trays, bathtubs and bathroom furniture from the Space collection.





The rectangular, wall-mounted washbasin, is available in 6 widths from 450 to 950 mm. Its trademark, straight geometric lines and walls with small radii and gently rounded corners emphasise the humane and friendly character of the delicate SaphirKeramik.










Suited to the SaphirKeramik objects, Konstantin Grcic has designed a compact, free-standing bathtub in the dimensions 1600x750x520 mm. The oval tub weaves a sense of harmony into the bathroom with its lightness and elegance, created by its extremely narrow edges, and fits perfectly with fine washbasins. As LAUFEN manufactures the bathtub from the solid surface material Sentec, it can be crafted as a single layer in one mould without sacrificing integrated overflow, while also reducing the bathtub's weight.

Val also includes a rectangular and an asymmetrical washbasin bowl as well as a partially concealed washbasin, each of which is equipped with built-in storage space and has a tactile surface texture that creates semi-dry areas. Also belonging to Val are circular and rectangular storage trays made of SaphirKeramik, both of which have tactile surface structures. All washbasins are available with or without overflow.







81528.1
Small washbasin



81628.0
Small washbasin undersurface ground





Colours: .000 .400
Options: .104 .109 .111 .112

81028.2
Washbasin



81628.2
Washbasin undersurface ground





Colours: .000 .400
Options: .104 .108 .109 .111 .112 .158

81028.3
Washbasin



81628.3
Washbasin undersurface ground





Colours: .000 .400
Options: .104 .108 .109 .111 .112 .158

81028.4
Washbasin



81628.4
Washbasin undersurface ground





Colours: .000 .400
Options: .104 .108 .109 .111 .112 .158

81028.5
Washbasin



81628.5
Washbasin undersurface ground





Colours: .000 .400
Options: .104 .107 .108 .109 .111 .112 .136 .158

81028.7
Washbasin





81628.7
Washbasin undersurface ground





Colours: .000 .400
Options: .104 .107 .108 .109 .111 .112 .136 .158

81228.1
Washbasin bowl, with semi-wet area respectively tap bank



Colours: .000 .400
Options: .104 .109 .111 .112

81228.2
Washbasin bowl, with islet



Colours: .000 .400
Options: .109 .112

81728.1

Drop-in washbasin

Technical drawing of a drop-in washbasin. The top view shows a square basin with a circular drain in the center. Dimensions include a total width of 550, a basin width of 304, and a drain diameter of 95. The side view shows a depth of 900 and a basin depth of 145. The front view shows a height of 40 and a basin height of 100.

Colours: .000 .400

Options: .105 .106 .109 .112 .113 .114

Colours ceramic

.000 White

.400 White LCC

87028.1

Tray round

Technical drawing of a round tray. The top view shows a circular tray with a diameter of 325. The side view shows a height of 60.

Colours: .000

87028.2


Tray rectangular

Technical drawing of a rectangular tray. The top view shows a rectangular tray with dimensions 360 by 280. The side view shows a height of 60.

Colours: .000


SPACE FOR VAL

41010.2
Vanity unit, with 2 drawers,
for washbasin 81528.1




Colours: .100 .101 .103 .999

41012.2
Vanity unit, with 2 drawers,
for washbasin 81028.2




Colours: .100 .101 .103 .999

41014.2
Vanity unit, with 2 drawers,
for washbasin 81028.3




Colours: .100 .101 .103 .999

41016.2
Vanity unit, with 2 drawers,
for washbasin 81028.4




Colours: .100 .101 .103 .999

41018.2
Vanity unit, with 2 drawers,
for washbasin 81028.5



Colours: .100 .101 .103 .999

41020.2
Vanity unit, with 2 drawers,
for washbasin 81028.7




Colours: .100 .101 .103 .999

49095.1
Towel holder, anodised aluminium,
320 mm

Suitable for:
space for val
41010.2, 41012.2, 41014.2, 41016.2,
41018.2, 41020.2

Colours: .105 .106

41122.0
Feet, set of 2 pcs.




Colours: .105 .106

SPACE FOR VAL

VAL


49540.1

Drawer organizer, small, for vanity unit, matt white lacquered




49540.5

Drawer organizer, large, for vanity unit, matt white lacquered



23028.2

Bathtub, freestanding, 1600 x 750 x 520 mm, made of solid surface material Sentec, with integrated overflow and feet, cut-out in floor needed



Colours: .000


Colours bathtubs



.000 White


49540.3

Drawer organizer, small, for drawer element and trolley, matt white lacquered




49540.7


Drawer organizer, large, for drawer element and trolley, matt white lacquered




Colours furniture




.100 Matt white, with handle aluminium .105




.101 Light walnut, with handle aluminium .105



.103 Dark elm, with handle dark brown aluminium .106



.105 Bright aluminium




.106 Dark brown aluminium

.999 Multicolor

Please state colour number of furniture and feet in the order text

Matching tall cabinets can be found in Space chapter.



Further information:

Product properties of SaphirKeramik



PALACE







A timeless classic, conceived with the future in mind: palace has developed into a complete multi-faceted bathroom solution. But its speciality remains: To provide cutable washbasins tailored to the measurements of any bathroom.

Palace's designer, Andreas Dimitriadis of platinumdesign, has put together a bathroom range that is as suitable for the private home as it is for the hotel bathrooms of the world. It is a homage to the ceramic material, taking advantage of its strengths in both applications.



reddot design award
winner 2011




German
Design Award
NOMINEE 2013



➔ Bathroom Furniture chapter





The large palace washbasins (from a length of 120 cm) can be ordered made-to-measure from our factory. Thanks to our innovative production engineering, our sanitary ware fits precisely into bathroom plans. The sanitary ware can be cut, also diagonally. Freestanding side components can also be manufactured to precise measurements without having to add on side panels with visible joints.





Whether wall-mounted or floor-standing – the range of palace WC and bidet models covers all applications. Ingenious: An ergonomic form, also as wall-hung WC compact, with concealed mountings. An optional WC seat with lowering system is also available.




PALACE

81570.1

Washbasin

81970.2

Siphon cover, ceramic



Options: .104

Washbasin


	A	B
81070.1	550	460
81070.2	600	480
81070.3	650	480
81070.4	700	480

81970.1

Siphon cover, ceramic

81970.0

Pedestal, ceramic



Options: .104 .108


Countertop washbasin

81170.2

Without towel holder

81270.2

With towel holder



Options: .104 .108


Countertop washbasin,
cutable up to 900* mm

Without towel holder

	A
81170.4	1200
81170.6	1500
81170.8	1800

With towel holder

	A
81270.4	1200
81270.6	1500
81270.8	1800



Options: .104 .108 .135 .147

81070.8


Double washbasin

81970.1

Siphon cover, ceramic

81970.0

Pedestal, ceramic



Options: .104 .108

Towel holder, chrome

83170.1

Suitable for washbasin 81070.1



83170.2

Suitable for washbasin 81070.2

83170.3

Suitable for washbasin 81070.3


Double countertop
washbasin, cutable up to 1350 mm

Without towel holder

	A
81370.6	1500
81370.8	1800

With towel holder


	A
81470.6	1500
81470.8	1800



Options: .104 .108 .135 .147

Ceramic shelf, cutable

	A
87043.3	900
87043.4	1200
87043.5	1300
87043.6	1500
87043.8	1800



Options:

- .000 uncut
- .710 cut right
- .711 cut left
- .712 cut on both sides

PALACE

81670.1

●/●●●

Washbasin, countertop version
asymmetric left, cutable
up to 800 mm

Top view dimensions: 800* (width), 380 (depth), 150 (radius), 210 (radius), 600 (width), 300 (width), 900 (width).
Side view dimensions: 65 (height), 280 (width), 160 (width), 50 (height), 155 (height), 80-120 (width), 580 (height), 650 (height), 900 (height).

Options: .104 .108 .135

81670.2

●/●●●

Washbasin asymmetric right,
cutable up to 800 mm

Top view dimensions: 800* (width), 380 (depth), 150 (radius), 210 (radius), 300 (width), 600 (width), 900 (width).
Side view dimensions: 65 (height), 160 (width), 280 (width), 50 (height), 155 (height), 80-120 (width), 580 (height), 650 (height), 900 (height).

Options: .104 .108 .135

82070.0

4.5L 3L

Wall-hung WC, washdown

Top view dimensions: 360 (width), 560 (depth).
Side view dimensions: 180 (width), 100 (width), 255 (height), 135 (height).
Front view dimensions: 50 (width), 85 (width), 25 (width), 30 (width), 430 (width).

82070.6

4.5L 3L

Wall-hung rimless WC, washdown

Top view dimensions: 360 (width), 560 (depth).
Side view dimensions: 180 (width), 100 (width), 245 (height), 135 (height).
Front view dimensions: 85 (width), 65 (width), 15 (width), 20 (width), 430 (width).

81670.5

●/●●●

Washbasin, countertop version
asymmetric left, cutable
up to 900 mm

Top view dimensions: 900* (width), 380 (depth), 150 (radius), 210 (radius), 900 (width), 300 (width), 1200 (width).
Side view dimensions: 65 (height), 460 (width), 280 (width), 160 (width), 50 (height), 155 (height), 80-120 (width), 580 (height), 650 (height), 900 (height).

Options: .104 .108 .135

81670.6

●/●●●

Washbasin, countertop version
asymmetric right, cutable
up to 900 mm

Top view dimensions: 900* (width), 380 (depth), 150 (radius), 210 (radius), 300 (width), 900 (width), 1200 (width).
Side view dimensions: 65 (height), 160 (width), 280 (width), 460 (width), 50 (height), 155 (height), 80-120 (width), 580 (height), 650 (height), 900 (height).

Options: .104 .108 .135

82070.2

4.5L 3L

Wall-hung WC, washout

Top view dimensions: 360 (width), 560 (depth).
Side view dimensions: 180 (width), 100 (width), 255 (height), 135 (height).
Front view dimensions: 50 (width), 85 (width), 25 (width), 30 (width), 430 (width).

82070.3

4.5L 3L




Compact wall-hung WC, washdown

Top view dimensions: 360 (width), 490 (depth).
Side view dimensions: 180 (width), 100 (width), 255 (height), 135 (height).
Front view dimensions: 85 (width), 65 (width), 20 (width), 30 (width), 430 (width).

PALACE

83070.1




Wall-hung bidet, with 1 tap hole



Options: .302

82370.1




Floorstanding WC, washdown,
Vario horizontal/vertical outlet



Suitable universal cistern 82866.x

82470.6

Floorstanding WC combination,
washdown, Vario outlet






Floorstanding WC combination

82370.1

Floorstanding WC, washdown,
horizontal/vertical outlet, Vario



82866.0/.1

Floorstanding cistern, Dual-Flush



83270.1

Floorstanding bidet, without lateral holes for water inlet



Options: .302 .308

82870.1/.2

Cistern, Dual Flush, water connection at side (left or right) and rear

89170.0

Seat and cover, removable

89170.1

Seat and cover, removable,
with lowering system

Colours ceramic




CASE FOR PALACE

Vanity unit, with soft close mechanism and facing, for washbasin 81570.1

40110.1
With doors left

40110.2
With doors right

48309.6
Feet, optional




Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism and cover plate, for washbasin 81070.1

40115.1
With one drawer

40115.2
With two drawers

48309.5
Feet, optional




Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism and facing, for washbasin 81070.2, 81070.3

40120.1
With one drawer

40120.2
With two drawers

48309.5
Feet, optional




Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism and facing, for washbasin 81070.3, 81070.4

40122.1
With one drawer

40122.2
With two drawers

48309.5
Feet, optional




Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism, for washbasin 81170.2, 81270.2

40125.1
With one drawer

40125.2
With two drawers

48309.4
Feet, optional




Colours: .463 .464 .519 .548 .999

Vanity unit, with two glass shelves and soft close mechanism, for washbasin 81170.4, 81270.4

40130.1
With one drawer and two doors left/right

40130.2
With two drawers and two doors

48309.4
Feet, optional




Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism and facing, for washbasin 81070.8

40133.1
With two drawers

40133.2
With four drawers

48309.5
Feet, optional




Colours: .463 .464 .519 .548 .999

Vanity unit, with two glass shelves and soft close mechanism, for washbasin 81170.6, 81270.6

40135.1
With one drawer and two doors left/right

40135.2
With two drawers and two doors

48309.4
Feet, optional




Colours: .463 .464 .519 .548 .999

Vanity unit, with two glass shelves and soft close mechanism, for washbasin 81370.6, 81470.6

40135.3
With one drawer and two doors left/right

40135.4
With two drawers and two doors left/right

48309.4
Feet, optional




Colours: .463 .464 .519 .548 .999

Vanity unit, with two glass shelves and soft close mechanism, for washbasin 81170.8, 81270.8, 81370.8, 81470.8

40140.1
With one drawer and two doors left/right

40140.2
With two drawers and two doors left/right

48309.4
Feet, optional



Colours: .463 .464 .519 .548 .999

49095.0
Towel holder, anodised aluminium, 270 mm

Suitable for:
case for palace
40110.1, 40110.2, 40125.1, 40125.2, 40130.1, 40130.2, 40135.1, 40135.2, 40135.3, 40135.4, 40140.1, 40140.2



49095.1
Towel holder, anodised aluminium, 320 mm

Suitable for:
case for palace
40115.1, 40115.2, 40120.1, 40120.2, 40122.1, 40122.2, 40133.1, 40133.2, 40150.1, 40150.2, 40153.1, 40153.2, 40160.1, 40160.2, 40162.1, 40162.2




CASE FOR PALACE

Vanity unit, with soft close mechanism, for washbasin asymmetric left s1670.1

40150.1
With one drawer, 1 door right

40150.2
With two drawers

48309.5
Feet, optional




Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism, for washbasin asymmetric left s1670.5

40160.1
With one drawer, 1 door right

40160.2
With two drawers

48309.5
Feet, optional




Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism, for washbasin asymmetric right s1670.2

40153.1
With one drawer, 1 door on the left

40153.2
With two drawers, 1 door on the left

48309.5
Feet, optional




Colours: .463 .464 .519 .548 .999

Vanity unit, with soft close mechanism, for washbasin asymmetric right s1670.6

40162.1
With one drawer, 1 door on the left






40162.2
With two drawers, 1 door on the left

48309.5
Feet, optional










































Colours: .463 .464 .519 .548 .999

Colours furniture

	.463 white matt
	.464 white glossy
	.519 chalked oak
	.548 anthracite oak
	.999 multicolor

Please state colour number in the order text:

						
01	02	03	04	05	06	07
						
08	09	10	11	12	13	14
						
15	16	17	18	19	20	21
						
22	23	24	25	26	27	28
						
29	30	31	32	33	34	35
						
36	37	38	39			

For more information on the choice of 39 colours, refer to the «Feature and Benefits» chapter.

Matching tall cabinets can be found in Case chapter.

Matching mirrors or mirror cabinets can be found in the Case or Frame25 chapters.

LAUFEN PRO





LAUFEN has extended its successful LAUFEN pro bathroom range, and updated its design. It has enhanced this already comprehensive bathroom range, which offers the ideal solution for every spatial situation and requirement and also reflects the building values of the current generation. Industrial design is the modern answer to the once revolutionary idea that everyone has a right to enjoy beautiful forms. Good design is now no longer a right reserved for the most affluent customers. Modern methods of industrial production and designers such as Peter Wirz of Vetica, who put optimum manufacturing feasibility at the forefront of their creative processes, make such sanitary ware ranges as LAUFEN pro possible. This does not just benefit the designer, more importantly, it also benefits the customer.



reddot award 2014
winner




universal
design
consumer
favorite 2011




universal
design
award 2011


LAUFEN PRO S




LAUFEN PRO B



LAUFEN PRO A



LAUFEN PRO LIBERTY



LAUFEN PRO S



The Swiss designer Peter Wirz is also responsible for LAUFEN pro S. With heaps of sensitivity, he brought about a systematic, production-optimised evolution of the pro concept: Thanks to its slim silhouette and clearly-defined radii, the washbasin has a light and elegant appearance. The deep bowl means that it's also functionally appealing. The aesthetics of LAUFEN pro S therefore definitely take the range in the direction of LAUFEN's premium design lines – while remaining affordable by all.







Slimmer, lighter and bolder – LAUFEN pro S is the new family member that supplements the successful LAUFEN pro series. Thanks to the careful redesign, the elegant pro S is compatible with all pro variants.

If space is scarce, good ideas are required. LAUFEN pro compact solutions give you the opportunity to devise a comprehensive design concept, even in the most restricted spaces. Our washbasins and WCs have a short projection which saves valuable space.





The new LAUFEN pro S WC is a geometric wall-hung WC which comes with a matching bidet. It fits in perfectly with the redesign of the LAUFEN pro S washbasins. Thanks to the concealed LAUFEN EasyFit mounting system (PCT pat. pend.), the ceramics have a flawless appearance and are easy to clean.

The bowl of the new LAUFEN pro S rimless WC has no rim. Dirt and adhesions no longer find a foothold and are cleanly washed away thanks to an innovative, powerful flushing system.







The elegant and subtle LAUFEN pro S furniture-mounted washbasins with deep, highly functional bowls and generously sized shelves are new to the range. These are only available together with the matching furniture in the range.



LAUFEN PRO S

81596.0

Small washbasin, asymmetric

Top view dimensions: 160, 115, 45, 85, 140, 250, 360.

Side view dimensions: 180, 100, 50, 145, 80, 580, 650, 850.

Options: .104 .109

81595.4

Small washbasin, asymmetric right

Top view dimensions: 270, 210, 75, 155, 280, 480.

Side view dimensions: 280, 50, 85, 150, 80-120, max.470, 580, 650, 900.

Options: .104 .109

81595.5

Small washbasin, asymmetric left

Top view dimensions: 210, 270, 75, 155, 280, 480.

Side view dimensions: 280, 50, 85, 150, 80-120, max.470, 580, 650, 900.

Options: .104 .109

81596.1

Small washbasin

Top view dimensions: 120, 175, 340, 450.

Side view dimensions: 180, 100, 50, 145, 80, 580, 630, 850.

Options: .104 .109 .142 .156

81096.2

Washbasin

81996.2

Pedestal, ceramic

81996.3

Siphon cover, ceramic

81696.2

Washbasin, undersurface ground

Top view dimensions: 155, 200, 485, 550.

Side view dimensions: 280, 45, 95, 175, 80-120, max.510, 530, 580, ~850.

Options: .104 .109 .142 .156

.108 not available with siphon cover

81096.3

Washbasin

81996.2

Pedestal, ceramic

81996.3

Siphon cover, ceramic

81696.3

Washbasin, undersurface ground

Top view dimensions: 155, 200, 485, 600.

Side view dimensions: 280, 45, 95, 175, 80-120, max.560, 530, 580, ~850.

Options: .104 .109 .142 .156

.108 not available with siphon cover

81096.4

Washbasin

81996.2

Pedestal, ceramic

81996.3

Siphon cover, ceramic

81696.4

Washbasin, undersurface ground

Top view dimensions: 155, 200, 485, 650.

Side view dimensions: 280, 45, 95, 175, 80-120, max.610, 530, 580, ~850.

Options: .104 .109 .142 .156

.108 not available with siphon cover

81096.7

Washbasin

81996.2

Pedestal, ceramic

81996.3

Siphon cover, ceramic

81696.7

Washbasin, undersurface ground

Top view dimensions: 155, 200, 485, 700.

Side view dimensions: 280, 45, 95, 175, 80-120, max.660, 530, 580, ~850.

Options: .104 .109 .142 .156

.108 not available with siphon cover

LAUFEN PRO S

81396.5

Countertop washbasin

○/●/●●●*

81996.2


Pedestal, ceramic

81996.3

Siphon cover, ceramic

38596.0

Towel frame



Options:

.104 .108 not available with siphon cover .109

81396.6

Countertop washbasin,

○/●/●●●*

81996.2


Pedestal, ceramic

81996.3

Siphon cover, ceramic

38596.1

Towel frame



Options:

.104 .108 not available with siphon cover .109

81496.5

Countertop washbasin

○/●/●●●

81996.2


Pedestal, ceramic

81996.3

Semi-pedestal, ceramic

38596.3

Towel frame



Options:

.104 .107 .108 not available with siphon cover .109

81496.6

Double countertop washbasin

○/●/●●●

81996.2


Pedestal, ceramic

81996.3

Semi-pedestal, ceramic

38596.3

Towel frame



Options:

.104 .108 not available with siphon cover .109

81496.8

Double countertop washbasin

○/●/●●●*

81996.2


Pedestal, ceramic

81996.3

Siphon cover, ceramic

38596.2

Towel frame



Options:

.104 .108 not available with siphon cover .109

Compact countertop washbasin

○/●/●●●

	A	B
81895.8	550	510
81895.9	600	560

81995.0

Pedestal, ceramic


81995.1

Siphon cover, ceramic

Washbasin, undersurface ground

○/●/●●●

	A
81795.8	550
81795.9	600




Options:

.104 .108 not available with siphon cover .109 .142 .156

81896.3

Drop-in washbasin

○/●/●●●




Options:

.104 .108 .109

Washbasin bowl

○/●/●●●

	A
81295.2	550
81295.3	600



Options:

.104 .108 .109 .142 .156

LAUFEN PRO S

81695.2

Washbasin bowl without tap bank

Options: .112

81196.6

Built-in washbasin, with tap bank

Options: .104 .108 .109

Built-in washbasin, without tap bank

	A	B	C	D
81196.0/1*	525	490	400	360
81196.3/8*	595	550	430	380
81196.5/9*	645	600	450	400

*ground

Options: .109

82096.1

Wall-hung WC, washdown

Options: .302

82096.2

Wall-hung-WC rimless, washdown

Options: .302

83096.1

Wall-hung bidet

Options: .302

89196.0

Seat and cover, removable

89196.1

Seat and cover, removable, with lowering system

Colours ceramic

.000 white

.400 white LCC


LAUFEN PRO S

Vanity unit, with one internal glass shelf, one door and soft close mechanism

48300.1
Asymmetric left, with side storage right, for washbasin 81595.5

48300.2
Asymmetric right, with side storage left, for washbasin 81595.4

Feet, optional:
48309.1




Colours: .423 .463 .464 .479 .480 .999

Vanity unit, with soft close mechanism, for washbasin 81596.1

48330.1
With door left and 1 glass shelf

48330.2
With door right and 1 glass shelf

Feet, optional:
48310.0




Colours: .423 .463 .464 .479 .480 .999

Vanity unit, with soft close mechanism, for washbasin 81895.8

48302.1
With drawer

48302.2
With drawer and interior drawer

Feet, optional:
48309.5




Colours: .423 .463 .464 .479 .480 .999

Vanity unit, with soft close mechanism, for washbasin 81096.2

48335.1
With drawer

48335.2
With drawer and interior drawer

Feet, optional:
48310.1




Colours: .423 .463 .464 .479 .480 .999

Vanity unit, with soft close mechanism, for washbasin 81895.9

48303.1
With drawer

48303.2
With drawer and interior drawer

Feet, optional:
48309.5




Colours: .423 .463 .464 .479 .480 .999

Vanity unit, with soft close mechanism, for washbasin 81096.3

48337.1
With drawer

48337.2
With drawer and interior drawer

Feet, optional:
48310.1




Colours: .423 .463 .464 .479 .480 .999

Vanity unit, with soft close mechanism, for washbasin 81096.4

48342.1
With drawer

48342.2
With drawer and interior drawer

Feet, optional:
48310.1




Colours: .423 .463 .464 .479 .480 .999

Vanity unit, with soft close mechanism, for washbasin 81096.7

48345.1
With drawer

48345.2
With drawer and interior drawer

Feet, optional:
48310.1



Colours: .423 .463 .464 .479 .480 .999


LAUFEN PRO S

Vanity unit, with soft close mechanism, for washbasin 81396.5

48350.1
With drawer

48350.2
With drawer and interior drawer

Feet, optional:
48310.1




Colours: .423 .463 .464 .479 .480
.999

Vanity unit, with soft close mechanism, for washbasin 81396.6

48355.1
With drawer

48355.2
With drawer and interior drawer

Feet, optional:
48310.1




Colours: .423 .463 .464 .479 .480
.999

Vanity unit, with soft close mechanism, for washbasin 81496.5

48356.1
With drawer

48356.2
With drawer and interior drawer

Feet, optional:
48310.1




Colours: .423 .463 .464 .479 .480
.999

Vanity unit, with soft close mechanism, for washbasin 81496.6

48356.3
With drawer

48356.4
With drawer and interior drawer

Feet, optional:
48310.1




Colours: .423 .463 .464 .479 .480
.999

Vanity unit, with soft close mechanism, for washbasin 81496.8

48357.1
With 2 drawers

48357.2
With 2 drawers and interior drawer

Feet, optional:
48310.1




Colours: .423 .463 .464 .479 .480
.999

Medium cabinet, with 2 glass shelves, with soft close mechanism

48311.1
Door hinges left

48311.2
Door hinges right




Colours: .423 .463 .464 .479 .480
.999

Tall cabinet, with 4 glass shelves, with soft close mechanism

48312.1
Door hinges left

48312.2
Door hinges right



Colours: .423 .463 .464 .479 .480
.999

49095.0
Towel holder, aluminium, 270 mm

Suitable for:
LAUFEN pro S
48302.1, 48302.2, 48303.1, 48303.2



49095.2
Towel holder, aluminium, 400 mm

Suitable for:
LAUFEN pro S
48335.1, 48335.2, 48337.1, 48337.2, 48342.1, 48342.2, 48345.1, 48345.2, 48350.1, 48350.2, 48355.1, 48355.2, 48357.1, 48357.2, 48357.1, 48357.2, 86096.1, 86096.2, 86096.3, 86096.4, 86096.5, 86096.6



Colours: .104 .105 .106

Towel rail colours



.104 Glossy anodised aluminium



.105 Bright aluminium



.106 Dark aluminium



LAUFEN PRO S

86096.1

Washbasin with vanity unit, drawer and soft close mechanism

86096.2


Washbasin with vanity unit, drawer and interior drawer and soft close mechanism



86196.1

Washbasin with vanity unit, 2 drawers, and soft close mechanism

NEW



Options: .104

Furniture colours:

.423 .463 .464 .479 .480



Ceramic colour: .000

86096.3

Washbasin with vanity unit, drawer and soft close mechanism

86096.4


Washbasin with vanity unit, drawer and interior drawer and soft close mechanism



86196.3

Washbasin with vanity unit, 2 drawers, and soft close mechanism

NEW



Options: .104

Furniture colours:

.423 .463 .464 .479 .480



Ceramic colour: .000

86096.5

Washbasin with vanity unit, drawer and soft close mechanism

86096.6


Washbasin with vanity unit, drawer and interior drawer and soft close mechanism



86196.5

Washbasin with vanity unit, 2 drawers, and soft close mechanism

NEW



Options: .104

Furniture colours:

.423 .463 .464 .479 .480

Ceramic colour: .000

Colours furniture

	.463 white matt
	.464 white glossy
	.423 wenge
	.479 bright oak
	.480 graphite
	.999 multicolor

Please state colour number in the order text:

01	02	03
04	05	06
07	08	09
10	11	12
13	14	15
16	17	18
19	20	21
22	23	24
25	26	27
28	29	30
31	32	33
34	35	36
37	38	39

For more information on the choice of 39 colours, refer to the "Product features and benefits" chapters.

* Multicolor not available for:
86096.1, 86096.2, 86096.3,
86096.4, 86096.5, 86096.6

LAUFEN PRO B



Elegance and function combined. Semicircular washbasins in a large number of sizes. Suitable for any type of use. Pro as in professional – B for Basic.

The elegant shape is striking, as well as the raised rim in the LAUFEN pro B series. This is a washbasin which makes a good impression everywhere. It is thus logical that it is available in a large range of sizes and styles.





LAUFEN PRO B

ø1695.7

Small washbasin, tap hole left or right

○/●

	A	B
ø1595.0	350	310
ø1595.1	400	320





Options: .105 .106

Small washbasin

○/●

	A	B
ø1595.0	350	310
ø1595.1	400	320





Options: .104

Small washbasin

○/●

	A	B
ø1595.2	450	330
ø1595.3	500	360



Options: .104



in addition for ø1595.2

.142 .156

Washbasin

○/●/●/●

	A	B	C	D
ø1095.1	550	440	160	185
ø1095.2	600	480	165	190
ø1095.3	650	500	175	195



Options: .104 .142 .156

Compact washbasin

○/●



	A	B
ø1495.1	550	400
ø1495.2	600	420

ø1995.0

Pedestal, ceramic

ø1995.1

Siphon cover, ceramic





Options: .104

ø1695.8

Corner washbasin

○/●





Options: .104

ø1695.6

Corner washbasin

○/●





Options: .104

ø1295.1

Semi-recessed washbasin



○/●



Options: .104



LAUFEN PRO B

81395.1
Drop-in washbasin



Options: .104


81296.2
Washbasin bowl



Options: .109 .112


48303.5
Vanity unit, with one drawer and one glass shelf, with blind and soft close mechanism, for washbasin 81095.1, 81095.2, 81095.3

Feet, optional:
48309.3



Colours: .423 .463 .464 .999

Colours furniture





Please state colour number in the order text:



For more information on the choice of 39 colours, refer to the "Product features and benefits" chapters.

81296.4
Washbasin bowl





Options: .109 .112

81896.1/.2*
Built-in washbasin, without tap bank



*ground



Options: .109


49095.1
Towel holder, aluminium, 400 mm

Suitable for:
LAUFEN pro B
48303.5




Colours: .104 .105 .106

Towel rail colours



Colours ceramic



LAUFEN PRO A



Reduction as design principle. Simple, no-nonsense rectangular washbasins. Pro as in professional – A for Architecture. A simple rectangle is the basic shape, and the special rim that prevents overflow is a design feature that is also functional.






LAUFEN PRO A

81695.5

Small washbasin

○/●



Options: .106

81195.1

Small washbasin

○/●


81995.2

Siphon cover, ceramic

81195.2

Washbasin, undersurface ground

○/●



Options: .104 .109

Washbasin

○/●/●●●

	A	B
81895.1	550	135
81895.2	600	135
81895.3	650	130

81995.0

Pedestal, ceramic


81995.1

Siphon cover, ceramic

Washbasin, undersurface ground

○/●/●●●

	A	B
81795.1	550	135
81795.2	600	135
81795.3	650	130



Options: .104 .109

.108 not available with siphon cover

81395.6

Countertop washbasin

○/●/●●●

81995.0


Pedestal, ceramic

81995.1

Siphon cover, ceramic

89095.6.004.000.1

Towel frame



Options: .104

.108 not available with siphon cover

81395.8

Countertop washbasin

●/●●●

81995.0


Pedestal, ceramic

81995.1

Siphon cover, ceramic

89095.6.004.000.1

Towel frame



Options: .104

.108 not available with siphon cover

81496.7

Double countertop washbasin


○/●/●●●

81995.0

Pedestal, ceramic

81995.1

Siphon cover, ceramic



Options: .104 .109

.108 not available with siphon cover


Options: .104 .109

.108 not available with siphon cover

81296.1

Semi-recessed washbasin

○/●




Options: .104

81396.1

Drop-in washbasin

○/●/●●●



Options: .104 .108 .155

Colours ceramic

.000 white

.400 white LCC

.018 bahama beige

.037 manhattan

.049 pergamon


LAUFEN PRO A

Vanity unit, with 1 glass shelf and soft close mechanism, for washbasin 81195.1

48301.1
Door hinges left

48301.2
Door hinges right

Feet, optional:
48309.1




Colours: .423 .463 .464 .999

Vanity unit, with soft close mechanism, for washbasin 81895.1

48302.3
With drawer

48302.4
With drawer and interior drawer

Feet, optional:
48309.2




Colours: .423 .463 .464 .999

Vanity unit, with soft close mechanism, for washbasin 81895.2

48303.3
With drawer

48303.4
With drawer and interior drawer

Feet, optional:
48309.2




Colours: .423 .463 .464 .999

Vanity unit, with soft close mechanism, for washbasin 81895.3

48304.1
With drawer

48304.2
With drawer and interior drawer

Feet, optional:
48309.2




Colours: .423 .463 .464 .999

Vanity unit, with soft close mechanism, for washbasin 81395.6

48306.1
With drawer

48306.2
With drawer and interior drawer

Feet, optional:
48309.2




Colours: .423 .463 .464 .999

Vanity unit, with soft close mechanism, for washbasin 81395.8

48307.1
With drawer

48307.2
With drawer and interior drawer

Feet, optional:
48309.2




Colours: .423 .463 .464 .999

Vanity unit, with soft close mechanism, for washbasin 81496.7

48308.1
With two drawers

48308.2
With two drawer and two interior drawers

Feet, optional:
48309.2



Colours: .423 .463 .464 .999

LAUFEN PRO A

Medium cabinet, with two glass shelves, with soft close mechanism

48311.1
 Door hinges left

48311.2
 Door hinges right

Colours: .423 .463 .464 .999

Tall cabinet, 4 glass shelves, with soft close mechanism

48312.1
 Door hinges left

48312.2
 Door hinges right

Colours: .423 .463 .464 .999

Small cabinet, with soft close mechanism

48311.3
 Door hinges left

48311.4
 Door hinges right

Colours: .423 .463 .464 .999

Colours furniture

Please state colour number in the order text:

For more information on the choice of 39 colours, refer to the “Product features and benefits” chapters.

49095.2
 Towel holder,aluminium, 400 mm

Suitable for:
LAUFEN pro A
 48302.3, 48302.4, 48303.3,
 48303.4, 48304.1, 48304.2, 48306.1,
 48306.2, 48307.1, 48307.2, 48308.1,
 48308.2

Colours: .104 .105 .106

Foot set, optional

48309.1
 Height 165mm


48309.2
 Height 355mm

Towel rail colours


LAUFEN PRO WCS AND BIDETS





LAUFEN PRO S




LAUFEN PRO







49 x 36 cm




56 x 36 cm
rimless




56 x 36 cm




56 x 36 cm




56 x 36 cm



58 x 36 x 40 cm




58 x 36 x 40 cm




47 x 36 x 40 cm




47 x 36 x 40 cm




47 x 36 x 40 cm



47 x 36 x 45 cm




47 x 36 x 45 cm




47 x 36 x 45 cm




55 x 36 x 40 cm




67 x 36 x 40 cm




67 x 36 x 40 cm



67 x 36 x 40 cm





70 x 36 x 40 cm





70 x 36 x 46 cm


LAUFEN PRO LIBERTY



70 x 36 cm
rimless



70 x 36 cm



70 x 36 cm



LAUFEN PRO WCS AND BIDETS



LAUFEN pro includes WCs and bidets for all applications. LAUFEN pro slim is a new version of the popular, round LAUFEN pro rimless WC, now with recesses and a particularly flat seat.



➔ LAUFEN EasyFit system
Product properties chapter



LAUFEN PRO RIMLESS WC





Laufen Pro
82096.6



Laufen Pro compact
82096.5



Laufen Pro
with niches
82096.4



Pro Liberty 70 cm
82196.0



Laufen Pro S
82096.2



Laufen Pro
82096.0

NEW



Laufen Pro
82295.6

NEW

The bowl of the LAUFEN rimless WC does not need a rim. Dirt and adhesions no longer find a foothold and are cleanly washed away thanks to an innovative, powerful flushing system. Both public toilets and private bathrooms can benefit from the easy cleaning and great hygiene this system offers. LAUFEN has further developed a revolutionary wall fixation system for WCs, bidets and urinals. A patent has been lodged. The invisible and easy to mount EasyFit fixation system meets the needs of both fitters and end users.

- Hygienic
- Easy to clean
- Powerful flushing
- Economical
- Flexible
- Great design
- EasyFit system PCT patent pending
- Optimally supplemented by LCC





Wall-hung WC and bidet with 560 mm projection. Universal WC paper and brush holders in ceramic are also available.



Compact dimension, maximum comfort: WC with 490 mm projection.



Back-to-wall and floorstanding WC and bidet.



Renovation-friendly WC with comfort and normal sitting position and vertical outlet.



Back-to-wall floorstanding WC combination with universal seat and cover.





Renovation-friendly WC with comfort and normal sitting position and horizontal outlet.

LAUFEN PRO




82095.6

Wall-hung WC, washdown






82096.6

Wall-hung WC, rimless, washdown



82096.4




Wall-hung WC, rimless, washdown, with niches



82295.6




Floorstanding WC, rimless, washdown, Vario outlet

NEW






82095.9

Wall-hung bidet






82096.5

Compact wall-hung WC rimless, washdown



83095.2




Wall-hung bidet



Options: .302

83295.2

Floorstanding bidet, without lateral holes for water inlet



Options: .302

LAUFEN PRO

§2295.2

Floorstanding WC, washdown,
Vario outlet, back-to-wall

4,5L

3L

530

360

430

185

350

70

125

200

30

185

350

70

125

200

§2096.0

Wall-hung WC, rimless, washdown
(180/230 mm distance between
mounting holes)

4,5L

3L

530

360

180/230

180

100

135

255

75

90

15

430

§2095.0

Wall-hung WC, washdown (180 mm
distance between mounting holes)

4,5L

3L

560

360

180/230

180

100

135

225

75

50

20

400

§2095.1

Wall-hung WC, wash-out

560

360

180

100

135

225

75

50

20

400

§2595.2

Floorstanding WC combination,
washdown, Vario, back-to-wall

4,5L

3L

650

360

375

775

835

125

160

105

220

70-260

300

430

10

Cistern for
§2595.2

§2995.1/2

Dual Flush, water connection
at side (left or right, and at back)

§2095.2

Compact wall-hung WC,
washdown, 490 mm projection

490

360

180

100

135

225

75

50

20

400

§3095.1

Wall-hung bidet

560

360

180

100

120

325

300

75

205

175

50

40

200

400


Options: .304

LAUFEN PRO

82596.0


Floorstanding WC combination, siphonic, back-to-wall

NEW




82495.6

Floorstanding WC combination, washdown, horizontal outlet




82495.8

Floorstanding WC combination, washdown, Vario outlet




82495.9

Floorstanding WC combination, washout, Vario outlet




82495.7

Floorstanding WC combination, washdown, vertical outlet




82295.1

Floorstanding WC, washdown, Vario outlet



83295.1

Floorstanding bidet



Options: .304 1 tap hole in centre, without lateral holes for water inlet .308

LAUFEN PRO

82495.5

Floorstanding WC combination, raised, washdown, Vario outlet

Cistern for 82495.5, 82495.6, 82495.7, 82495.8, 82495.9

82695.1

Dual Flush, water connection at back

82695.2

Dual Flush, water connection at side (left or right)

82695.3

Dual Flush, water connection at bottom left

82695.5

Dual Flush, water connection at bottom right

Colours ceramic

	.000 white
	.400 white LCC
	.018 bahama beige
	.037 manhattan
	.049 pergamon



LAUFEN PRO A

82195.6

Floorstanding WC, washdown, horizontal outlet

82195.7

Floorstanding WC, washdown, vertical outlet

82195.8

Floorstanding WC, washdown, horizontal outlet


82195.9

Floorstanding WC, washdown, vertical outlet

LAUFEN PRO A


§2595.5

Floorstanding WC, washdown,
horizontal outlet




§2595.6

Floorstanding WC, washdown,
horizontal outlet



§2595.7

Floorstanding WC, washdown,
vertical outlet



WC seats and covers for WC

§2095.6, §2096.5, §2096.6,
§2295.2, §2595.2

§9395.9

Seat and cover Universal,
removable, with lowering system

§9695.0

WC seat and cover LAUFEN pro,
removable

§9695.1

WC seat and cover LAUFEN pro,
removable, with lowering system

§9896.5

WC seat and cover Slim, removable

§9896.6

WC seat and cover Slim, removable,
with lowering system

WC seats and covers for WC

§2095.0, §2095.1, §2095.2, §2095.3,
§2095.4, §2095.5, §2295.1, §2495.5,
§2495.6 §2495.8, §2495.9

§9195.0

WC seat and cover LAUFEN pro,
removable

§9195.1

WC seat and cover LAUFEN pro,
removable, with lowering system

§9395.0

Seat barrier-free, with cover,
removable

§9895.1

Seat barrier-free, removable

§9896.5

WC seat and cover Slim, removable

§9896.6

WC seat and cover Slim, removable,
with lowering system

WC seats and covers for WC

§2095.0, §2095.1, §2095.2, §2095.5,
§2195.8, §2195.9, §2295.1, §2495.5,
§2495.6, §2495.8, §2495.9, §2595.6,
§2595.7

§9295.0

WC seat LAUFEN pro

§9295.1

WC seat and cover LAUFEN pro

§9896.5

WC seat and cover Slim, removable

§9896.6

WC seat and cover Slim, removable,
with lowering system

MATCHING MATRIX LAUFEN PRO

SEAT & COVER



	89195.0 Special	89195.1 Special	89295.0 Special	89695.0 Special	89695.1 Special	89896.5 Slim	89896.6 Slim
easily removable	•	•		•	•	•	•
hollow space fix				•	•	•	•
lowering system		•			•		•
barrier-free							
WCs							
82095.0	•	•	•				
82095.1	•	•	•			•	•
82095.2	•	•	•				
82095.3	•		•				
82095.4	•		•				
82095.5	•	•	•				
82095.6				•	•	•	•
82095.9				•	•	•	•
82096.0	•	•	•				
82096.1							
82096.2							
82096.4				•	•	•	•
82096.5				•	•	•	•
82096.6				•	•	•	•
82195.6	•	•	•				
82195.7	•	•	•				
82195.8	•	•	•				
82195.9	•	•	•				
82196.0							
82295.1	•	•	•			•	•
82295.2				•	•	•	•
82295.6				•	•	•	•
82495.5	•	•				•	•
82495.6	•	•	•				
82495.7	•	•	•				
82495.8	•	•	•			•	•
82495.9	•	•	•			•	•
82595.2				•	•	•	•
82595.5	•	•	•			•	•
82595.6	•	•	•			•	•
82595.7	•	•	•			•	•



89395.2 Universal	89395.8 Universal	89395.5 Universal	89395.9 Universal	89295.1 Standard	89895.0 Liberty	89895.1 Liberty	89196.0 pro S	89196.1 pro S
•	•	•	•	•			•	•
	•	•	•		•	•		•
•	•			•				
•	•			•				
•	•			•	•	•		
•				•	•	•		
•	•			•				
		•	•					
		•	•					
•	•			•				
							•	•
							•	•
		•	•					
		•	•					
		•	•					
•	•			•				
•	•			•				
•	•			•				
•	•			•				
					•	•		
•	•			•				
		•	•					
		•	•					
•	•			•				
•	•			•				
•	•			•				
•	•			•				
•	•			•				
		•	•					
•	•			•				
•	•			•				
•	•			•				

BATHTUBS

Clean cut, traditional forms have a special appeal: and this is the case too with LAUFEN pro. Based on rectangular geometric forms, the design brings maximum functionality and a clean cut appearance to the bathroom. The acrylic bathtubs in the LAUFEN pro range are available in white or pergamon, in five sizes and also with whirl system.



LAUFEN PRO

23395.0

Bathtub, 4 mm sanitary acrylic,
1600x700 mm, fitted version

Top view dimensions: 1600 (total width), 1420 (inner width), 925 (inner width at front), 700 (total depth), 560 (inner depth), 350 (inner depth at front), 290 (height), 110 (front overhang), 70 (side overhang), 70 (rear overhang). Drain hole: ø52.

Side view dimensions: 460 (height), 40 (thickness).

Options: .000

23095.0

Bathtub, 4 mm sanitary acrylic,
1700x700 mm, fitted version

Top view dimensions: 1700 (total width), 1520 (inner width), 1035 (inner width at front), 700 (total depth), 560 (inner depth), 350 (inner depth at front), 290 (height), 110 (front overhang), 70 (side overhang), 70 (rear overhang). Drain hole: ø52.

Side view dimensions: 460 (height), 40 (thickness).

Options: .000

23195.0

Bathtub, 4 mm sanitary acrylic,
1700x750 mm, fitted version

Top view dimensions: 1700 (total width), 1520 (inner width), 1035 (inner width at front), 750 (total depth), 610 (inner depth), 375 (inner depth at front), 290 (height), 110 (front overhang), 70 (side overhang), 70 (rear overhang). Drain hole: ø52.

Side view dimensions: 460 (height), 40 (thickness).

Options: .000

23295.0

Bathtub, 4 mm sanitary acrylic,
1800x800 mm, fitted version

Top view dimensions: 1800 (total width), 1700 (inner width), 1080 (inner width at front), 800 (total depth), 595 (inner depth), 410 (inner depth at front), 900 (height), 85 (front overhang), 50 (side overhang), 50 (rear overhang). Drain hole: ø52.

Side view dimensions: 460 (height), 40 (thickness).

Options: .000

23495.0


Bathtub, 4 mm sanitary acrylic,
1900x900 mm, fitted version

Top view dimensions: 1900 (total width), 1800 (inner width), 1180 (inner width at front), 900 (total depth), 695 (inner depth), 470 (inner depth at front), 950 (height), 85 (front overhang), 50 (side overhang), 50 (rear overhang). Drain hole: ø52.

Side view dimensions: 470 (height), 40 (thickness).

Options: .000

Colours bathtubs

 .000 white

Options bathtubs

000
Without whirl system

WASHBASIN BOWLS



The original washbasin. What was once effectively a portable water container now provides elegant highlights in the bathroom. The washbasin bowl embodies a timeless chapter in bathroom history. More and more designers are now combining the light appearance of the washbasin bowl with suitable vanity units, which restores a great deal of authenticity to the bathroom.



ILBAGNOALESSI One
s1897.1 Ø 520 mm



ILBAGNOALESSI One
s1897.3 800x420 mm



ILBAGNOALESSI One
s1897.2 750x520 mm



Options: .104 .109

Options: .112

Options: .104 .109



ILBAGNOALESSI One
s1197.3 Ø 450 mm



PALOMBA COLLECTION
s1680.1 900x420 mm



PALOMBA COLLECTION
s1680.2 520x380 mm



Options: .109

Options: .112

Options: .112



PALOMBA COLLECTION
s1680.3 600x400 mm



Kartell by LAUFEN
s1233.1 Ø 420 mm



Kartell by LAUFEN
s1233.2 750x350 mm



Options: .104 .109 .111 .112

Options: .112

Options: .104 .108 .111 .112 .158



living SaphirKeramik
s1143.3 360x360 mm

○

Options: .112



living SaphirKeramik
s1143.4 600x340 mm

○

Options: .112



living SaphirKeramik
s1143.5 Ø 380 mm

○

Options: .112



living city
s1143.0 450x380 mm
s1143.1 500x425 mm
s1143.2 600x425 mm

○/●

Options: .104 .109
also for s1143.1/.2
.108



VAL
s1228.1 500x400 mm

○/●

Options: .104 .109 .111 .112



VAL
s1228.2 550x360 mm

○

Options: .109 .112



INO
s1230.0 350x360 mm

○

Options: .109 .112



INO
s1230.2 500x360 mm

○

Options: .109 .112



LAUFEN pro S
s1295.2 550x380 mm
s1295.3 600x380 mm

○/●/●●●

Options: .104 .108 .109 .142 .156



LAUFEN pro S
s1695.2 600x400 mm

○

Options: .112



LAUFEN pro
s1296.4 520x390 mm

○

Options: .109



LAUFEN pro
s1296.2 Ø 420 mm

○

Options: .109

WASHBASINS, UNDERSURFACE GROUND



The ground flat underside of the wall-mounted washbasins shown here is placed on the furniture. When ceramic bowls are combined with stone, wood or metal bases, this opens up a wide range of interior design possibilities.



living city
 s1543.3 450x380 mm
 s1743.2 500x460 mm
 s1743.4 600x460 mm

o/●/●●●



living city
 s1743.7 800x460 mm
 s1843.8 1000x460 mm

o/●/●●/●●●



VAL
 s1628.0 450x420 mm

o/●

Options: .104 .109
 also for s1743.2/4
 .108

Options: .104 .108 .109
 also for s1843.8
 .107

Options: 104 .109 .111 .112



VAL ○/●/●●●
 ø1628.2 550x420 mm
 ø1628.3 600x420 mm, ø1628.4 650x420 mm
 ø1628.5 750x420 mm, ø1628.7 950x420 mm

Options: .104 .108 .109 .111 .112 .158



INO ○/●
 ø1630.0 450x410 mm
 ø1630.2 560x450 mm

Options: 104 .109 .111 .112



LAUFEN pro S ○/●
 ø1696.1 450x340 mm

Options: .104 .109 .142 .150



LAUFEN pro compact ○/●/●●●
 ø1795.8 550x380 mm
 ø1795.9 600x380 mm

Options: .104 .108 .109 .142 .150



LAUFEN pro S ○/●/●●●
 ø1696.2 550x465 mm
 ø1696.3 600x465 mm
 ø1696.4 650x465 mm
 ø1696.7 700x465 mm

Options: .104 .108 .109 .136 .142 .156



LAUFEN pro S ○/●/●●●
 ø1696.5 850x460 mm
 ø1696.6 1050x460 mm

Options: .104 .108 .109



LAUFEN pro ○/●
 ø1195.2 450x340 mm

Options: .104 . 109



LAUFEN pro ○/●/●●●
 ø1795.1 550x480 mm
 ø1795.2 600x480 mm
 ø1795.3 650x480 mm

Options: .104 .108 .109



LAUFEN pro ○/●/●●●
 ø1295.6 850x480 mm
 ø1295.8 1050x480 mm

Options: .104 .108 .109



LAUFEN pro ○/●/●●●
 ø1396.7 1300x480 mm

Options: .104 .108 .109

SEMI-RECESSED WASHBASINS



The recessed washbasins project out from a slender, space-saving countertop. In hotel bathrooms, and wherever space is limited, semi-recessed washbasins are an elegant solution that allow greater freedom of movement.



ILBAGNOALESSI One
 s1397.2 750x500 mm

○/●

Options: .104 .109



living
 s1343.2 550x460 mm

○/●/●●●

Options: .104 .108 .109



living
 s1343.1 Ø 460 mm

○/●

Options: .104 .109



LAUFEN pro A
 s1296.1 560x440 mm

●

Options: .104



LAUFEN pro B
 s1295.1 560x440 mm

●

Options: .104

DROP-IN WASHBASINS



The ceramic basin is lowered from above into the cut-out in the washtop. In contrast to washbasin bowls, the underside is not ground flat, as the washbasin is not supported at the bottom. Bathrooms can be designed to individual requirements using a combination of washtops and bowls with a wide variety of forms and colours.



ILBAGNOALESSI One
s1397.1 Ø 500 mm

○/●

Options: .104 .109



living square
s1543.5 500x380 mm
s1643.2 650x480 mm
s1643.4 900x480 mm

○/●/●●●

Options: .104 .109
also for s1643.2 and s1643.4
.108



Lb3
s1168.2 650x490 mm

●/●●●

Options: .104 .108



VAL
s1728.1 550x360 mm Ø inside 304 mm

○/●

Options: .105 .106 .109 .112 .113 .114



INO
s1730.1 350x365 mm
s1730.2 500x365 mm

○

Options: .109 .112



LAUFEN pro S
s1896.3 560x440 mm

○/●/●●●

Options: .104 .108 .109



LAUFEN pro B
s1395.1 560x440 mm

●

Options: .104



LAUFEN pro A
s1396.1 560x440 mm

○/●/●●●

Options: .104 .108 .109 .155



fiora
s1177.2 Ø 490 mm

●

Options: .000 one tap hole at centre



indova
s1139.1 570x450 mm
s1139.2 610x480 mm

●

Options: .000 one tap hole at centre



vienna
s1141.1 555x430 mm
s1141.2 630x510 mm

●

Options: .000 one tap hole at centre



object
s1206.4 570x450 mm

●

Options: .000 one tap hole at centre

BUILT-IN WASHBASINS



Built-in washbasins blend effortlessly into your bathroom. The ceramic bowl is installed in the washtop from below. The flush fit between the bowls and natural stone, plastic or wooden countertop makes the ensemble easy to clean.



living city
 s1243.2* 350x280 mm
 s1243.1* 490x310 mm
 *ground
Options: .109 .155



living city
 s1343.9* Ø 400 mm
 *ground
Options: .109 .155



LAUFEN pro S
 s1196.6 490x360 mm
Options: .104 .108 .109 .155

○/●/●●●



LAUFEN pro S
 s1196.1 490x360 mm
 s1196.8 550x380 mm
 s1196.9 600x400 mm
Options: .109 .155



LAUFEN pro
 s1896.2* Ø 420 mm
 *ground
Options: .109 .155



fiora
 s1178.0* Ø 410 mm
 s1178.2* Ø 440 mm
 *ground
Options: .000 one tap hole at centre
 also for s1178.2 .108

●



birova
 s1119.1 490x355mm
Options: .000 without tap hole .155



bijou
 s1122.0 415x365 mm
 s1123.0 480x400 mm
 s1124.0 510x420 mm
Options: .000 one tap hole, with overflow
 .111 .155



savoy
 s1319.2 500x350 mm
Options: .000 without tap hole, Hidden over-
 flow .155

○



With their geometric and pared-down, harmonious forms, talux washbasins are a refreshing move away from short-lived fashionable trends. Flat ceramic surfaces contrast harmoniously with the curves of the basins themselves. This is timeless elegance that is part and parcel of a modern lifestyle. Durability and functionality, efficient maintenance and an excellent price-performance ratio also make talux the first choice for the municipal sector.

81467.3

Countertop washbasin

Options: .104

81467.0

Countertop washbasin

Options: .104

81467.1

Countertop washbasin, asymmetric, storage area on right

Options: .104

81467.2

Countertop washbasin, asymmetric, storage area on left

Options: .104

81467.7

Double countertop washbasin

Options: .104

81467.8

Double countertop washbasin

Options: .104

Colours ceramic

.000 white

CLEANET RIVA SHOWER WC



The bathroom is the most important place for cleanliness. That's where we go to freshen ourselves up. To feel nice. To have a feeling of being clean – a feeling that envelops the whole body, from the bathtub to the toilet. The CLEANET RIVA shower toilet sets new benchmarks. In essence: the greatest possible luxury in perfect hygiene. The elegance of discretion, thanks to superior technology. An object with a clear design concept. Streamlined ceramic concealing high-end technology. All in one: central operating controls in the form of a rotary button. An intuitive all-rounder in brushed stainless steel. The CLEANET RIVA cleans itself after every use. A masterpiece of Swiss engineering art and design. White ceramic, clear water, an enhancement to our everyday lives.



reddot award 2016
winner

DESIGN PLUS



The CLEANET RIVA shower toilet is a purely Swiss product that combines LAUFEN expertise with ground-breaking technology and modern compact design by Peter Wirz. CLEANET RIVA was awarded the Red Dot Award for product design, the iF Design Award and the Design Plus. The ceramic body elegantly conceals the clever two-part construction, which needs only to be fitted together to assemble the CLEANET RIVA: High-tech is hidden discreetly in the WC. Wireless technology enables cable-free construction. The European requirements are met, including the EN 1717 potable water standard.




Minimalist compact design similar to a standard toilet




The exchangeable shower head is lowered into the ceramic body with a cover ring




Enclosed ceramic body with hidden water and electricity supply



Automatic air purifier with active carbon filter



Hygienic and easy to maintain thanks to its rimless shape and the LCC-finished ceramic surface



LED night light with signal function



Intuitive operation using the rotary button or by remote control



Various programmable user profiles



A strong but gentle jet, with optimal distance and angle



Integrated self-cleaning functions with thermal cleaning and automated descaling




Gentle ladies shower jet with separate button



Detachable seat and lid made of Duroplast with lowering mechanism




Thorough shower head cleaning before and after each use




Low energy consumption

82069.1


Shower WC rimless, washdown,
with ceramic surface refinement LCC



Connection with Laufen installation
system LIS CW2



Connection with commercially
available installation systems






Technical details:

- Rated voltage 220–240 V, 50/60 Hz
- Power consumption in use max. 1400 W
- Power consumption in standby (boiler at ECO or OFF, LED display OFF) < 1 W
- Protection rating IPX4
- Protection class I
- Direct connection by NYM cable possible
- Operating temperature range +5–+40 °C
- Water flow pressure range 0.1–1 MPa
- Flow rate ca. 4.3 l/min, Power mode ca. 5.6 l/min, lady shower ca. 2.5 l/min
- Shower 7 pressure levels
- Shower 7 temperature levels
- Shower duration range 15–20–25 sec
- Drinking water standards EN 1717
- Subject to technical changes

89469.0

Adapter plate for installation of wallhung
shower toilet with connections more
than 9 cm outside the center, with
white lacquered surface

See compatibility list
www.laufen-cleanet.com



CW2



89466.1

Concealed frame with cistern for
wallhung WC, with integrated pipe
for water supply, Dual Flush 6/3L,
adjustable to 4.5/3L

CW2 4.5

89466.6

Concealed frame with cistern for
wallhung WC, with integrated pipe
for water supply, Dual Flush 4.5/3L,
adjustable to 6/3L



Suitable for Laufen LIS and other
commercially available installation
systems – see compatibility list
www.laufen-cleanet.com



Further information
for actuator plates: see
chapter LIS

Colours ceramic

 .400 white LCC

 .757 white matt

FLORAKIDS





Design: platinumdesign, Andreas Dimitriadis



Made with love!

Children love animals, and the more imaginative, colourful and friendly the better. We have succeeded in creating a child-friendly environment for early childhood hygiene. With its rounded shapes and strong colours, and taking inspiration from real life plants and animals, our bathroom reflects the typical playful and imaginative world of pre-school children. This product family is practical and adapted precisely to the needs of children.



product
design
award

2011

Strong individual design with a kick: For Andreas Dimitriadis, a perfect product is one that does not just fulfil the expectations of the customers, but one that surprises them with its unexpected positive aspects as they use it. It is guided by the philosophy of the proprietor of the platinumdesign studio, together with his team of designers, CAD specialists and modellers, to develop strong individual designs that offer customers added value, that appeal to them emotionally and reflect the quality of the product visually, thus building up a strong brand trust.


Andreas Dimitriadis: "With florakids, LAUFEN has succeeded in creating a positive, lively and child-friendly environment for early childhood hygiene. This bathroom has been created exclusively for children!"



The florakids positive and playful washbasin is designed entirely with the needs of children in mind. Owing to its size, children can reach the faucets effortlessly. It can be used from all sides by more than one child at a time and its generous shelf surface leaves plenty of room for paintbrushes, beakers and toothpaste. Its round, corner-free forms also help prevent injuries. The washbasin is available in white, red and green. The colours have been fired on and are scratch-resistant, hard-wearing and non-toxic. The rounded form of the curvepro faucets not only lends a playful touch, the powder-coated lever grip in red or green is easy for children to grip and use. The corresponding single-lever mixer with cartridge and fixed limitations allows, if defined and set by the customer, a lower water consumption and ensures scalding risk.




81503.1
Small washbasins



Colours: .000 .062 .072
Options: .104


87703.1
Ceramic shelf




Colours: .000 .062 .072

Washbasin mixer, fixed spout 110 mm*

- 31165.1.014.111.1
With pop-up waste, green handle
- 31165.1.024.111.1
With pop-up waste, red handle
- 31165.1.004.111.1
With pop-up waste, chrome handle, with Ecototal cartridge
- 31165.1.014.110.1
Without pop-up waste, green handle
- 31165.1.024.110.1
Without pop-up waste, red handle
- 31165.1.004.110.1
Without pop-up waste, chrome handle, with Ecototal cartridge




46160.1
Flower mirror




Colours: .469

46161.1
Caterpillar element – head





Furniture colours: .472

46161.1
Caterpillar element – head




Furniture colours: .472

82003.1
Wall-hung WC, washdown





Colours: .000

82203.7.027
Floorstanding WC, wash-out, vertical outlet




82203.6.027
Floorstanding WC, wash-out, horizontal outlet



Colours: .000

89103.0
Seat and cover for wall-hung WC
82003.1, removable, stainless steel hinges

89103.1
Seat and cover, for wall-hung WC
82003.1, removable, with automatic lowering, stainless steel hinges




89103.2
Ergonomic seat for floorstanding WC 82203.6/7 and wall-hung WC 82003.1, stainless steel hinges



Colours mirror mount/furniture



Colours ceramic




*Only faucets with chrome handles dispose of the Ecototal cartridge. The colour options dispose of the standard cartridge with limitations.

LAUFEN PRO LIBERTY / MODERNA R



The barrier-free bathrooms transform comfort and practicality into good design and make an important contribution to independent living. LAUFEN pro liberty is a useful solution for hospitals, nursing homes and senior citizens' residences, as well as for private homes. Its simplified lines make it a perfect match for the comprehensive range of LAUFEN pro baths and make standard-compliant use of the bathroom a much more comfortable experience. LAUFEN pro liberty conforms to DIN 18040 and SIA 521 500. The washbasin impressed the jury and customers at the Universal Design Awards 2011 and the Customer Favorites 2011.



81195.0
Washbasin, barrier-free


NEW

Colours ceramic
[Swatch] .000 white

Options: .104 .109 .142 .156

81195.3

Barrier-free washbasin



Options: .104 .109 .142 .156

82095.4


Wall-hung WC, washdown

89895.0

Seat and cover, barrier-free


89895.1

Seat only, barrier-free



81554.2


Small washbasin, following norm SIA 500



Options: .104 .109


311951.000.521.1

Basin mixer liberty pro, 140 mm fixed spout, with pop-up waste valve



311951.004.520.1

Basin mixer liberty pro, 140 mm fixed spout, without pop-up waste valve



82196.0


Wall-hung WC, rimless, washdown

89895.0

Seat and cover, barrier-free

89895.1

Seat only, barrier-free



82095.3


Wall-hung WC, wash-out

89895.0

Seat and cover, barrier-free


89895.1

Seat only, barrier-free



87154.0

Shelf Liberty following norm SIA 500




31160.1.004.111.1

Basin mixer, 110 mm fixed spout, with clinic lever, with pop-up waste valve

31160.1.004.110.1

As above, without pop-up waste valve




31160.1.004.221.1

Basin mixer, 145 mm swivel spout, with clinic lever, with pop-up waste valve

31160.1.004.220.1

As above, without pop-up waste valve



LIBERTY LINE / REHAB






Barrier-free according to DIN standards and ÖNORM (Austrian Standards Institute). The 18024 and 18025 standards define the pre-conditions that bathrooms and toilets must fulfil in order to receive the “DIN barrier-free” certificate. The liberty line range has been awarded the “DIN barrier-free” standard and includes a wheelchair-compatible washbasin without

overflow hole and with a concealed siphon. The WC, which must be at least 5 cm higher, has a projection of 70 cm and can be mounted as a wall-hung WC using existing connections. rehab is another wheelchair-compatible washbasin made by LAUFEN which is available without overflow hole.

LIBERTY LINE / REHAB

81147.8
liberty line
Washbasin without overflow hole




Options:
.000 one tap hole at centre


82147.0
liberty line
Wall-hung WC. Washdown

89147.0
Seat only, removable

89247.0
Seat and cover, removable



81060.3
rehab
Washbasin without overflow hole



Options:
.000 without tap hole

Colours ceramic
[] .000 white

HIJET WC






HIJET WC

HiJet is a new type of WC having highest-performance flushes with volumes of 4.5 and 6 litres. This unique model unites all worldwide standards. Maximum performance tests have shown that this powerful WC is prepared to meet future standards. It does already achieve outstanding flushing results with 2–3 litres, if the downstream drainage systems are designed for this purpose. LAUFEN has lodged a patent for this new flushing system.



82066.1

HiJet Wall-hung WC, washdown



Colours: .000

89695.0

Seat and cover LAUFEN pro, removable

89695.1

Seat and cover LAUFEN pro, removable, with lowering system

89395.5

Seat and cover Universal, removable

89395.9

Seat and cover Universal, removable, with lowering system

89896.5

WC seat and cover Slim, removable

89896.6

WC seat and cover Slim, removable, with lowering system

Colours ceramic



.000 white


Water from the rear water outlet transports the material to be flushed away to the siphon

The entire basin is flushed and cleaned over all of the flush apertures around the ring

Odour trap = water level

Material to be flushed

The additional jet at the front pushes the flushed material in the siphon and into the sewage network



ONE PIECE TOILETS




ONE PIECE TOILETS



LAUFEN pro

82395.3.000.231.1

One piece WC, including seat and cover, removable, with lowering system




savoy

82395.8.000.231.1

One piece WC, Dual-Flush, including elongated seat and cover, removable, with lowering system


Available upon request



birova

82395.5.000.231.1

One piece WC, Dual-Flush, including seat and cover, removable, with lowering system




ILBAGNOALESSI One

82397.0

One-piece WC, siphon action, Dual-Flush

82397.1

One-piece WC, siphon action, single flush



UNIVERSAL CISTERN



Elegant interface for WC

The floor-mounted LAUFEN Universal cistern is characterised by its rectangular geometric design and its high functionality. Its simple cuboid shape can be unobtrusively integrated into the spatial geometry of the bathroom, elegantly disguising the sanitary technology for the WC – the water connection, cistern and outlet are all fully hidden inside the ceramic housing. The minimalist design fully harmonises with the wide range of floor-mounted WCs offered by LAUFEN.

However, the Universal cistern not only has optical advantages. As an interface between the WC and the water supply and drainage installations, it also contains all standard connection options. It is thus eminently suitable for new constructions, renovation projects and bathroom conversions. Under normal circumstances, installation will not require any structural changes or interventions.

When installed by an expert, the WC will be back in operation within the shortest possible time – a customer-friendly solution when the conversion has to take place under normal operating

circumstances; a real alternative to conventional surface-mounted or concealed solutions.

When it comes to cleanliness and hygiene, the robust ceramic housing of the Universal cistern has many bathroom advantages. The ceramic surface has no joints or recesses where dirt can collect. A moist cleaning cloth is usually sufficient for quick and easy cleaning of the smooth surface.

The LAUFEN Universal cistern is available with the dimensions 14x40x98 cm (DxWxH). The cistern and internal flushing mechanism make use of durable and water-saving technologies. The flush mechanism is triggered by a two-volume flush button, which can be set to release water volumes of 6/3 litres or 4.5/3 litres. The Universal cistern fulfils the required standards for the USA (ASME A112.19.2 and A112.19.14), Australia (AS1172.2), Europe (EN14055 Class 1/Class 2) and Switzerland (592014-1).

UNIVERSAL CISTERN

PALOMBA COLLECTION
Floor-mounted WC combination

ø2380.6
 Floor-mounted WC, washdown,
 Vario outlet

ø2866.x
 Floor-mounted cistern, Dual-Flush

Kartell by LAUFEN
Floor-mounted WC combination

ø2333.1
 Floor-mounted WC, washdown,
 Vario horizontal/vertical outlet

ø2333.1
 Floor-mounted WC rimless, wash-
 down, Vario horizontal/vertical outlet

ø2866.x
 Floor-mounted cistern, Dual-Flush

Lb3
Floor-mounted WC combination

ø2168.4
 Floor-mounted WC, washdown,
 Vario horizontal/vertical outlet

ø2866.x
 Floor-mounted cistern, Dual-Flush

palace
Floor-mounted WC combination

ø2370.1
 Floor-mounted WC, washdown,
 Vario horizontal/vertical outlet

ø2866.x
 Floor-mounted cistern, Dual-Flush

LAUFEN pro
Floor-mounted WC combination

ø2295.2
 Floor-mounted WC, washdown,
 Vario outlet, back-to-wall

ø2295.6
 Floor-mounted WC, washdown,
 Vario outlet

ø2866.x
 Floor-mounted cistern, Dual-Flush

ø2333.1
 Floor-mounted WC, washdown,
 Vario horizontal/vertical outlet

ø2333.1
 Floor-mounted WC rimless, wash-
 down, Vario horizontal/vertical outlet

ø2866.x
 Floor-mounted cistern, Dual-Flush

Colours ceramic

.000 white

.757 white matt

Floorstanding cistern, Dual-Flush

ø2866.0
 Water connection left or right
 at the top of the cistern

ø2866.1
 Water connection back left
 at the top of the cistern

ø2866.3
 Water connection on the left side
 at the bottom of the cistern

ø2866.4
 Water connection on the right side
 at the bottom of the cistern

Colours: .000 .400 .757

LIS LAUFEN INSTALLATION SYSTEM WCS AND URINALS

NEW WALL INSTALLATION SYSTEM AND ACTUATOR PLATES FROM LAUFEN

The LAUFEN installation system LIS is the perfect solution for safely, quickly and easily installing LAUFEN's wall-hung toilets and urinals. The range includes various concealed elements for dry and wet construction, and makes a wide variety of different installation scenarios realisable. All wall mounted units are equipped with a toilet tank that has a water-saving Dual-Flush system, meaning flushing options can be set to either 6/3 litres or 4.5/3 litres.



CW1



CW2



CW3



CU3

Wall-hung WCs and urinals can be mounted effectively and securely in dry-wall construction thanks to LIS. Only a minimum space width of 140 millimeter is required. In addition, a freestanding version is also available that does not require a supporting wall. A water saving cistern with Dual-Flush is already built into the construction elements, the flush volume can be chosen from 6/3 to 4.5/3 Liter. A fixing kit as well as the connecting pipes are included in the scope of delivery, the version CW2 also comes with a connecting pipe needed for the shower toilet installation. Matching the modules, the actuator plates AW1 and AW2 Inox conclude the assortment.



TW1



TW2


LIS allows the installation of WCs with high-level cisterns on half-wall or brick wall constructions, requiring only 125 millimeter width of space. A water saving, Dual-Flush cistern with 6/3 liter adjustable to 4.5/3 liter as well as the connecting pipe to the WC belong to the assortment.

CW1, 89466.0

Concealed frame with cistern for wallhung WC, Dual-Flush 6/3L, adjustable to 4.5/3L

CW1, 4.5L 89466.5

Concealed frame with cistern for wallhung WC, Dual-Flush 4.5/3L, adjustable to 6/3L




CW2, 89466.1

Concealed frame with cistern for wallhung WC with integrated pipe for water supply, Dual-Flush 6/3L, adjustable to 4.5/3L


CW2, 89466.6

Concealed frame with cistern for wallhung WC, with integrated pipe for water supply, Dual-Flush 1.5/3L, adjustable to 6/3L




CW3, 89466.2

Concealed self-supporting frame with cistern for wallhung WC, Dual-Flush 6/3L, adjustable to 4.5/3L




CH1, 89266.7

Support bar for handle and holding systems




CH2, 89266.8

Support bar for handle and holding systems



TW1, 89466.3

Concealed cistern for wallhung WC, Dual-Flush 6/3L, adjustable to 4.5/3L



TW2, 89466.4

Concealed cistern, Dual-Flush 6/3L, adjustable to 4.5/3L



LIS LAUFEN INSTALLATION SYSTEMS

AW1



.004 chrome




.007 chrome matt



.000 white

AW2



Stainless steel

AW3



.000 Glass white



.020 Glass black,
with infrared sensor

AW4



.000 Glass white



.020 Glass black,
with infrared sensor





With LIS LAUFEN provides a reliable construction system for dry-wall and brick-wall installation. Matching actuator plates in the best design tradition of LAUFEN are also available. All of them are designed for water-saving Dual-Flush. The variants AW1, AW3 and AW4 can be chosen with different surfaces, whereas the variant AW2 consists of extremely durable stainless steel and is therefore particularly suitable for public and semi-public sanitary rooms.

LIS LAUFEN INSTALLATION SYSTEMS



CWB1, 89266.1

Concealed frame for washbasins





89266.2

Fastening plate for concealed frame CWB1 for washbasins



CB1, 89266.0

Concealed frame for wallhung bidet





CU3, 89266.5

Concealed frame for urinals with integrated control and for waterless urinal


Matches urinal

ANTERO 84015.0/2/4/5/6/9
CAPRINO PLUS 84206.5/6
LEMA 84019.0/4/5/6/8/9, 84319.5
TAMARO-S90 84010.3/4
TAMARO-VS NEW 84112.2/3



AW1, 89566.1

Actuator plate, Dual-Flush



Colours: .000 .004 .007

AW3


Electronic actuator plate, touchless, made of glass, Dual-Flush, for LIS Laufen Installation System
Only in combination with concealed power supply installation kit 89866.0, to be ordered separately

89566.3.000.000.1

White

89566.3.020.000.1

Black, with infrared sensor



AW4


Electronic actuator plate, touchless, made of glass, Dual-Flush, for LIS Laufen Installation System
Only in combination with concealed power supply installation kit 89866.0, to be ordered separately

89566.4.000.000.1

White

89566.4.020.000.1

Black, with infrared sensor




89866.0

Concealed power supply for electronic actuator plates AW3 and AW4, with empty pipe and power cable, 100-230V, 50-60Hz

AW2, 89566.2

Actuator plate, Dual-Flush



Colours: .000

SPECIAL ARTICLES



The sanitary ware used in public buildings is subject to far more demanding requirements than its domestic counterpart. In hospitals, schools and public conveniences they need to work perfectly over long periods and thus have to fulfil very different requirements. LAUFEN calls the products it designs


to fulfil these requirements “special articles”. Particular special features, such as the clean lines they have on their upper surfaces and continuous overflow channel, give our robust sanitary ware exceptional hygiene, clear lines without nooks and crannies where germs can accumulate, and lasting quality.




SPECIAL ARTICLES

85421.1
bernina wall sink including grating


89947.0
bernina grate



82199.0
albonova 50, floorstanding WC,
wash-out, horizontal outlet




81596.1
LAUFEN pro S washbasin, without
overflow, overflow exit sealed



Options: .142 .156

LAUFEN pro S washbasin, without
overflow, overflow exit sealed


	A
81096.2	550
81096.3	600
81096.4	650
81096.7	700




Options: .142 .156

85760.0.000
college, school washbasin, without
tap hole


85760.0.104
college, school washbasin, with tap
hole at centre of washbasin



82199.8
albonova 50, floorstanding WC,
wash-out, vertical outlet




81195.1
LAUFEN pro A washbasin, without
overflow, overflow exit sealed



Options: .142 .156


LAUFEN pro B washbasins, without
overflow, overflow exit sealed

	A	B	C	D
81595.2	450	330	115	170
81095.1	550	440	130	200
81095.2	600	480	130	200
81095.3	650	500	130	200



Options: .142 .156


85760.0.503
college, school washbasin, with tap
hole at centre of basin



82147.0
libertyline, Wall-hung WC.
Washdown


89147.0
Seat only, removable

89247.0
Seat and cover, removable



LAUFEN pro A washbasins, without
overflow, overflow exit sealed

	A	B
81895.1	550	135
81895.2	600	135
81895.3	650	130



Options: .142 .156

Other special articles:

LAUFEN pro
(see „LAUFEN pro“ chapter)

82595.6
Floorstanding WC, wash-out, horizontal
outlet, 450 mm sitting height

82595.7
Floorstanding WC, wash-out,
vertical outlet, 450 mm sitting height

LAUFEN pro liberty
(see „LAUFEN pro liberty“ chapter)

82196.0
Wall-hung WC liberty, rimless,
washdown, projection 700 mm

libertyline/rehab
(see relevant chapter)

PUBLIC URINALS





LAUFEN urinals for “public” sector can be seen in a wide variety of public places. Whether it be in the catering sector (restaurants, bars and hotels), busy transport nodes such as stations and airports, the business sector, municipal buildings such as schools and congress centres, or shopping centres, cinemas, theatres or concert halls – the scope of applications for these urinals, most of which are equipped with electronic flushing, is practically unlimited.



ANTERO




Eco-friendly urinal for prestigious washroom facilities:
With its antero urinal designed LAUFEN offers outstanding design and meticulous well-conceived functions to create prestigious washroom facilities for guests, customers and staff. This masterly combination in the product design of the two qualities, form and function, the urinal has already earned the Red Dot Award 2012. The outstanding design has been developed by Toan Nguyen.



reddot design award
winner 2012



German
Design Award
SPECIAL
MENTION 2014



LAUFEN urinals are set to revolutionise the upkeep and maintenance of public sanitary facilities. Up till now, urinals often had to be completely disassembled when replacing their siphons. antero and lema allow you to release the siphon easily using a special key and lift it out.

The siphon on antero und lema urinals can be changed easily, quickly and economically:

1. Remove ceramic cover by hand.
2. Lift siphon up and out using special key.
3. Clean urinal and rinse pipes.
4. Insert the new siphon.
5. Place ceramic cover.



ANTERO & LEMA CONTROL SYSTEM

antero and lema urinals offer everything required by operators of public toilets: A thorough et water-saving flush, easy cleaning and maintenance and demandoriented control electronics.

The intelligent control system has different modes and can trigger cleaning after each user or at defined intervals with different flush quantities of between 0.5 and 3 litres. Following long periods of non-use, a hygiene flush takes place every 24 hours by default. An integrated overflow protection provides additional safety in the event of the outlet being clogged.



Stadium mode

If usage frequency is high, the system automatically switches to stadium mode, which causes flushing to take place independently of usage. The system then triggers a flush at a programmable interval. If the system detects no usage within a flushing interval, it automatically switches back to normal mode.



Hybrid mode

The urinal flushes at a predefined interval if usage is detected, and not after every single use. The flushing interval can be set to six different values between 1 h and 12 h. A predefined flushing volume is assigned to each flushing interval.



Bluetooth mode

Bluetooth and a free smartphone app can be used to set the urinal from a mobile phone, monitor statistics and to check its function.

NEW

USB module


In addition to user-friendly operation via a control panel, settings can be changed conveniently on a laptop using a USB connection. The clear interface of the control software also allows status functions and statistics to be queried.



➔ Informations on LIS Laufen Installation System for Urinals are to be found in the chapter with the same name

GLT module

With the help of an additional module, the LAUFEN control system has an interface to popular building control systems. This allows central flushing to be triggered and stopped, the flush quantity to be changed, and status queries to be made.





84015.3

antero, siphonic urinal, internal water inlet

84015.0

antero, siphonic urinal, internal water inlet, with electronic control system, battery operated

84015.2

antero, siphonic urinal, internal water inlet, with electronic control system, mains operated 230V

89013.0




Optional USB adapter module

89013.1

Optional GLT adapter module

84015.9

antero siphonic urinal, water inlet on the inside, with electronic control system, 230 V mains-operated with Bluetooth module



84019.7

lema, siphonic urinal, internal water inlet

84019.4

lema, siphonic urinal, internal water inlet, with electronic control system, battery operated

84019.6

lema, siphonic urinal, internal water inlet, with electronic control system, mains operated 230V

89013.0




Optional USB adapter module

89013.1

Optional GLT adapter module

84019.9




lema siphonic urinal, water inlet on the inside, with electronic control system, 230 V / 12 V mains operated, with Bluetooth module



84319.5

Lema, waterless urinal

The innovative Lema 0-litre urinal operates without water and does not require a water shut-off device or electricity to keep the drain closed. The urine itself helps to keep gases sealed in and to prevent their escape. The principle behind this "trap" is known in the chemical industry as the Erlenmeyer flask.



84206.1




caprino plus, siphonic urinal, internal water inlet

84206.5

caprino plus, siphonic urinal, internal water inlet, with electronic control system, mains operated 230V, vandal-proof

84206.6




caprino plus, siphonic urinal, internal water inlet, with electronic control system, battery operated, vandal-proof






PUBLIC URINALS



84206.2
caprino plus, siphonic urinal,
external water inlet






84009.0
tamaro, siphonic urinal, internal
water inlet






84112.1
tamaro-VS, siphonic urinal, internal
water inlet, vandal-proof

84112.2
tamaro-VS, siphonic urinal, internal
water inlet, with electronic control
system, mains operated 230V,
vandal-proof



84010.4
tamaro-S90, siphonic urinal, internal
water inlet, with electronic control
system, battery operated




84010.3
tamaro-S90, siphonic urinal, internal
water inlet, with electronic control
system, mains operated 230V






PUBLIC URINALS




84000.0
taro-nova, siphonic urinal, internal water inlet




84000.5
taro-uni, siphonic urinal, external water inlet



84760.3
cinto, urinal division



84760.0
rion, urinal division



HOME URINALS



The requirements are by no means the same for all applications which is why LAUFEN urinals are available for public and private uses. While urinals for the “public” area are designed to satisfy high installation and functional standards, urinals for the “home” area are impressive due to their high aesthetic standard. Urinals in the “home” area are ideal for private use. Their harmonious form gives your bathroom a very special atmosphere.

HOME URINALS



84097.1



ILBAGNOALESSI One, siphonic urinal, internal water inlet, version for cover

89497.1

Urinal cover

84097.5

ILBAGNOALESSI One, siphonic urinal, internal water inlet, version without holes for cover



84014.1




casa, siphonic urinal, internal water inlet, version for cover

89414.1

Urinal cover

84014.5

casa, siphonic urinal, internal water inlet, version without holes for cover



84114.1



vila, siphonic urinal, internal water inlet, version for cover

89414.2

Urinal cover with lowering system

84114.2

vila, siphonic urinal, internal water inlet, version without holes for cover



BATHROOM FURNITURE





It's hard to believe that we spend a large proportion of our lives in the bathroom. And for precisely this reason the bathroom, a place where we retreat to relax and take some time out of the daily grind to recharge our batteries, needs to have a special atmosphere. The harmonious bathroom furniture meets the highest aesthetic and functional standards – which means you savour those valuable moments in the bathroom all the more intensely.

WHAT GOES WITH WHAT?

Ceramics - furniture combination options

	LAUFEN ceramic series											
	Countertop washbasins, bowls											
LAUFEN furniture programs Vanity units, washtops for countertop washbasins and bowls	Il Bagno Alessi One	Palomba Collection	Kartell by Laufen	Living City	Living Square	Living SaphirKeramik	Lb3	Ino	Val	Palace	Laufen Pro S	Laufen Pro
Boutique		●	●		●	●		●	●			
Case		●		●	●					●	●	●
Case Washtops		●	●	●	●	●		●	●		●	●
Space									●			
Space Washtops		●	●	●	●	●		●	●		●	●
Il Bagno Alessi One	●											
Palomba Collection		●										
Kartell by Laufen			●									
Lb3							●					
Ino								●				
Laufen Pro S											●	
Laufen Pro												●

OVERVIEW OF FURNITURE COLOURS

Standard colours



BOUTIQUE



Light oak



Dark oak



CASE



White matt



White glossy



Chalked oak



Anthracite oak



CASE WASHTOPS



White



Chalked oak



Anthracite oak



SPACE



White matt



Light walnut



Dark elm



SPACE WASHTOPS



White matt



Light walnut



Dark elm



IL BAGNO ALESSI ONE



White lacquered



Noce Canaletto



PALOMBA COLLECTION



White matt



Cherry Vermont dark



Stone grey



KARTELL BY LAUFEN



White glossy



Grey matt



Black glossy



Orange glossy



LB3



White



Wenge



Oak



INO



White matt



Dark walnut



LAUFEN PRO S



White



White glossy



Graphite



Wenge



Bright oak



LAUFEN PRO A+B



White



White glossy



Wenge

Special colours



Multicolor



Multicolor



Colours boxes



Colours back walls



Multicolor



Multicolor


CASE





Compact, functional design is the main success factor in both collections. Case can be combined with many LAUFEN sanitary ware ranges. The rigorous straightforward forms bring out the best in any sanitary ware.

Timeless yet contemporary – case fits in almost any environment. The white scratch-resistant surfaces or contemporary wood structure surfaces of this continuously updated classic make it a compelling choice.





The case furniture range features a high-quality storage concept, suitable for combination with the living square range, among others – and which also represents extremely good value for money. Its ability to make the bathroom neat and tidy at all times is good for both mind and body. One of many technical refinements is the optional space-saving siphon which dispenses with the need to make siphon cut-outs which means all the space in the vanity unit can be used without restriction.



The case vanity unit, used here in combination with palace, can hold a great deal behind its soft closing doors and in its fully extendable drawers. Optional: one or two drawers.



Special details in a cubist form: The washbasins in the living city range are particularly suitable for flush integration of the furniture.



If you need more storage space in your bathroom, case cabinets offer the best value for money. There are two different versions available to help you stow your bathroom utensils tidily out of sight.

The comfort features of the cabinets include surface-mounted handles and glass shelving.

Their exceptionally scratch, water and UV-resistant, easy-to-clean surfaces are available in three colours; white, chalked oak and anthracite oak – on request, we can deliver 38 other painted surface colours.

Wall mounting is simple and easy thanks to our flexibly adjustable 3D installation system.

Decor: anthracite oak

Decor: chalked oak

Colour: white matt





MULTICOLOR

LAUFEN offers a wide selection of colours for matt special coatings in addition to the standard decoration for the case furniture series.



CASE WASHTOPS



The case range works with a wide variety of LAUFEN bathroom ranges. A bathroom furniture concept offering impressive value for money.

Above:
LAUFEN pro S washbasin with a 1200 mm washtop with drawer element and additional roller container, which can be used for storage and as somewhere to sit.

Right:
Elegant white washing station solution with medium cabinet and 900 mm washtop with matching drawer element.





case 1800 mm washtop with integrated 900 mm drawer element and washbasin bowl from the Palomba collection.

Compact 600 mm washbasin furniture, with two drawers and 450 mm living city washbasin bowl.



case 1600 mm washtop with 800 mm drawer element and 650 mm built-in living square washbasin

Washing space solution using LAUFEN pro washbasin bowl on a 1200 mm wide furniture combination in chalked oak.



POSSIBLE WASHBASIN/WASHTOP COMBINATIONS CASE

Washtop			600 mm	800 mm	900 mm	1200 mm			
Optional drawer									
Washbasin									
PALOMBA COLLECTION									
	520x380 mm	s1680.2	● / M	● / M	● / M	● / R	● / L R	● / L R	● / L R
	600x400 mm	s1680.3		● / M	● / M	●		● / L R	● / L R
	900x420 mm	s1680.1			● / M	● / L R		● / L R	
Kartell by LAUFEN									
	Ø 420 mm	s1233.1	● / M	● / M	● / M	●	● / L R	● / L R	● / L R
	750x350 mm	s1233.2			● / M	● / L R		● / L R	● / L R
living city									
	450x380 mm	s1143.0	● / M	● / M	● / M	●	● / L R	● / L R	● / L R
	500x425 mm	s1143.1	● / M	● / M	● / M	●	● / L R	● / L R	● / L R
	500x460 mm	s1743.2	● / M	● / M	● / M	●	● / L R	● / L R	● / L R
	600x425 mm	s1143.2		● / M	● / M	●		● / L R	● / L R
	600x460 mm	s1743.4		● / M	● / M	●		● / L R	● / L R
	800x460 mm	s1743.7			● / M	●		● / L* R*	● / L* R*
	1000x460 mm	s1843.8				●			
living SaphirKeramik / living square									
	380x380 mm	s1143.5	● / M	● / M	● / M	●	● / L R	● / L R	● / L R
	360x360 mm	s1143.3	● / M	● / M	● / M	●	● / L R	● / L R	● / L R
	600x340 mm	s1143.4		● / M	● / M	●		● / L R	● / L R
	500x380 mm	s1543.5		●	●	●		● / R	● / L
	650x480 mm	s1643.2		●	●	●		●	●
	900x480 mm	s1643.4				●			

● can be combined with a washtop
M can be combined with a central drawer element (1 or 2 drawers)









L can be combined with one drawer element on the left (1 or 2 drawers)
R can be combined with one drawer element on the right (1 or 2 drawers)
* technically possible, but not recommended for aesthetic reasons

POSSIBLE WASHBASIN/WASHTOP COMBINATIONS CASE




























Washtop			600 mm	800 mm	900 mm	1200 mm			
Optional drawer			 40511.1	 40512.1	 40513.1	 40514.1	 40514.4	 40514.2	 40514.3
Washbasin									
VAL									
	500x400 mm	s1228.1	● / M	● / M	● / M	●	● / L R	● / L R	● / L R
	550x360 mm	s1228.2	● / M	● / M	● / M	●	● / L R	● / L R	● / L R
	450x420 mm	s1628.0	● / M	● / M	● / M	● / L R	● / L R	● / L R	● / L R
	550x420 mm	s1628.2	● / M	● / M	● / M	● / L R	● / L R	● / L R	● / L R
	600x420 mm	s1628.3		● / M	● / M	●		● / L R	● / L R
	650x420 mm	s1628.4		● / M	● / M	●		* / L R	* / L R
	750x420 mm	s1628.5			● / M	●		* / L R	* / L R
	950x420 mm	s1628.7				●		●	●
	550x360 mm	s1728.1		● / M	● / M	●		● / L R	● / L R
INO									
	350x360 mm	s1230.0	●	●	●	●	●	● / R	● / L
	500x360 mm	s1230.2	●	●	●	●	●	● / R	● / L
	450x410 mm	s1630.0	● / M	● / M	● / M	●	● / L R	● / L R	● / L R
	560x450 mm	s1630.2	● / M	● / M	● / M	●	● / L R	● / L R	● / L R
	350x365 mm	s1730.1	●	●	●	●	●	● / R	● / L
	500x365 mm	s1730.2		●	●	●		● / R	● / L

● can be combined with a washtop
M can be combined with a central drawer element (1 or 2 drawers)

L can be combined with one drawer element on the left (1 or 2 drawers)
R can be combined with one drawer element on the right (1 or 2 drawers)
* technically possible, but not recommended for aesthetic reasons









1600 mm				1800 mm			
 40515.1	 40515.4	 40515.2	 40515.3	 40516.1	 40516.4	 40516.2	 40516.3
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●*/LR	●*/LR	●		●*/LR	●*/LR
●		●*/LR	●*/LR	●		●*/LR	●*/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●	●/R	●/L	●	●	●/R	●/L
●	●	●/R	●/L	●	●	●/R	●/L
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●	●/R	●/L	●	●	●/R	●/L
●		●/R	●/L	●	●	●/R	●/L

POSSIBLE WASHBASIN/WASHTOP COMBINATIONS CASE

Washtop			600 mm	800 mm	900 mm	1200 mm			
Optional drawer									
Washbasin			40511.1	40512.1	40513.1	40514.1	40514.4	40514.2	40514.3
LAUFEN pro S									
	450x340 mm	81696.1	● / M	● / M	● / M	●	● / L R	● / L R	● / L R
	550x380 mm	81295.2	● / M	● / M	● / M	●	● / L R	● / L R	● / L R
	550x465 mm	81696.2		● / M	● / M	●		* / L R	* / L R
	600x380 mm	81295.3		● / M	● / M	●		● / L* R*	● / L* R*
	600x465 mm	81696.3		● / M	● / M	●		* / L R	* / L R
	650x465 mm	81696.4		● / M	● / M	●		* / L R	* / L R
	700x465 mm	81696.7			● / M	●		* / L R	* / L R
	850x460 mm	81696.5				●			
	1050x460 mm	81696.6				●			
	600x400 mm	81695.2		● / M	● / M	●		● / L R	● / L R
	560x440 mm	81896.3		●	●	●		●	●
LAUFEN pro									
	420x420 mm	81296.2	● / M	● / M	● / M	●	● / L R	● / L R	● / L R
	520x390 mm	81296.4	● / M	● / M	● / M	●	● / L R	● / L R	● / L R
	450x340 mm	81195.2	● / M	● / M	● / M	●	● / L R	● / L R	● / L R
	550x480 mm	81795.1		● / M	● / M	●		● / L* R*	● / L* R*
	600x480 mm	81795.2		● / M	● / M	●		● / L* R*	● / L* R*
	650x480 mm	81795.3		● / M	● / M	●		● / L* R*	● / L* R*
	850x480 mm	81295.6				●			
	1050x480 mm	81295.8				●			
	560x440 mm	81396.1		●	●	●		● / R	● / L
	560x440 mm	81395.1				●		● / R	● / L

● can be combined with a washtop
M can be combined with a central drawer element (1 or 2 drawers)

L can be combined with one drawer element on the left (1 or 2 drawers)
R can be combined with one drawer element on the right (1 or 2 drawers)
* technically possible, but not recommended for aesthetic reasons

1600 mm				1800 mm			
 40515.1	 40515.4	 40515.2	 40515.3	 40516.1	 40516.4	 40516.2	 40516.3
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●				●			
●				●			
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●	●/R	●/L	●	●	●/R	●/L
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●/LR	●/LR	●/LR	●	●/LR	●/LR	●/LR
●	●	●/R	●/L	●	●	●/R	●/L
●	●	●/R	●/L	●	●	●/R	●/L


CASE

600 mm washtop,
incl. two mounting brackets

40511.0
Without cut-out

40511.1
With centre cut-out

When ordering, please state the
washbasin item number.




Colours: .463 .519 .548

800 mm washtop,
incl. two mounting brackets

40512.0
Without cut-out

40512.1
With centre cut-out

When ordering, please state the
washbasin item number.




Colours: .463 .519 .548

900 mm washtop,
incl. two mounting brackets

40513.0
Without cut-out

40513.1
With centre cut-out

When ordering, please state the
washbasin item number.




Colours: .463 .519 .548

40517.0
Washtop made to measure
(Please use order form)

Please use the order form.

When ordering, please state the
washbasin item number.



Colours: .463 .519 .548

1200 mm washtop,
incl. two mounting brackets

40514.0
Without cut-out


40514.1
With centre cut-out

40514.2
With cut-out left

40514.3
With cut-out right

40514.4
With cut-out left and right

When ordering, please state the
washbasin item number.



Colours: .463 .519 .548

1600 mm washtop,
incl. two mounting brackets

40515.0
Without cut-out


40515.1
With centre cut-out

40515.2
With cut-out left

40515.3
With cut-out right

40515.4
With cut-out left and right

When ordering, please state the
washbasin item number.



Colours: .463 .519 .548

1800 mm washtop,
incl. three mounting brackets

40516.0
Without cut-out


40516.1
With centre cut-out

40516.2
With cut-out left

40516.3
With cut-out right

40516.4
With cut-out left and right

When ordering, please state the
washbasin item number.



Colours: .463 .519 .548

Colours furniture

	.463 white
	.464 white glossy
	.519 chalked oak
	.548 anthracite oak
	.999 multicolor (lacquered)*

Please state colour number in the
order text:

01	02	03
04	05	06
07	08	09
10	11	12
13	14	15
16	17	18
19	20	21
22	23	24
25	26	27
28	29	30
31	32	33
34	35	36
37	38	39


*not available for case countertops
and drawer elements.
For more information on the choice
of 39 colours, refer to the "Product
features and benefits" chapters.

CASE

600 mm drawer element,
with soft close mechanism

40521.2

With one drawer




Colours: .463 .519 .548

800 mm drawer element,
with soft close mechanism

40522.2

With one drawer




Colours: .463 .519 .548

900 mm drawer element,
with soft close mechanism

40523.2


With one drawer



Colours: .463 .519 .548

40205.1

Trolley, with interior drawer




Colours: .463 .519 .548 .999

600 mm drawer element,
with soft close mechanism

40521.4

With two drawers




Colours: .463 .519 .548

800 mm drawer element,
with soft close mechanism

40522.4

With two drawers




Colours: .463 .519 .548

900 mm drawer element,
with soft close mechanism

40523.4

With two drawers



Colours: .463 .519 .548



➔ **case for living square**
case for living city
case for palace
can be found in the chapters
for the respective designer
ranges.

Towel rail colours



.104 Glossy anodised
aluminium



.105 Bright aluminium



.106 Dark brown
aluminium

Towel holder, aluminium

Suitable for all case washtops and
drawer elements.

49095.0 270 mm



49095.1 320 mm



49095.2 400 mm




Tall cabinet*, with four glass shelves,
with soft close mechanism

40202.1

Door hinge left

40202.2

Door hinge right



Colours: .463 .464 .519 .548 .999


Medium cabinet*, with two glass
shelves, with soft close mechanism

40201.1

Door hinge left

40201.2

Door hinge right



Colours: .463 .464 .519 .548 .999

*Feet, optional:

48309.4

Height 335 mm

48309.5

Height 380 mm

48309.6

Height 395 mm

48309.7

Height 410 mm

48309.9

Height 257 mm

CASE MIRRORS



Mirror with horizontal lighting.

Especially good illumination thanks to two vertical lamps.



The case mirror collection goes perfectly with LAUFEN furniture and washbasins. The mirrors in minimalist, timeless design are available in many different sizes and three different lighting schemes.

The mirror is backlit indirectly via the wall, giving the bathroom a relaxed atmosphere. At the front, lighting elements light up the face perfectly when applying make up or when shaving. The superb price-performance ratio of case mirrors makes them an attractive solution for both private and public projects.


CASE

Mirror with one horizontal lighting element, 230V, IP44

44720.1, 450x850 mm, 1x8W
44721.1, 550x850 mm, 1x8W
44722.1, 600x850 mm, 1x14W

With sensor switch

44720.5, 450x850 mm, 1x8W
44721.5, 550x850 mm, 1x8W
44722.5, 600x850 mm, 1x14W




Mirror with one horizontal lighting element, 230V, IP44

44723.1, 800x620 mm, 1x14W
44724.1, 900x620 mm, 1x14W
44725.1, 1000x620 mm, 1x21W
44726.1, 1200x620 mm, 1x21W
44727.1, 1300x620 mm, 1x28W
44728.1, 1500x620 mm, 1x28W
44729.1, 1800x620 mm, 1x28W

With sensor switch

44723.5, 800x620 mm, 1x14W
44724.5, 900x620 mm, 1x14W
44725.5, 1000x620 mm, 1x21W
44726.5, 1200x620 mm, 1x21W
44727.5, 1300x620 mm, 1x28W
44728.5, 1500x620 mm, 1x28W
44729.5, 1800x620 mm, 1x28W




Mirror with one horizontal and two vertical lighting elements, 230V, IP44

44728.4, 1500x620 mm,
 1x28W/2x14W
44729.4, 1800x620 mm,
 1x28W/2x14W

With sensor switch

44728.8, 1500x620 mm,
 1x28W/2x14W
44729.8, 1800x620 mm,
 1x28W/2x14W




Mirror with two vertical lighting elements, 230V, IP44

44720.2, 450x850 mm, 2x14W
44721.2, 550x850 mm, 2x14W
44722.2, 600x850 mm, 2x14W

With sensor switch

44720.6, 450x850 mm, 2x14W
44721.6, 550x850 mm, 2x14W
44722.6, 600x850 mm, 2x14W




Mirror with two vertical lighting elements, 230V, IP44

44723.2, 800x620 mm, 2x14W
44724.2, 900x620 mm, 2x14W
44725.2, 1000x620 mm, 2x14W
44726.2, 1200x620 mm, 2x14W
44727.2, 1300x620 mm, 2x14W

With sensor switch

44723.6, 800x620 mm, 2x14W
44724.6, 900x620 mm, 2x14W
44725.6, 1000x620 mm, 2x14W
44726.6, 1200x620 mm, 2x14W
44727.6, 1300x620 mm, 2x14W



44710.0.996.144.1

Mirrors can be made to measure,
 with power socket or antifog system
 on request.

FRAME 25 MIRRORS



The new frame 25 mirror series with shiny, anodised aluminium frames and fitted lamps can be combined in numerous ways thanks to simple and timeless designs.



FRAME 25

Mirror with aluminium frame,
without lamp


	A
44740.0	450
44740.1	550

Additional horizontal lamp
LED 4000Kelvin

	A
44745.1	450
44746.1	550

Additional horizontal lamp
LED 4000Kelvin
with sensor switch

	A
44745.2	450
44746.2	550



Mirror with aluminium frame,
without lamp

	A
44740.2	600
44740.3	650
44740.4	800
44740.5	900
44740.6	1000
44740.7	1200
44740.8	1300
44740.9	1500
44741.0	1800

Additional horizontal lamp
LED 4000Kelvin

	A
44747.1	600
44748.1	650
44749.1	800
44750.1	900
44751.1	1000
44752.1	1200
44753.1	1300
44754.1	1500
44755.1	1800

Additional vertical lamp
LED 4000Kelvin


	A
44757.1	700

Additional horizontal lamp
LED 4000Kelvin
with sensor switch

	A
44747.2	600
44748.2	650
44749.2	800
44750.2	900
44751.2	1000
44752.2	1200
44753.2	1300
44754.2	1500
44755.2	1800

Additional vertical lamp
LED 4000Kelvin
with sensor switch

	A
44757.2	700




44742.0
Mirror with aluminium frame,
without lamp, made to measure

44756.1
Additional horizontal lamp,
without sensor switch,,
made to measure

44756.2
Additional horizontal lamp,
with sensor switch, made to
measure

(Please use order form)



FRAME 25 MIRROR CABINETS





The timeless frame 25 mirror cabinet is a useful addition to a bathroom washbasin: Its continuous LED strips casts bright light, similar to daylight, on your face for applying make-up application or shaving and is a handy place to store accessories. High-quality details such as double-sided, mirrored, soft-closing doors, adjustable glass shelves and integrated sockets are all very impressive in day-to-day use. An optional accessory kit, consisting of a freely adjustable make-up mirror, a magnetic strip and storage cups for cosmetics provides even more convenience. Dimmable or bottom ambient lighting is also available to cast mood lighting onto the washbasin.



NEW INSTALLATION FRAME FOR MIRROR CABINETS

LAUFEN has now developed an installation frame for the handy mirror cabinets of the Frame 25 series. It can be used to install the products flush with the surfaces in niches, front-wall installations or walls. The frame made of anodised aluminium can be easily installed and allows the attachment of the mirror cabinet at the end of the installation phase, which provides additional protection against damage. A special handle is available so that the doors of installed mirror cabinets can be conveniently opened.

FRAME 25

Mirror cabinet, aluminium, 1 double mirrored door, with sensor circuit and with 2 LED lighting elements 4000 Kelvin, dimmable


40830.1
with EU sockets, with sensor switch, left door

40830.2
with EU sockets, with sensor switch, right door

Mirror cabinet, aluminium, 1 double mirror door, with sensor circuit with 2 LED lighting elements 4000 Kelvin, and bottom ambient lighting, dimmable

40835.1
with EU sockets, with sensor switch, left door

40835.2
with EU sockets, with sensor switch, right door




Mirror cabinet, aluminium, 2 double mirrored doors, with sensor circuit and with 2 LED lighting elements, 4000 Kelvin, dimmable

40850.3
with EU sockets, with sensor switch

Mirror cabinet, aluminium, 2 double mirror doors, with sensor circuit and with 2 LED lighting elements 4000 Kelvin and bottom ambient lighting

40855.3
with EU sockets, with sensor switch




Mirror cabinet, aluminium, 3 double mirrored doors, with sensor circuit and with 4 LED lighting elements

40880.4
with EU sockets, with sensor switch

Mirror cabinet, aluminium, 3 double mirrored doors, with sensor circuit and with 3 LED lighting elements 4000 Kelvin and bottom ambient lighting


40885.4
with EU sockets, with sensor switch



40838.0
Installation frame set for mirror cabinet

	A
40838.0	490
40848.0	640
40858.0	840
40868.0	1040
40888.0	1240
40878.0	1340

Only in connection with color option .144



Mirror cabinet, aluminium, 1 double mirrored door, with sensor circuit and with 2 LED lighting elements 4000 Kelvin, dimmable

40840.1
with EU sockets, with sensor switch, left door

40840.2
with EU sockets, with sensor switch, right door

Mirror cabinet, aluminium, 1 double mirror door, with sensor circuit with 2 LED lighting elements 4000 Kelvin, and bottom ambient lighting, dimmable

40845.1
with EU sockets, with sensor switch, left door

40845.2
with EU sockets, with sensor switch, right door




Mirror cabinet, aluminium, 2 double mirrored doors, with sensor circuit and with 2 LED lighting elements 4000 Kelvin, dimmable

40860.3
with EU sockets, with sensor switch

Mirror cabinet, aluminium, 2 double mirrored doors, with sensor circuit and with 2 LED lighting elements 4000 Kelvin, and bottom ambient lighting, dimmable

40865.3
with EU sockets, with sensor switch




Mirror cabinet, aluminium, 3 double mirrored doors, with sensor circuit and with 4 LED lighting elements 4000 Kelvin, dimmable

40870.4
with EU sockets, with sensor switch

Mirror cabinet, aluminium, 3 double mirrored doors, with sensor circuit and with 3 LED lighting elements 4000 Kelvin, and bottom ambient lighting, dimmable

40875.4
with EU sockets, with sensor switch




49060.0
Optional accessories set consisting of a freely-positionable cosmetics mirror, magnetic strip and a storage cup made of transparent plastic

Colours of mirror cabinets

.144 Mirror

.145 Glass with white backing



SPACE



LIGHT AND SPACIOUS AT THE SAME TIME

With Space, LAUFEN presents a bathroom furniture collection that is based on the lightness of SaphirKeramik, translating it into clear, architecturally minimal forms. Typical for LAUFEN, Space knows how to convince with practical details and high-quality equipment. Space includes vanity units in widths 450-950 mm, which can be combined with washbasins from LAUFEN's Val range.






In addition, 12 mm thick washtops of up to 2000 mm in length and drawer units in widths from 450 to 800 mm are available. Several LAUFEN washbasins can be combined with these washtop solutions. The range complements a variety of high cabinets, including those with double-sided mirrors, gently closing doors, available as open versions or as narrow rack.




SPACE

41110.1
Drawer element with one drawer




Colours: .100 .101 .103 .999

41113.1
Drawer element with one drawer




Colours: .100 .101 .103 .999

41116.1
Drawer element with one drawer



Colours: .100 .101 .103 .999


41119.2
Trolley with two drawers



Colours: .100 .101 .103 .999

49540.1
Drawer organizer, small, for vanity unit, matt white lacquered


49540.3
Drawer organizer, small, for drawer element and trolley, matt white lacquered



Colours: .100 .101 .103 .999

49540.5
Drawer organizer, large, for vanity unit, matt white lacquered

49540.7
Drawer organizer, large, for drawer element and trolley, matt white lacquered






Colours: .100 .101 .103 .999



41122.0
Feet

Colours: .105 .106

Colours furniture

-  .100 Matt white, handle aluminium .105
-  .101 Light walnut, handle aluminium .105
-  .103 Dark elm, with handle dark brown aluminium .106

Colours handles/feet


-  .105 Bright aluminium
-  .106 Dark aluminium

.999 Multicolor
Please state colour number of furniture, towel holder and feet in the order text

SPACE

41090.0


Tall cabinet with mirror front, door left or right 4 shelves



Colours: .100 .101 .103 .999

41090.1


Tall cabinet with two-sided mirror front, door left or right. Soft-Close, 4 shelves



Colours: .100 .101 .103 .999

41090.5

Rack Slim with open front, 4 shelves




Colours: .100 .101 .103 .999

41095.0

Washtop 900 without cut out

41095.3

Washtop 900 with center cut out



Colours: .100 .101 .103

41100.0

Washtop 1200 without cut out

41100.1

Washtop 1200 with cut out left

41100.2

Washtop 1200 with cut out right

41100.3

Washtop 1200 with center cut out

41100.4

Washtop 1200 with cut out left and right



Colours: .100 .101 .103

41105.0

Washtop 1600 without cut out

41105.1

Washtop 1600 with cut out left

41105.2


Washtop 1600 with cut out right

41105.3

Washtop 1600 with center cut out

41105.4

Washtop 1600 with cut out left and right




Colours: .100 .101 .103

41108.0

Washtop made-to-measure

























(Please use the order form)



Colours: .100 .101 .103

POSSIBLE WASHBASIN/WASHTOP COMBINATIONS SPACE

		900 mm  41095.3	1200 mm  41100.3	1200 mm  41100.1	1200 mm  41100.2	1200 mm  41100.4
KARTELL BY LAUFEN						
	81233.1 420x420 mm	● / M	● / L R	● / L R	● / L R	
	81533.1 460x460 mm	● / M	● / L R	● / L R	● / L R	● / L R
	81033.4/.5 600x460 mm	● / M	● / L R	● / L R	● / L R	
	81033.8 900x460 mm		● / L R	● / L R	● / L R	
	81033.9 900x460 mm		● / L R	● / L R	● / L R	
	81333.2 1200x460 mm					
	81233.2 750x350 mm		● / L R	● / L R	● / L R	
Living Square						
	81143.3 360x360 mm	● / M	● / M	● / L R	● / L R	● / L R
	81143.5 380x380 mm	● / M	● / M	● / L R	● / L R	● / L R
	81143.4 600x340 mm	● / M	● / M	● / L R	● / L R	
Palomba Collection						
	81680.1 900x420 mm	● / M	● / M	● / L R	● / L R	
	81680.2 520x380 mm	● / M	● / M	● / L R	● / L R	
	81680.3 600x400 mm	● / M	● / M	● / L R	● / L R	
VAL						
	81628.0 450x420 mm	● / M	● / M	● / L R	● / L R	
	81628.2 550x420 mm	● / M	● / M	● / L R	● / L R	
	81628.3 600x420 mm	● / M	● / M	● / L R	● / L R	
	81628.4 650x420 mm	● / M	● / M	● / L R	● / L R	
	81628.5 750x420 mm		● / M			
	81228.1 500x400 mm	● / M	● / M	● / L R	● / L R	

		900 mm  41095.3	1200 mm  41100.3	1200 mm  41100.1	1200 mm  41100.2	1200 mm  41100.4
VAL						
	81228.2 550x360 mm	● / M	● / L R	● / L R	● / L R	
	81728.1 550x360 mm	● / M	● / L R	● / L R	● / L R	
INO						
	81230.0 350x360 mm	● / M	● / L R	● / L R	● / L R	● / L R
	81230.2 500x360 mm	● / M	● / L R	● / L R	● / L R	● / L R
	81630.0 450x410 mm	● / M	● / L R	● / L R	● / L R	● / L R
	81630.2 560x450 mm	● / M	● / L R	● / L R	● / L R	● / L R
	81730.1 350x365 mm	● / M	● / L R	● / L R	● / L R	● / L R
	81730.2 500x365 mm	● / M	● / L R	● / L R	● / L R	
Living City						
	81143.0 450x380 mm	● / M	● / L R	● / L R	● / L R	● / L R
	81143.1 500x425 mm	● / M	● / L R	● / L R	● / L R	● / L R
	81743.2 500x460 mm	● / M	● / L R	● / L R	● / L R	
	81143.2 600x425 mm	● / M	● / L R	● / L R	● / L R	
	81743.4 600x460 mm	● / M	● / L R	● / L R	● / L R	
	81743.7 800x460 mm	● / M	● / L R	● / L R	● / L R	
	81743.8 1000x460 mm		● / L R	● / L R	● / L R	
Laufen Pro S						
	81295.2 550x380 mm		● / L R	● / L R	● / L R	
	81295.3 600x380 mm		● / L R	● / L R	● / L R	
	81695.2 600x400 mm	● / M	● / L R	● / L R	● / L R	
Laufen Pro						
	81296.2 420x420 mm	● / M	● / L R	● / L R	● / L R	● / L R
	81296.4 520x390 mm	● / M	● / L R	● / L R	● / L R	● / L R

BOUTIQUE



THE LIGHTNESS OF THE ROOM

For weightless elegance in the bathroom LAUFEN offers its new furniture collection Boutique. Clear cubes and a sophisticated design language with tapered edges offer a perfectly shaped storage space to the bathroom, blending harmoniously with the subtle forms of SaphirKeramik washbasins. At the same time, user friendliness is not compromised. Intelligent and unobtrusive solutions such as push-and-pull drawers that gently and quietly open and close with just light finger pressure, allow a simple, even playful experience.













Boutique also includes vanity units, which can be combined with a range of washbasins from LAUFEN's premium collections, including open, combinable furniture modules and a spacious tall and medium cabinet.






BOUTIQUE

<p>Vanity unit, with one drawer</p> <p>40900.0 Without cut out</p> <p>40900.3 With center cut out</p>  <p>Colours: .250 .251</p>	<p>Vanity unit, with one drawer</p> <p>40901.0 Without cut out</p> <p>40901.3 With center cut out</p>  <p>Colours: .250 .251</p>	<p>Vanity unit, with one drawer</p> <p>40903.0 Without cut out</p> <p>40903.1 With cut out left</p> <p>40903.2 With cut out right</p> <p>40903.3 With center cut out</p> <p>40903.4 With cut out left and right</p>  <p>Colours: .250 .251</p>	<p>Vanity unit, with one drawer</p> <p>40905.0 Without cut out</p> <p>40905.1 With cut out left</p> <p>40905.2 With cut out right</p> <p>40905.3 With center cut out</p> <p>40905.4 With cut out left and right</p>  <p>Colours: .250 .251</p>
<p>40910.0 Open shelf element</p>  <p>Colours: .250 .251</p>	<p>40910.1 Open shelf element</p>  <p>Colours: .250 .251</p>	<p>40913.1 Tall cabinet with 4 wooden shelves and push & pull, door left or right</p>  <p>Colours: .250 .251</p>	<p>40915.1 Medium cabinet with 2 wooden shelves and push & pull, door left or right</p>  <p>Colours: .250 .251</p>

BOUTIQUE

40917.0


Medium cabinet, open front



Colours: .250 .251

40920.0


Organizer for drawer, small for 40900.0/.3 and 40903.0/.1/.2/.3/.4



Colours: .250 .251


40920.1


Organizer for drawer, large, for 40901.0/.3 and 40905.0/.1/.2/.3/.4























Colours: .250 .251

Colours furniture




 .250 Light oak

 .251 Dark oak





















POSSIBLE COMBINATIONS BOUTIQUE

		 900 mm 40900.3	 1200 mm 40903.3	 1200 mm 40903.1	 1200 mm 40903.2	 1200 mm 40903.4
KARTELL BY LAUFEN						
	81533.1 460x460 mm	●	●	●	●	●
	81033.4 600x460 mm	●	●	●	●	
	81033.5 600x460 mm	●	●	●	●	
	81033.8 900x460 mm	●	●	●	●	
	81033.9 900x460 mm	●	●	●	●	
	81333.2 1200x460 mm		●			
VAL						
	81628.0 450x420 mm	●	●	●	●	●
	81628.2 550x420 mm	●	●	●	●	●
	81628.3 600x420 mm	●	●	●	●	
	81628.4 650x420 mm	●	●	●	●	
	81628.5 750x420 mm	●	●	●	●	
	81628.7 950x420 mm		●	●	●	
INO						
	81630.0 450x410 mm	●	●	●	●	●
	81630.2 560x450 mm	●	●	●	●	●

● Washbasin can be combined with furniture

		 900 mm 40901.3	 1200 mm 40905.3	 1200 mm 40905.1	 1200 mm 40905.2	 1200 mm 40905.4
KARTELL BY LAUFEN						
	81233.1 420x420 mm	●	●	●	●	●
	81233.2 750x350 mm	●	●	●	●	
LIVING SAPHIRKERAMIK						
	81143.3 360x360 mm	●	●	●	●	●
	81143.4 600x340 mm	●	●	●	●	
	81143.5 380x380 mm	●	●	●	●	●
PALOMBA COLLECTION						
	81680.1 900x420 mm	●	●	●	●	
	81680.2 520x380 mm	●	●	●	●	●
	81680.3 600x400 mm	●	●	●	●	
VAL						
	81228.1 500x400 mm	●	●	●	●	●
	81228.2 550x360 mm	●	●	●	●	●
	81728.1 550x360 mm	●	●	●	●	●
INO						
	81230.0 350x360 mm	●	●	●	●	●
	81230.2 500x360 mm	●	●	●	●	●
	81730.1 350x365 mm	●	●	●	●	●
	81730.2 500x365 mm	●	●	●	●	●

POSSIBLE COMBINATIONS BOUTIQUE


 500 mm		 900 mm 40901.3	 1200 mm 40905.3	 1200 mm 40905.1	 1200 mm 40905.2	 1200 mm 40905.4
KARTELL BY LAUFEN						
	81533.1 460x460 mm	●	●	●	●	●
	81033.4 600x460 mm	●	●	●	●	
	81033.5 600x460 mm	●	●	●	●	
	81033.8 900x460 mm	●	●	●	●	
	81033.9 900x460 mm	●	●	●	●	
	81333.2 1200x460 mm		●			
VAL						
	81628.0 450x420 mm	●	●	●	●	●
	81628.2 550x420 mm	●	●	●	●	●
	81628.3 600x420 mm	●	●	●	●	
	81628.4 650x420 mm	●	●	●	●	
	81628.5 750x420 mm	●	●	●	●	
	81628.7 950x420 mm		●	●	●	
INO						
	81630.0 450x410 mm	●	●	●	●	●
	81630.2 560x450 mm	●	●	●	●	●

● Washbasin can be combined with furniture



WELLNESS

Bathtubs, shower trays, whirl systems





LAUFEN bathtubs and shower trays have been designed for people who see their home as a place to unwind and recover. From the classic bathtub through to models with complex whirl systems, the quality and workmanship is first class. The tubs are made of high-quality materials, from the best suppliers in the world.

Almost all LAUFEN bathroom concepts have a suitable bathtub as part of their range, which comes in many shapes and forms. LAUFEN also offers many bathtub and shower tray solutions that are not associated with any particular design concept and can therefore be easily combined with existing sanitary wares.

SENTEC SOLID SURFACE BATHTUBS AND SHOWER TRAYS



Bathing in a Sentec bathtub made of solid surface material feels like being in a natural basin. Due to a high percentage of mineral particles from nature, the surface feels smooth, like a rock which has been rounded and polished over years by gentle flowing water. The pleasant, warm touch of the surface gives a feeling of healthiness and cleanliness – and caters for maximum relaxation.

The innovative material also allows for an incredible freedom of design: almost every shape is feasible – from very organic, following nature's example, to very straight and architectural. Bathtubs made of solid surface are true design objects in every kind of bathroom.

Furthermore the non-porous surface of the material is hygienic, durable, UV-resistant, highly resistant to scratches and can be effortlessly cleaned – and therefore provides public buildings and private households with a long-lasting product, that is easy to maintain. Thanks to the characteristics of the material even small damages, like stains or scratches for example, can be cleaned easily or repaired invisibly. And of course, the solid surface material is non-toxic, which is essential for a material that handles water, our most valuable resource.

1 IlBagnoAlessiOne

2 VAL

3 Kartell by LAUFEN



**Bathtubs solid surface Sentec
rectangular (fitted version or with panel)**



Kartell by LAUFEN
1700x860x590 mm, left



Kartell by LAUFEN
1700x860x590 mm, right

**Bathtubs solid surface Sentec
fitted version, oval**



ILBAGNOALESSI One
1780x820x610 mm

**Bathtubs solid surface Sentec
Freestanding**



ILBAGNOALESSI One
1830x870x530 mm



PALOMBA COLLECTION
1800x900x890 mm



Val
1600x750x520 mm



Ino
1800x800x520 mm



Ino
1700x750x520 mm



Kartell by LAUFEN
1760x760x540 mm



Kartell by LAUFEN
1700x860x540 mm, left



Kartell by LAUFEN
1700x860x540 mm, right

Shower trays, solid surface Sentec



Kartell by LAUFEN
900x900 mm



Kartell by LAUFEN
1000x800 mm
1100x800 mm
1200x800 mm
1300x800 mm
1400x800 mm


Shower trays, Marbond



Laufen Solutions
900x 900 mm
1000x1000 mm



Laufen Solutions
1200 x 800 mm
1000 x 900 mm
1200 x 900 mm
1200 x 1000 mm



Laufen Solutions
1400x900 mm
1600x900 mm

MARBOND SHOWERTRAYS



Tailor-made shower trays made from Marbond

LAUFEN presents a collection of regular and floor-level shower trays, customisable to your individual, tailored requirements. The cast, made from the solid composite Marbond is finished with a gel coat that is extremely hygienic and easy to clean. The range includes widths from 80 to 100 cm and is avail-

able in lengths from 90 to 160 cm. The cover of the elongated outlet hides a powerful syphon, which can also accommodate the large volume of water from rainshower models. In standard form the shower trays are available in white and sand. For custom designs, the size is open to customer choice and colour options extend to the entire RAL range.

Shower tray, square, gel coat material Marbond, with siphon DN 50, gel coated metal cover and set of feet

	A	B
21544.2	900	900
21644.1	1000	1000

81644.0
Customisable size and colour
Specify in order sheet

Colours: .000 .035

Shower tray, rectangular, gel coat material Marbond, with siphon DN 50, gel coated metal cover and set of feet

	A	B
21544.1	1200	800
21544.3	1000	900
21544.4	1200	900
21644.2	1200	1000

81644.0
Customisable size and colour
Specify in order sheet

Colours: .000 .035

Shower tray, rectangular, gel coat material Marbond, with siphon DN 50, gel coated metal cover and set of feet

	A	B
21544.5	1400	900
21544.6	1600	900

81644.0
Customisable size and colour
Specify in order sheet

Colours: .000 .035

Colours shower trays

.000 White

.035 Light-ivory

ACRYLIC BATHTUBS AND SHOWER TRAYS



Because of their manifold qualities, bathtubs and shower trays made of sanitary acrylic have a decade-long tradition in the bathroom. All over the world, the material is highly appreciated for being smooth and comfortable to the skin. It's always a pleasure to take a bath or a shower and feel the warm touch of the material, which has excellent insulating properties too. Since the surface is very smooth, particles of dirt cannot get a grip or can be easily rinsed off – so well-being already starts when cleaning. As contemporary bathrooms have to reflect the individuality and personality of their users, the sanitary acrylic bathtubs and shower trays from LAUFEN are available in many different shapes and sizes. They are made to fit into every bathroom scenario and ambience. Each and every one is a masterpiece of design and quality and can be equipped with panels for easier adjustment and maintenance. Thanks to the shiny surface and the slenderness of the material the bathtubs and shower trays look quite elegant – even more, when the sanitary acrylic is integrally coloured and creates a harmonious ensemble with the colours of the ceramic objects in the bathroom. The necessary stability is provided by an optional aluminium frame accompanied by reinforcements of wood below the bottom and rim and a durable fibreglass lamination.



Bathtubs, rectangular



LAUFEN pro
1600x700 mm
1700x700 mm
1700x750 mm



LAUFEN pro
1800x800 mm
1900x900 mm



LAUFEN solutions
1900x900 mm (1350x1350 mm)

Bathtub, corner



LAUFEN solutions
1700x700 mm
1700x750 mm



LAUFEN solutions
1700x750 mm
1800x800 mm



LAUFEN solutions
1400x1400 mm
1500x1500 mm

Bathtubs, oval and round



LAUFEN solutions
1700x750 mm
1800x800 mm
1900x900 mm



LAUFEN solutions
1700x750 mm / 500 mm



LAUFEN solutions
1700x750 mm / 500 mm

Bathtubs, freestanding



LAUFEN solutions
1700x750 mm
1900x900 mm
1800x800 mm



ILBAGNOALESSI One
2030x1020 mm



PALOMBA COLLECTION
1800x900 mm

Shower trays, square



LAUFEN solutions
800x800 mm
900x900 mm
1000x1000 mm

Shower trays, rectangular



LAUFEN solutions
900x750 mm



LAUFEN solutions
1000x800 mm
1200x800 mm
1400x800 mm



LAUFEN solutions
1000x900 mm
1200x900 mm
1400x900 mm
1600x900 mm

Shower trays, corner



LAUFEN solutions
900x900 mm
1000x1000 mm

Shower trays, pentagonal



LAUFEN solutions
900x900 mm

Bathtubs, semi-recessed version



ILBAGNOLESSI One
2030x1020 mm

LAUFEN SOLUTIONS





There should be no limits when it comes to feeling good which is why LAUFEN has a bath and shower range with the ideal format for any spatial situation. Sometimes every centimetre counts in the bathroom. A hexagonal tub or shower tray which fits cleverly in the corner, for example, frees up more space. This is why a wide range of shapes and sizes of shower tray are required in order to find an especially good solution for a particular spatial situation. LAUFEN solutions is a high-quality set of tubs and trays. Our tubs and trays are made of the highest quality sanitary acrylic and have been carefully polished and quality-tested. LAUFEN solutions bathtubs also come with a variety of whirl systems.



LAUFEN SOLUTIONS

22250.0
Bathtub, sanitary acrylic,
1700x700 mm, fitted version

Top view dimensions: 1700 (total width), 1505 (inner width), 1150 (inner width at outlet), 75 (offset from side), 120 (offset from front), 75 (offset from back), 340 (offset from top), 75 (offset from top), 550 (inner length), 350 (inner length at outlet), 420 (inner length at outlet), 75 (offset from side), 75 (offset from back).
Side view dimensions: 460 (height), 40 (offset from top), 75 (offset from side).

22350.0
Bathtub, sanitary acrylic,
1700x750 mm, fitted version

Top view dimensions: 1700 (total width), 1505 (inner width), 1150 (inner width at outlet), 75 (offset from side), 120 (offset from front), 75 (offset from back), 340 (offset from top), 75 (offset from top), 600 (inner length), 375 (inner length at outlet), 470 (inner length at outlet), 75 (offset from side), 75 (offset from back).
Side view dimensions: 460 (height), 40 (offset from top), 75 (offset from side).

22353.0
Bathtub, sanitary acrylic,
1700x750 mm, fitted version,
outlet at centre

Top view dimensions: 1700 (total width), 1560 (inner width), 1070 (inner width at outlet), 70 (offset from side), 70 (offset from side), 750 (total length), 570 (inner length), 400 (inner length at outlet), 440 (inner length at outlet), 110 (offset from top), 850 (inner length at outlet), 70 (offset from side), 70 (offset from back).
Side view dimensions: 460 (height), 40 (offset from top), 75 (offset from side).

22450.0
Bathtub, sanitary acrylic,
1800x800 mm, fitted version,
outlet at centre

Top view dimensions: 1800 (total width), 1650 (inner width), 1160 (inner width at outlet), 75 (offset from side), 75 (offset from side), 800 (total length), 605 (inner length), 425 (inner length at outlet), 475 (inner length at outlet), 120 (offset from top), 900 (inner length at outlet), 75 (offset from side), 75 (offset from back).
Side view dimensions: 460 (height), 40 (offset from top), 75 (offset from side).

22250.1
Bathtub, sanitary acrylic,
1700x700 mm, fitted version,
with frame, also available with
whirl system

Top view dimensions: 1700 (total width), 1505 (inner width), 1150 (inner width at outlet), 75 (offset from side), 120 (offset from front), 75 (offset from back), 340 (offset from top), 75 (offset from top), 550 (inner length), 350 (inner length at outlet), 420 (inner length at outlet), 75 (offset from side), 75 (offset from back).
Side view dimensions: 620 (height), 460 (height), 40 (offset from top), 75 (offset from side).

22250.5
Same as above, for corner right,
with L-panel left

22250.6
Same as above, for corner left,
with L-panel right

22350.1
Bathtub, sanitary acrylic,
1700x750 mm, fitted version,
with frame, also available with
whirl system

Top view dimensions: 1700 (total width), 1505 (inner width), 1150 (inner width at outlet), 75 (offset from side), 120 (offset from front), 75 (offset from back), 340 (offset from top), 75 (offset from top), 600 (inner length), 375 (inner length at outlet), 470 (inner length at outlet), 75 (offset from side), 75 (offset from back).
Side view dimensions: 620 (height), 460 (height), 40 (offset from top), 75 (offset from side).

22350.5
Same as above, for corner right,
with L-panel left

22350.6
Same as above, for corner left,
with L-panel right

22353.1
Bathtub, sanitary acrylic,
1700x750 mm, fitted version,
with frame, outlet at centre,
also available with whirl system

Top view dimensions: 1700 (total width), 1560 (inner width), 1070 (inner width at outlet), 70 (offset from side), 70 (offset from side), 750 (total length), 570 (inner length), 400 (inner length at outlet), 440 (inner length at outlet), 110 (offset from top), 850 (inner length at outlet), 70 (offset from side), 70 (offset from back).
Side view dimensions: 620 (height), 460 (height), 40 (offset from top), 75 (offset from side).

22353.5
Same as above, for corner right,
with L-panel left

22353.6
Same as above, for corner left,
with L-panel right

22450.1
Bathtub, sanitary acrylic,
1800x800 mm, fitted version,
with frame, outlet at centre,
also available with whirl system

Top view dimensions: 1800 (total width), 1650 (inner width), 1160 (inner width at outlet), 75 (offset from side), 75 (offset from side), 800 (total length), 605 (inner length), 425 (inner length at outlet), 475 (inner length at outlet), 120 (offset from top), 900 (inner length at outlet), 75 (offset from side), 75 (offset from back).
Side view dimensions: 620 (height), 460 (height), 40 (offset from top), 75 (offset from side).

22450.5
Same as above, for corner right,
with L-panel left

22450.6
Same as above, for corner left,
with L-panel right

Options bathtubs

000
Without whirl system

Options bathtubs

000
Without whirl system

Options bathtubs

000
Without whirl system

Options bathtubs

000
Without whirl system

22251.0
Oval bathtub, sanitary acrylic,
1700x750 mm, fitted version

The technical drawing shows two views of a rectangular basin with rounded ends. The top view includes the following dimensions:

- Overall width:** 800
- Overall length:** 1800
- Rounded end radius:** 900
- Distance from outer edge to inner edge at straight section:** 75
- Inner straight section length:** 1160
- Inner overall length:** 1650
- Height of the basin wall:** 470
- Top flange height:** 40
- Bottom flange height:** 75
- Internal hole diameter:** $\varnothing 52$

The side view shows the profile of the basin, indicating a total depth of 460 and a top flange thickness of 40.

[illegible]

Technical drawing of a bathtub showing top and side views with dimensions in millimeters.

Top View Dimensions:

- Overall length: 1700
- Overall width: 750
- End width: 440
- Distance between end radii: 850
- Distance between side radii: 400
- Distance from side to straight section: 70
- Distance from end to straight section: 70
- Length of straight section: 1080
- Overall width of straight section: 1560
- Central hole diameter: $\varnothing 52$


Side View Dimensions:

- Overall depth: 620
- Depth of tub body: 460
- Rim height: 40

LAUFEN SOLUTIONS


2351.0

Space-saving bathtub, sanitary acrylic, 1700x750 mm, fitted version, for corner right




2352.0

Space-saving bathtub, sanitary acrylic, 1700x750 mm, fitted version, for corner left




2552.0

Hexagonal bathtub, sanitary acrylic, 1900x900 mm, fitted version




24250.0

Corner bathtub, sanitary acrylic, 1400x1400 mm, fitted version




2351.1

Space-saving bathtub, sanitary acrylic, 1700x750 mm, fitted version, for corner right, with frame




2352.1

Space-saving bathtub, sanitary acrylic, 1700x750 mm, fitted version, for corner left, with frame




2552.1

Hexagonal bathtub, sanitary acrylic, 1900x900 mm, fitted version, with frame, also available with whirl system



24250.1

Corner bathtub, sanitary acrylic, 1400x1400 mm, fitted version, with frame, also available with whirl system



24250.7
Same as above, with panel

Options bathtubs

000
Without whirl system

Options bathtubs

000
Without whirl system

Options bathtubs

000
Without whirl system


Options bathtubs

000
Without whirl system

LAUFEN SOLUTIONS


24450.0

Corner bathtub, sanitary acrylic,
1500x1500 mm, fitted version




Square shower tray, sanitary acrylic

	A
21150.1	800
21150.2	900
21150.3	1000




Corner shower tray, sanitary acrylic

	A
21350.2	900
21350.3	1000




29410.3.016.000.1

Self-adhesive gel cushion



24450.1

Corner bathtub, sanitary acrylic,
1500x1500 mm, fitted version,
with frame, also available with whirl
system




24450.7

Same as above, with panel


Rectangular shower tray, sanitary acrylic

	A	B
21150.5	750	900
21150.8	800	1000
21150.9	900	1000
21250.2	800	1200
21250.3	900	1200



21450.2

Pentagonal shower tray,
sanitary acrylic




Options bathtubs

000

Without whirl system

Rectangular shower tray, sanitary acrylic


	A	B
21250.7	800	1400
21250.8	900	1400
21450.8	900	1600
21550.7	800	1700
21650.8	900	1800



Colours bathtubs and shower trays

☐ .000 white

WHIRL SYSTEMS



Wellness at home: LAUFEN combines the rejuvenating energy of water, air and underwater lighting for reviving massages in your own bathtub at home. A feast for the senses – in total privacy. Underwater massage combines the life-giving power of water and air to lift your feeling of wellbeing. This is what LAUFEN promises to deliver with its top-quality bathtubs. LAUFEN whirl systems are available for all acrylic and solid surface bathtubs.



The unique LAUFEN air massage system, which features up to 90 air nozzles in the base of your bathtub, is exceptionally effective and comfortable. Thanks to the large number of apertures, the entire body is massaged evenly with ozone treated warm air which enters the water through air conduits under the floor of the tub. There are no metal nozzles which project beyond the base of the tub. The intensity of the air massage can be controlled seamlessly up to 100%. The air massage system is self-drying and therefore extremely hygienic and easy to maintain.




Unlike the air massage system, the water massage system uses water jets to achieve the desired massage effects. Depending on the model, your bath may feature between 10 and 14 massage water nozzles. There are water nozzles at the sides of the bathtub. To adjust the direction simply move the nozzle manually. Generally, it is not recommended to direct the nozzles perpendicular to the body but rather at a slight angle. The intensity of the water massage can be adjusted via the electronic control.

To increase or decrease the diameter of the water jet simply turn the inner part of the jet clockwise or anti-clockwise.



Rotary micronozzles are installed in the back and foot areas of the bathtub and can be varied manually in intensity by turning the inner part of the nozzles. For more comfort these very flat nozzles pamper you with a relaxing feeling and soft massage.

WHIRL SYSTEMS





Coloured lighting appeals to all senses. LAUFEN offers two different types of lighting: either underwater LED lamps illuminate the water or a LED strip in the overflow slot (used in Kartell by LAUFEN bathtubs) creates a relaxing atmosphere. Usually the colours of the LED lights change continuously, but one colour can also be selected via the sensor control system or remote control.

Electronic sensor control

	Air massage	LED lamps	LED strips in overflow slot	Mist
Option 605	x			
Option 615		x		
Option 616			x	
Option 625	x	x		
Option 627	x		x	x

The touch sensors for the whirl control system are recessed flush into the rim of the bathtub so they do not detract from the aesthetic appearance of the bathtub. This is not just simple and ingenious, it also enhances safety. Besides it is scratch-resistant, hygienic as well as easy to clean. Simply control your whirl system by softly touching the illuminated symbols on the rim of the bathtub.



When ordering whirl systems, LAUFEN always recommends to order bathtubs with acrylic panels or to install removable tiled drywalls for easier access in case of maintenance. If you can't avoid bricking in the bathtub, please plan large inspection chambers of minimum size 50x50 cm so that technical parts remain accessible. The installation of an additional ventilation grill is compulsory.

STEEL BATHTUBS AND SHOWER TRAYS



There are few things in life that will last a lifetime. Bathtubs and shower trays of LAUFEN are produced using heavy 3 and 3.5 millimetres enamelled steel, which is extremely durable and dimensionally stable, as well as resistant to scratching, impacts and abrasion. As steel is a good conductor of heat, you will immediately have a warm, pleasant feeling, when your skin touches the surface.

Shower trays and bathtubs made of enamelled steel are very easy to clean – the non-porous surface gives dirt and bacteria less chance to adhere. In addition, the smooth glass finish that covers the steel is resistant to acidic cleaning agents. That's hygiene made easy!

To give a free hand for planning, the bathtubs and shower trays are available in many different heights and sizes. In addition, LAUFEN paid special attention that the available colours match perfectly with the colours of the ceramics in your bathroom – because relaxation starts with the visual impression.

For maximum convenience, several shower trays can be installed floor even to avoid stumbling hazards and both the bathtubs and shower trays are equipped with an anti-slip coating. Furthermore there is a bunch of accessories like handles or gel pillows to increase your comfort while taking a bath or a shower – and an optional structural sound insulation system that ensures that you are not disturbed in doing so.



STEEL BATHTUBS AND SHOWER TRAYS

Bathtubs, steel Rectangular



LAUFEN pro
1700x750 mm
1800x800 mm



LAUFEN pro
1600x700 mm
1700x700 mm
1700x750 mm



thallium
1800x800 mm



palladium
1700x750 mm
1800x800 mm

Bathtubs, steel oval



thallium oval
1800x800 mm

Shower trays, steel Square



platina
extra flat, 25 mm deep
800x800 mm
900x900 mm
1000x1000 mm



platina
flat, 65 mm deep
800x800 mm
900x900 mm
1000x1000 mm



platina
150 mm deep
800x800 mm
900x900 mm



indura
900x900 mm
1000x1000 mm

Shower trays, steel Rectangular



platina
extra flat, 25 mm deep
900x750 mm
1200x800 mm
1400x800 mm



platina
extra flat, 65 mm deep
900x750 mm
1200x800 mm
1400x800 mm



platina
150 mm deep
900x750 mm



indura
1000x800 mm
1200x800 mm



indura
1400x700 mm
1400x800 mm

Shower trays, steel Corner



platina
extra flat, 25 mm deep
900x900 mm
1000x1000 mm



platina
flat, 65 mm deep
900x900 mm
1000x1000 mm

LAUFEN PRO

22595.0.040
Bathtub, enameled steel 3,5 mm,
1500x700 mm, fitted version, with
anti-noise pads

Top view dimensions: 1700 (total width), 1580 (inner width), 1265 (inner width at ends), 65 (side flange), 290 (end flange), 750 (total depth), 375 (inner depth), 485 (inner depth at ends), 55 (side flange), 55 (end flange).
Side view dimensions: 410 (total height), 30 (flange height).

22495.0.040
Bathtub, enameled steel 3.5 mm,
1700x700 mm, fitted version,
with anti-noise pads

Top view dimensions: 1700 (total width), 1550 (inner width), 1275 (inner width at ends), 95 (side flange), 290 (end flange), 700 (total depth), 350 (inner depth), 475 (inner depth at ends), 65 (side flange), 65 (end flange).
Side view dimensions: 395 (total height), 30 (flange height).

22395.0.040
Bathtub, enameled steel 3.5 mm,
1600x700 mm, fitted version,
with anti-noise pads

Top view dimensions: 1600 (total width), 1450 (inner width), 1175 (inner width at ends), 95 (side flange), 290 (end flange), 700 (total depth), 350 (inner depth), 475 (inner depth at ends), 65 (side flange), 65 (end flange).
Side view dimensions: 395 (total height), 30 (flange height).

THALLIUM

22695.0.040
Bathtub, enameled steel 3.5 mm,
1700x750 mm, fitted version,
outlet at centre, with anti-noise pads

Top view dimensions: 1700 (total width), 1560 (inner width), 1100 (inner width at ends), 70 (side flange), 850 (end flange), 750 (total depth), 630 (inner depth), 375 (inner depth at ends), 60 (side flange), 60 (end flange).
Side view dimensions: 450 (total height), 30 (flange height).

22795.0.040
Bathtub, enameled steel 3.5 mm,
1800x800 mm, fitted version,
outlet at centre, with anti-noise pads

Top view dimensions: 1800 (total width), 1660 (inner width), 1200 (inner width at ends), 70 (side flange), 900 (end flange), 800 (total depth), 680 (inner depth), 400 (inner depth at ends), 60 (side flange), 60 (end flange).
Side view dimensions: 450 (total height), 30 (flange height).

22509.0.040
Bathtub, enameled steel 3 mm,
1800x800 mm, fitted version, with
anti-noise pads

Top view dimensions: 1800 (total width), 1660 (inner width), 1250 (inner width at ends), 70 (side flange), 900 (end flange), 800 (total depth), 660 (inner depth), 400 (inner depth at ends), 70 (side flange), 70 (end flange).
Side view dimensions: 420 (total height), 35 (flange height).

Colours bathtubs

	.000 white
	.600 white antislip

22508.0.040
Bathtub, enameled steel 3 mm,
1800x800 mm, fitted version, with
anti-noise pads

Top view dimensions: 1800 (total width), 1660 (inner width), 1250 (inner width at ends), 70 (side flange), 900 (end flange), 800 (total depth), 660 (inner depth), 400 (inner depth at ends), 70 (side flange), 70 (end flange).
Side view dimensions: 420 (total height), 35 (flange height).

22511.0.040
Bathtub, enameled steel 3,5 mm,
1700x750 mm, fitted version,
with anti-noise pads

Top view dimensions: 1700 (total width), 1520 (inner width), 1180 (inner width at ends), 105 (side flange), 310 (end flange), 750 (total depth), 375 (inner depth), 505 (inner depth at ends), 60 (side flange), 60 (end flange).
Side view dimensions: 430 (total height), 30 (flange height).

22510.0.040
Bathtub, enameled steel 3,5 mm,
1800x800 mm, fitted version, with
anti-noise pads

Top view dimensions: 1800 (total width), 1620 (inner width), 1290 (inner width at ends), 105 (side flange), 310 (end flange), 800 (total depth), 400 (inner depth), 540 (inner depth at ends), 65 (side flange), 65 (end flange).
Side view dimensions: 430 (total height), 30 (flange height).

PALLADIUM

22510.0.040
Bathtub, enameled steel 3,5 mm,
1800x800 mm, fitted version, with
anti-noise pads

Top view dimensions: 1800 (total width), 1620 (inner width), 1290 (inner width at ends), 105 (side flange), 310 (end flange), 800 (total depth), 400 (inner depth), 540 (inner depth at ends), 65 (side flange), 65 (end flange).
Side view dimensions: 430 (total height), 30 (flange height).


22511.0.040
Bathtub, enameled steel 3,5 mm,
1700x750 mm, fitted version,
with anti-noise pads

Top view dimensions: 1700 (total width), 1520 (inner width), 1180 (inner width at ends), 105 (side flange), 310 (end flange), 750 (total depth), 375 (inner depth), 505 (inner depth at ends), 60 (side flange), 60 (end flange).
Side view dimensions: 430 (total height), 30 (flange height).

INDURA

Square shower tray, enameled steel 3,5 mm, even to floor, with anti-noise pads

	A	B	C
21507.1.040	900	900	450
21507.2.040	1000	1000	500




Colours shower trays indura

-  .000 white
-  .600 white antislip

PLATINA (25 MM)


Square shower tray, enameled steel 3,5 mm, 25 mm extra flat, with anti-noise pads

	A	B	C
21500.1.040	800	220	45
21500.2.040	900	220	45
21500.4.040	1000	270	95




Rectangular shower tray, enameled steel 3,5 mm, 25 mm extra flat, with anti-noise pads

	A	B
21500.3.040	750	900
21500.5.040	800	1200
21500.6.040	800	1400




Rectangular shower tray, enameled steel 3,5 mm, even to floor, with anti-noise pads

	A	B	C
21507.3.040	800	1000	500
21507.4.040	800	1200	600
21507.5.040	700	1400	700
21507.6.040	800	1400	700



Corner shower tray, enameled steel 3,5 mm, 25 mm extra flat, with anti-noise pads


	A
21500.8.040	900
21500.9.040	1000



PLATINA (65 MM)


Rectangular shower tray, enameled steel 3,5 mm, 65 mm flat, with anti-noise pads

	A	B
21501.3.040	750	900
21501.5.040	800	1200
21501.6.040	800	1400



Square shower tray, enameled steel 3,5 mm, 65 mm flat, with anti-noise pads


	A	B	C
21501.1.040	800	220	45
21501.2.040	900	220	45
21501.4.040	1000	270	95



PLATINA (150 MM)

Square shower tray, enameled steel 3,5 mm, 800x800 mm, 150 mm deep, with anti-noise pads

	A
21502.1.040	800
21502.2.040	900




Colours shower trays

.000 white


.600 white antislip

Corner shower tray, enameled steel 3,5 mm, 65 mm flat, with anti-noise pads

	A
21501.8.040	900
21501.9.040	1000



21502.3.040
Rectangular shower tray, enameled steel 3,5 mm, 900x750 mm, 150 mm deep, with anti-noise pads





CERAMIC SHOWER TRAYS



There are many good reasons to choose a shower tray made of sanitary ceramics: They are characterized by their long life and tangible quality. They are very hygienic and resistant against fungi and bacteria due to their glazing. And the material they are made of is 100 percent natural and completely recyclable.

The ceramic shower trays of LAUFEN are available in square, rectangular and corner versions and in different sizes. They fit harmoniously into your bathroom and give it a quite natural and human touch. Each and every one is a masterpiece of its own, thanks to the immense know-how and intense passion that are handed down from generation to generation at LAUFEN.

Our attractive shower trays offer a conveniently low step-in height and can be supplied with an anti-slip coating, if desired. The anti-slip coating has been tested according to the German industrial standard DIN 51097 and offers a higher than average anti-slip performance. Because it is applied prior to glazing and firing, it integrates durably into the ceramic structure. This refined surface offers a perfectly secure grip and is easy to clean, resistant to acids and scratch-resistant.

CERAMIC SHOWER TRAYS

Shower trays, square



merano
800x800 mm
900x900 mm

Shower trays, rectangular



merano
900x750 mm
1100x750 mm
1200x700 mm
1200x800 mm

Shower trays, corner



merano
800x800 mm
900x900 mm

MERANO

Square shower trays, ceramic

	A	B	C
85295.1	800	800	400
85395.1	900	900	450

Rectangular shower trays, ceramic

	A	B	C
85495.1	900	750	450
85495.2	1100	750	550
85495.3	1200	800	600
85495.4	1200	700	600

Corner shower trays, ceramic

	A	B	C
85295.3	800	800	515
85395.3	900	900	620

Colours shower trays

.000 white

.600 white antislip

LAUFEN FAUCETS

LAUFEN stands for Quality & Design.
The company provides complete solutions for
bathrooms right around the world.

EXPERTISE IN FAUCETS - SINCE 1854

Very aware of the power and significance of water as an element, LAUFEN is committed to true aesthetic beauty: We give water a shape to enable it to pamper body and soul. In 2007, ROCA acquired the oldest faucet factory in Switzerland - Similor AG – and since then has been a subsidiary of LAUFEN. This has enabled the company to complete its product range as a complete bathroom provider. For the last 160 years, the employees have drawn their inspiration from the element of water, and their endless stream of innovations turn bathroom faucets into an artwork form.

FROM HOT IDEAS TO COOL FAUCETS

What takes place during the concept and planning phases, and what often heats heads to steaming point, gains its ultimate expression at temperatures approaching 1000 degrees Celsius. Production is now in progress, launching the history of a new faucet. Beholding beauty at all times, we accompany it from station to station, until it achieves its ultimate form. And at the place where ultra-modern machines reach the limits of their capabilities, that is where we encounter art once again: in the faucet finishing shop. Because pure craftsmanship is what people want.



Design and development



Tool-making shop



Casting shop




Machining (chip-cutting) shop



Grinding shop and polishing shop



Surface treatment shop



Function tests



Final assembly and packaging

LAUFEN FAUCET-WASHBASIN MATRIX

+++

++

+



ILBAGNOLESSI One



curveprime



Kartell by LAUFEN



curveplus



PALOMBA COLLECTION



Kartell by LAUFEN



curveprime



twinplus



Kartell by LAUFEN



Kartell by LAUFEN disc



Kartell by LAUFEN 3-hole



Kartell by LAUFEN



living square



Kartell by LAUFEN



twinplus



cityplus



living city



cityplus



Kartell by LAUFEN



twinplus



Lb3 classic



curveprime



cityplus



INO



Kartell by LAUFEN



cityplus



twinplus

+++

++

+



VAL



Kartell by LAUFEN



Kartell by LAUFEN 3-hole



twinplus



palace



curveprime



curveplus



curvepro



palace



curveplus



citypro S



curvepro



LAUFEN pro S



cityplus



citypro S



citypro



LAUFEN pro B



curvepro



citypro S



citypro



LAUFEN pro A



citypro



citypro S



curvepro

+++ fits best

++ fits better

+ fits




Contemporary bathrooms with clear lines and sensual colours are ideal for promoting a sense of well-being. Much bathroom activity centres around the plumbing fittings, so a lot is expected of them in terms of modern design, functionality, and hygiene. The sophisticated design collection Kartell by Laufen Disc uses the round surface of the faucets as a practical storage area. The matching trays are available in four colours and can be changed according to taste and decor.



KARTELL BY LAUFEN


KARTELL BY LAUFEN

- 31133.1.xxx.101.1
Basin mixer, projection 115 mm,
fixed spout, with pop-up waste
- 31133.1.004.103.1
Basin mixer, projection 115 mm,
fixed spout, with pop-up waste
lever, without pop-up waste
- 31133.1.xxx.100.1
Basin mixer, projection 115 mm,
fixed spout, without pop-up waste




Colours: .004 .090

- 31133.2.004.221.1
2-hole basin mixer, projection
166 mm, swivel spout, with pop-up
waste
- 31133.2.004.223.1
2-hole basin mixer, projection
166 mm, swivel spout, with pop-up
waste lever, without pop-up waste
- 31133.2.xxx.220.1
2-hole basin mixer, projection
166 mm, swivel spout, without pop-
up waste




Colours: .004 .090

- 31233.3.004.221.1
Washbasin mixer 3-hole, swivel
spout 166 mm, with pop-up waste
- 31233.3.004.220.1
Washbasin mixer 3-hole, swivel
spout 166 mm, without pop-up
waste




- 31133.8.xxx.120.1
Washbasin mixer disc high, fixed
spout 125 mm, without pop-up
waste




Colours: .004 .090

- 31133.6.xxx.120.1
Wall mixer for Simibox 2-Point,
projection 175 mm, fixed spout




Colours: .004 .090


- 37698.1.000.251.1
Simibox 2-Point concealed box
- 37798.0.003.001.1
Simibox 2-Point mounting aid
- 37998.4.000.225.1
Extension set 25 mm Simibox
2-Point Ø 25 mm



- 31233.6.004.120.1
Concealed washbasin wall mixer
2-handle, spout length 175 mm



- 37698.2.000.100.1
Brass rough-in concealed set for
concealed 2 handles basin mixer
31233.6.004.120.1



34133.1.xxx.101.1
 Bidet mixer, projection 110 mm,
 fixed spout, with pop-up waste

34133.1.xxx.103.1
 Bidet mixer, projection 110 mm,
 fixed spout, with pop-up waste
 lever, without pop-up waste

Technical drawing of a bidet mixer assembly. The drawing shows a side view of the mixer with a fixed spout and a pop-up waste lever. Key dimensions include a total height of 172-197 mm, a projection of 110 mm, a spout diameter of Ø 46, a lever diameter of Ø 63, and a lever length of max. 40 mm. The lever is connected to a G1 1/4 valve and a G3/8 pipe. The mixer body has an M16.5x1 thread and a 24° angle. The waste lever has a 78° angle. The drawing is labeled with 'Colours: .004 .090'.

Colours: .004 .090

Colours: .004 .090

Colours: .004 .090

Extension ring for rose, 30 mm

CURVEPRIME



Water for the senses: The defining characteristic of curveprime is its elegant bow-shaped outlet, a sensuous interpretation of the flow of water. This comes with a stream shaper as a single-lever mixing unit, dual-handle faucet or three-hole version.






The bathtub faucets in the curveprime range radiate perfection and dynamism. Whether you choose the version for the wall or bath rim – the ranges are comprehensive, and even have a matching handspray.



CURVEPRIME


31170.1.004.221.1
Single-hole washbasin mixer, swivel
spout 150 mm, with pop-up waste

31170.1.004.220.1
as above, without pop-up waste




31170.1.004.211.1
Single-hole washbasin mixer, swivel
spout 115 mm, with pop-up waste


31170.1.004.210.1
as above, without pop-up waste




31270.1.004.221.1
Two-handle washbasin mixer, swivel
spout 150 mm, with pop-up waste




31270.1.004.211.1
Two-handle washbasin mixer, swivel
spout 115 mm, with pop-up waste



31270.3.004.221.1
Three-hole washbasin mixer, swivel
spout 150 mm, with pop-up waste




31270.6.004.120.1
Two-handle concealed washbasin
mixer, fixed spout 190 mm




37698.2.000.100.1
Brass pre-assembly kit,
for 2-handle concealed basin mixer


37670.4.000.050.1
Extension set for two-handle
concealed washbasin mixer L =
25 mm



34170.1.004.111.1
Bidet mixer, fixed spout 105 mm,
with pop-up waste



34270.1.004.111.1
Two-handle bidet mixer, fixed spout
105 mm, with pop-up waste




CURVEPRIME

32170.6.004.000.1

Pre-assembled set for flush-mounted bathtub mixer, for Simibox Standard & Light, 2 outlets for mixed water, automatic diverter, Ecototal cartridge


32170.6.004.010.1

as above, with diverter and vacuum breaker



33170.6.004.000.1

Pre-assembled set for flush-mounted shower mixer, for Simibox Standard & Light, 1 mixed water outlet, Ecototal cartridge



37898.0.000.000.1

Simibox concealed installation block for bath and shower mixer

37898.0.000.100.1

Simibox Light concealed installation block for bath and shower mixer, with stop valves

37898.0.000.101.1

Simibox Light concealed installation block for bath and shower mixer, without stop valves

37998.0.003.000.1

Mounting aid for Simibox,

37998.0.000.500.1

Flange for Simibox

37998.0.000.050.1

Extension set L = 25 mm

37998.0.000.060.1

Extension set L = 50 mm

37998.4.004.050.1

Extension ring for rose, 15 mm

37998.4.004.060.1


Extension ring for rose, 30 mm

32370.7.004.145.1

Thermostatic bath mixer, complete, with Comfort Tre handspray and flexible hose 1800 mm

32370.7.004.400.1

Thermostatic bath mixer, with fittings, without accessories




33370.7.004.145.1

Thermostatic shower mixer, complete, with Comfort Tre handspray and flexible hose 1800 mm

33370.7.004.400.1

Thermostatic shower mixer, with fittings, without accessories




32270.5.004.384.1

Five-hole roman tub filler, spout 150 mm, on cover plate, for mounting on bathtub rim

32270.5.904.384.1

As above, without plate, for mounting to edge of bathtubs

Installation kit to be ordered separately




32270.4.004.284.1

Four-hole roman tub filler, for external water inlet, on cover plate

32270.4.904.284.1

As above, without plate

Installation kit to be ordered separately




32270.5.004.284.1

Five-hole roman tub filler, fixed spout 225 mm, on straight cover plate

32270.5.904.284.1


As above, without plate

Installation kit to be ordered separately



37170.0.004.060.1

Wall spout 190 mm



TWINPRIME



The clean geometric lines of twinprime enthuses fans of the avant garde who place value on the essential.




31132.1.004.101.1

Washbasin mixer, fixed spout
110 mm, with pop-up waste

31132.1.004.100.1

as above, without pop-up waste




31132.1.004.111.1

Washbasin mixer, fixed spout 130 mm,
with pop-up waste

31132.1.004.110.1

as above, without pop-up waste




31132.1.004.120.1

Column washbasin mixer, fixed
spout 150 mm, with pop-up waste

31132.1.004.121.1

as above, without pop-up waste




31132.1.004.221.1

Washbasin mixer, swivel spout
175 mm, with pop-up waste, control
of mixer can be positioned left, right
or facing forward

31132.1.004.220.1

as above, without pop-up waste




31132.1.004.211.1

Washbasin mixer, swivel spout
135 mm, with pop-up waste, control
of mixer can be positioned, left,
right or facing forward

31132.1.004.210.1

as above, without pop-up waste




31132.1.004.201.1

Washbasin mixer, swivel spout
170 mm, with pop-up waste, control
of mixer can be positioned, left,
right or facing forward


31132.1.004.200.1

as above, without pop-up waste



34132.1.004.111.1

Bidet mixer, spout 87 mm, pop-up
waste, fixed spout




33432.6.004.600.1

twinprime tronic
Electronic control unit for showers

32432.6.004.600.1

twinprime tronic
Electronic control unit for bathtubs

LED technology, black glass
panel, temperature regulation,
flow regulation, diverter function,
temperature restraint, temperature
monitor




31132.6.004.020.1

Wall-mixer for Simibox 2-Point,
projection 170 mm, fixed spout

31132.6.004.030.1*

Wall-mixer for Simibox 2-Point,
projection 220 mm, fixed spout



37698.1.000.351.1

Simibox 2-Point concealed box,
handle right

37698.1.000.352.1

Simibox 2-Point concealed box,
handle left

37698.1.000.353.1

Simibox 2-Point concealed box,
handle above

37798.0.003.001.1

Simibox 2-Point mounting aid

37998.4.000.235.1

Extension set 25 mm Simibox 2-Point
Ø 35 mm


TWINPRIME

32132.7.004.144.1

Bath mixer, complete with Uno handspray and flexible hose 1800 mm, fittings, Ecototal cartridge

32132.7.004.400.1

Bath mixer, with fittings but without accessories




33132.7.004.144.1

Shower mixer, complete with Uno handspray and flexible hose 1800 mm, fittings, Ecototal cartridge reversed

33132.7.004.400.1

Shower mixer, with fittings but without accessories




32132.4.004.284.1

Four-hole roman tub filler, cover plate, fixed spout 220 mm, and handspray TwinStick

32132.4.904.284.1


As above, without plate

Installation kit to be ordered separately



33598.7.004.264.1


Showerstation twin, rain shower head, round, Ø 206 mm, metallic hose 1500 mm, metallic hose 800 mm, uno handspray (shower mixer must be ordered separately)



32132.1.004.130.1


Column bath mixer, projection 220 mm, fixed spout, Ecototal cartridge, complete with metallic hose, 1500 mm, uno handspray

Rough-in block to be ordered separately



37098.5.000.000.1

Rough-in block for column bath mixer




32132.6.004.000.1

Pre-assembled set for flush-mounted bathtub mixer, for Simibox Standard & Light, 2 outlets for mixed water, automatic diverter, Ecototal cartridge


32132.6.004.010.1

as above, with vacuum breaker



33132.6.004.000.1

Pre-assembled set for flush-mounted shower mixer, for Simibox Standard & Light, 1 mixed water outlet, Ecototal cartridge



37898.0.000.000.1

Simibox concealed installation block for bath and shower mixer

37898.0.000.100.1

Simibox Light concealed installation block for bath and shower mixer, with stop valves

37898.0.000.101.1

Simibox Light concealed installation block for bath and shower mixer, without stop valves

37998.0.003.000.1

Mounting aid for Simibox

37998.0.000.500.1

Flange for Simibox

37998.0.000.050.1

Extension set L = 25 mm

37998.0.000.060.1

Extension set L = 50 mm

37998.4.004.050.1

Extension ring for rose, 15 mm

37998.4.004.060.1

Extension ring for rose, 30 mm

TWINPRIME PIN



Perfectly formed. No frills. No surplus weight. twinprime pin concentrates on the essential. Function in the purest form combined with simple elegance and high quality. twinprime pin – the power of clear-cut lines.




TWINPRIME PIN

31113.1.004.111.1

Washbasin mixer, fixed spout
110 mm, with pop-up waste

31113.1.004.110.1

as above, without pop-up waste




31113.1.004.121.1

Washbasin mixer, fixed spout
145 mm, with pop-up waste


31113.1.004.120.1

as above, without pop-up waste




31113.1.504.120.1

Column washbasin mixer, fixed
spout 210 mm, without pop-up
waste



34113.1.004.111.1

Bidet mixer, with pop-up waste




32113.7.004.146.1

Bath mixer, complete with 1800 mm
flexible hose and Aquajet Multi
handspray

32113.7.004.400.1

Bath mixer, with fittings, without
accessories




33113.7.004.146.1

Shower mixer, complete with
1800 mm flexible hose and Aquajet
Multi handspray

33113.7.004.400.1

Shower mixer, with fittings, without
accessories




32113.6.004.000.1

Pre-assembled set for flush-
mounted bathtub mixer, for Simibox
Standard & Light, 2 outlets for
mixed water, automatic diverter,
Ecototal cartridge


32113.6.004.010.1

as above, with vacuum breaker



33113.6.004.000.1

Pre-assembled set for flush-
mounted shower mixer, for Simibox
Standard & Light, 1 mixed water
outlet, Ecototal cartridge



37998.0.000.000.1

Simibox concealed installation block
for bath and shower mixer

37998.0.000.100.1

Simibox Light concealed installation
block for bath and shower mixer,
with stop valves

37998.0.000.101.1

Simibox Light concealed installation
block for bath and shower mixer,
without stop valves

37998.0.003.000.1

Mounting aid for Simibox

37998.0.000.500.1

Flange for Simibox

37998.0.000.050.1

Extension set L = 25 mm

37998.0.000.060.1

Extension set L = 50 mm

37998.4.004.050.1


Extension ring for rose, 15 mm

37998.4.004.060.1

Extension ring for rose, 30 mm

TWINPRIME PIN


37162.0.004.060.1
Wall spout, 185 mm



32113.3.004.284.1
Three-hole roman tub filler, fixed spout 220 mm, on cover plate, for external water inlet

32113.3.904.284.1
Three-hole roman tub filler, fixed spout 220 mm, without cover plate, for external water inlet


Installation kit to be ordered separately



32113.4.004.284.1
Four-hole roman tub filler, fixed spout 220 mm, on cover plate


32113.4.904.284.1
Four-hole roman tub filler, fixed spout 220 mm, without cover plate

Installation kit to be ordered separately




32113.1.004.126.1
Column bath mixer, complete with flexible hose 1250 mm and Aquajet Multi handspray

Rough-in block to be ordered separately



37098.5.000.000.1
Rough-in block for column bath mixer



CURVEPLUS

Design: platinumdesign,
Andreas Dimitriadis



The curveplus tap range by LAUFEN really impresses customers with a weakness for graceful design. The bathroom collection combines ergonomics and emotional appeal in a compact form, exuding a unique feeling of sensuousness in the bathroom.






31109.1.004.111.1

Washbasin mixer, fixed spout,
110 mm spout reach, with pop-up
waste

31109.1.004.110.1

as above, without pop-up waste




31109.1.004.121.1

Washbasin mixer, fixed spout,
140 mm spout reach, with pop-up
waste


31109.1.004.120.1

as above, without pop-up waste




31109.8.004.130.1

Column basin mixer, projection
186 mm, fixed spout, without
pop-up waste



34109.1.004.111.1

Bidet mixer, fixed spout, with pop-up
waste




32109.7.004.141.1

Bath mixer, complete with flexible hose 1500 mm and MyTwin100 handspray

32109.7.004.400.1

Bath mixer, with fittings, without accessories




33109.7.004.141.1

Shower mixer, complete with flexible hose 1500 mm and MyTwin100 handspray

33109.7.004.400.1

Shower mixer, with fittings, without accessories




32309.7.004.141.1

Thermostatic bath mixer, complete with flexible hose 1500 mm and MyTwin100 handspray

32309.7.004.400.1

Thermostatic bath mixer, complete with fittings, without accessories




33362.7.004.136.1

Thermostatic shower mixer, complete with flexible hose 1500 mm and MyTwin100 handspray

33362.7.004.400.1

Thermostatic shower mixer, with fittings, without accessories




32109.6.004.000.1

Pre-assembled set for flush-mounted bathtub mixer, for Simibox Standard & Light, 2 outlets for mixed water, automatic diverter, Ecototal cartridge


32109.6.004.010.1

as above, with diverter and vacuum breaker



33109.6.004.000.1

Pre-assembled set for flush-mounted shower mixer, for Simibox Standard & Light, Ecototal cartridge




32362.6.004.000.1

twintherm thermostatic pre-assembled set for flush-mounted bathtub mixer, for Simibox Standard & Light, 2 outlets for mixed water, automatic diverter


32362.6.004.010.1

as above, with vacuum breaker



33362.6.004.000.1

twintherm thermostatic pre-assembled set for flush-mounted shower mixer, for Simibox Standard & Light.



37898.0.000.000.1

Simibox concealed installation block for bath and shower mixer

37898.0.000.100.1

Simibox Light concealed installation block for bath and shower mixer, with stop valves

37898.0.000.101.1

Simibox Light concealed installation block for bath and shower mixer, without stop valves

37998.0.003.000.1

Mounting aid for Simibox

37998.0.000.500.1

Flange for Simibox

37998.0.000.050.1

Extension set L = 25 mm

37998.0.000.060.1

Extension set L = 50 mm

37998.4.004.050.1

Extension ring for rose, 15 mm

37998.4.004.060.1


Extension ring for rose, 30 mm

33362.7.004.536.1

Showerstation complete, including thermostatic shower mixer, round rain shower head Ø 300 mm, flexible hose 1500 mm and 3 functions hand shower MyTwin120

33362.7.004.536.1

As above, with fittings but without accessories and without rain shower head



TWINPLUS

Design: platinumdesign, Andreas Dimitriadis




LAUFEN's twinplus faucet collection exudes sophistication and iconic style. An indispensable, all-round design solution for modern bathrooms.




Basin mixer, fixed spout 109 mm,
with pop-up waste

as above, without pop-up waste




Basin mixer, fixed spout 140mm,
with pop-up waste

as above, without pop-up waste




Basin mixer Eco+, projection
140 mm, fixed spout, cold water
handle in the middle, with pop-up
waste

as above, without pop-up waste




Basin mixer, projection 160 mm,
swivel spout, with pop-up waste


as above, without pop-up waste




Column basin mixer, projection
180 mm, fixed spout, height under
the perlator 190 mm, without pop-
up waste



Column basin mixer, projection
180 mm, fixed spout, height under
the perlator 240 mm, without pop-
up waste




Bidet mixer, fixed spout, with pop-up waste




Showerstation complete, including
thermostatic shower mixer, round
rain shower head 300 mm, flexible
hose 1500 mm and 3 functions
hand shower MyTwin120

As above, with fittings but without accessories and without rainshower head




Bath mixer, complete with flexible hose 1500 mm and MyTwin100 handspray

Bath mixer, with fittings, without accessories




Shower mixer, complete with flexible hose 1500 mm and MyTwin100 handspray

Shower mixer, with fittings, without accessories




Thermostatic bath mixer complete
with flexible hose 1500 mm and
MyTwin 100 handspray

Thermostatic bath mixer,with fittings, without accessories



Thermostatic shower mixer complete
with flexible hose 1500 mm and
MyTwin 100 handspray

Thermostatic shower mixer, with fittings, without accessories



TWINPLUS

32162.6.004.000.1


Pre-assembled set for flush-mounted bathtub mixer, for Simibox Standard & Light, 2 outlets for mixed water, with diverter, 2 outlets for mixed water, automatic diverter Ecototal cartridge

32162.6.004.010.1

as above, with vacuum breaker

33162.6.004.000.1*

Pre-assembled set for flush-mounted shower mixer, for Simibox Standard & Light, 1 outlet for mixed water, Ecototal cartridge



32362.6.004.000.1


twintherm thermostatic pre-assembled set for flush-mounted bathtub mixer, for Simibox Standard & Light, 2 outlets for mixed water, automatic diverter

32362.6.004.010.1

as above, with vacuum breaker


33362.6.004.000.1*

twintherm thermostatic pre-assembled set for flush-mounted shower mixer, for Simibox Standard & Light.



31162.6.004.120.1

Wall mixer for Simibox 2-Point, projection 195 mm, fixed spout



37698.1.000.351.1

Simibox 2-Point concealed box, handle right

37698.1.000.352.1

Simibox 2-Point concealed box, handle left

37698.1.000.353.1

Simibox 2-Point concealed box, handle above

37798.0.003.001.1

Simibox 2-Point mounting aid

37998.4.000.235.1

Extension set 25 mm Simibox 2-Point Ø 35 mm

37898.0.000.000.1

Simibox concealed installation block for bath and shower mixer

37898.0.000.100.1

Simibox Light concealed installation block for bath and shower mixer, with stop valves

37898.0.000.101.1

Simibox Light concealed installation block for bath and shower mixer, without stop valves

37998.0.003.000.1

Mounting aid for Simibox

37998.0.000.500.1

Flange for Simibox

37998.0.000.050.1

Extension set L = 25 mm

37998.0.000.060.1

Extension set L = 50 mm

37998.4.004.050.1

Extension ring for rose, 15 mm

37998.4.004.060.1


Extension ring for rose, 30 mm

32362.6.004.500.1

twintherm Comfort thermostatic preassembled set for flush-mounted bathtub mixer, for Simibox Standard & Light, 2 outlets for mixed water, automatic diverter


32362.6.004.510.1

as above, with vacuum breaker



33362.6.004.500.1

twintherm Comfort thermostatic preassembled set for flush-mounted shower mixer, for Simibox Standard & Light




31162.9.004.220.1

Concealed Simibox 1-Point washbasin mixer, swivel spout, spout length 175 mm

31162.9.004.230.1

Concealed Simibox 1-Point washbasin mixer, swivel spout, spout length 225 mm




33162.9.004.131.1

Concealed Simibox 1-Point shower mixer complete with flexible hose 1500 mm and MyTwin 1000 handspray


33162.9.004.000.1

as above, without accessories




37698.1.000.100.1

Simibox concealed installation block for 1-Point mixer



37162.0.004.060.1

Wall spout, 185 mm



CITYPLUS




Lavish surfaces and a fascinating design are the stunning credentials of the cityplus faucet line. The new LAUFEN faucet collection celebrates urban living.



German
Design Award
SPECIAL
MENTION 2015




reddot design award
winner 2013




31175.1.004.111.1
Washbasin mixer, fixed spout
115mm, with pop-up waste

31175.1.004.110.1
Washbasin mixer, fixed spout
115mm, without pop-up waste




31175.1.004.121.1
Washbasin mixer, fixed spout
140mm, with pop-up waste


31175.1.004.120.1
Washbasin mixer, fixed spout
140mm, without pop-up waste



31175.8.004.130.1
Column basin mixer, fixed spout
191mm, without pop-up waste




34175.1.004.111.1
Bidet mixer, fixed spout, with pop-up waste




32175.7.004.136.1
Bath mixer, complete with flexible
hose 1500mm and MyCity100
handspray

32175.7.004.400.1
Bath mixer, with fittings,
without accessories




33175.7.004.136.1
Shower mixer, complete with flexible
hose 1500mm and MyCity100
handspray

33175.7.004.400.1
Shower mixer, with fittings, without
accessories




32375.7.004.136.1
Thermostatic bath mixer, complete
with flexible hose 1500mm and
MyCity handspray

32375.7.004.400.1
Thermostatic bath mixer, with
fittings, without accessories




33375.7.004.136.1
Thermostatic shower mixer,
complete with flexible hose 1500mm
and MyCity handspray

33375.7.004.400.1
Thermostatic shower mixer, with
fittings, without accessories




32175.6.004.000.1
Pre-assembled set for flush-
mounted bathtub mixer, for Simibox
Standard & Light, 2 outlets for
mixed water, automatic diverter,
Ecototal cartridge

32175.6.004.010.1
as above, with vacuum breaker




33175.6.004.000.1
Pre-assembled set for flush-
mounted shower mixer, for Simibox
Standard & Light, Ecototal cartridge




32375.6.004.000.1
citytherm thermostatic pre-
assembled set for flush-mounted
bathtub mixer, for Simibox
Standard & Light, 2 outlets for mixed water,
automatic diverter

32375.6.004.010.1
as above, with vacuum breaker



33375.6.004.000.1
citytherm thermostatic pre-
assembled set for flush-mounted
shower mixer, for Simibox
Standard & Light.




CITYPLUS

31175.1.004.221.1

Washbasin mixer Eco+, swivel spout
160 mm, with pop-up waste

31175.1.004.220.1

Washbasin mixer Eco+, swivel spout
140 mm, without pop-up waste




31175.1.704.121.1

Basin mixer Eco+, projection
140 mm, fixed spout, cold water
handle in the middle, with pop-up
waste

31175.1.704.120.1

As above, without pop-up waste




33375.7.004.536.1

Shower station, including
thermostatic shower mixer, with
shower head 300x300mm and
handspray MyCity120 and flexible
hose 1500mm


33375.7.004.536.1

As above, without accessories



37175.0.004.060.1

Wall spout, fixed spout 185 mm,
Chrom



37898.0.000.000.1

Simibox concealed installation block
for bath and shower mixer

37898.0.000.100.1

Simibox Light concealed installation
block for bath and shower mixer,
with stop valves

37898.0.000.101.1

Simibox Light concealed installation
block for bath and shower mixer,
without stop valves

37998.0.003.000.1

Mounting aid for Simibox

37998.0.000.500.1

Flange for Simibox

37998.0.000.050.1

Extension set L = 25 mm

37998.0.000.060.1

Extension set L = 50 mm

37998.4.004.070.1

Extension ring for rose, 15 mm

37998.4.004.080.1

Extension ring for rose, 30 mm

CURVEPRO



Dynamic and elegant:
Modern, lively shapes. Exceptional
design. curvepro stands out from the
crowd. The strong, purposeful lines
convey a sense of aesthetics and
quality and lend a fresh touch to your
bathroom.




CURVEPRO

31165.1.004.111.1

Washbasin mixer, fixed spout
110 mm, with pop-up waste


31165.1.004.110.1

as above, without pop-up waste



34165.1.004.111.1

Bidet mixer, fixed spout 105 mm,
with pop-up waste




Washbasin mixer with green handle,
fixed spout 110 mm, cartridge
with fixed temperature and flow
limitations



Washbasin mixer with red handle,
fixed spout 110 mm, cartridge
with fixed temperature and flow
limitations


31165.1.014.111.1

With pop-up waste



31165.1.024.111.1

With pop-up waste




32165.7.004.145.1

Bath mixer, complete with flexible
hose 1800 mm and Comfort Tre
handspray

32165.7.004.400.1

Bath mixer, with fittings, without
accessories




33165.7.004.145.1

Shower mixer, complete with flexible
hose 1800 mm and Comfort Tre
handspray


33165.7.004.400.1

Shower mixer, with fittings, without
accessories




31165.1.014.110.1

Without pop-up waste



31165.1.024.110.1

Without pop-up waste



39065.0.014.079.1

Green handle for washbasin mixer
(replacement part)

39065.0.024.079.1


Red handle for washbasin mixer
(replacement part)

32165.6.004.000.1

Pre-assembled set for flush-
mounted bathtub mixer, for Simibox
Standard & Light, 2 outlets for
mixed water, automatic diverter,
Ecototal cartridge


32165.6.004.010.1

as above, with diverter and vacuum
breaker



33165.6.004.000.1

Pre-assembled set for flush-
mounted shower mixer, for Simibox
Standard & Light, 1 mixed water
outlet, Ecototal cartridge



37898.0.000.000.1

Simibox concealed installation block
for bath and shower mixer

37898.0.000.100.1

Simibox Light concealed installation
block for bath and shower mixer,
with stop valves

37898.0.000.101.1

Simibox Light concealed installation
block for bath and shower mixer,
without stop valves

37998.0.003.000.1

Mounting aid for Simibox

37998.0.000.500.1

Flange for Simibox

37998.0.000.050.1

Extension set L = 25 mm

37998.0.000.060.1

Extension set L = 50 mm

37998.4.004.050.1

Extension ring for rose, 15 mm

37998.4.004.060.1

Extension ring for rose, 30 mm

CITYPRO S



Rich, clear, design language and precise function: SK Citypro S is the ideal bathroom companion. An economical and timeless faucet that embodies safety and flexibility.




CITYPRO S

31196.1.004.111.1

Citypro S washbasin mixer, fixed spout, spout length 110mm, with pop-up waste

31196.1.004.110.1

Citypro S washbasin mixer, fixed spout, spout length 110mm, without pop-up waste




31196.1.004.121.1

Citypro S washbasin mixer, fixed spout, spout length 140mm, with pop-up waste


31196.1.004.120.1

Citypro S washbasin mixer, fixed spout, spout length 140mm, without pop-up waste



34196.1.004.111.1

Citypro S bidet mixer, fixed spout, without pop-up waste



37898.0.000.000.1

Simibox concealed installation block for bath and shower mixer

37898.0.000.101.1

Simibox Light concealed installation block for bath and shower mixer, with stop valves

37898.0.000.101.1

Simibox Light concealed installation block for bath and shower mixer, without stop valves

37998.0.003.000.1

Mounting aid for Simibox

37998.0.000.500.1

Flange for Simibox

37998.0.000.050.1

Extension set L = 25 mm

37998.0.000.060.1

Extension set L = 50 mm

37998.4.004.050.1

Extension ring for rose, 15 mm

37998.4.004.060.1


Extension ring for rose, 30 mm

32196.7.004.137.1

citypro S bath mixer complete with fittings, synthetic flexible hose 1500mm and Aquajet hand shower

32196.7.004.400.1

citypro S bath mixer complete with fittings but without accessories




33196.7.004.137.1

Citypro S shower mixer complete with fittings, synthetic flexible hose 1500mm and Aquajet hand shower

33196.7.004.400.1

Citypro S shower mixer with fittings but without accessories




32196.6.004.000.1

Citypro S décor set for concealed mechanical bath/shower mixer with diverter. Concealed body Simibox Standard or Simibox Light to be ordered separately


32196.6.004.010.1

Citypro S décor set for concealed mechanical bath/shower mixer with diverter, with vacuum breaker. Concealed body Simibox Standard or Simibox Light to be ordered separately



33196.6.004.000.1

Citypro S décor set for concealed mechanical shower mixer for Simibox standard & Simibox light. Concealed body Simibox Standard or Simibox Light to be ordered separately



CITYPRO



Timeless expression of form for the bathroom

Fascinating design and top performance. Elegant shapes that fit snugly in the hand. The citypro faucet range reflects the spirit of the modern approach to living. Their simplicity and individuality lend an air of purism to the bathroom.




31195.1.004.111.1

Washbasin mixer, fixed spout
110 mm, with pop-up waste

31195.1.004.110.1

as above, without pop-up waste




31195.1.004.121.1

Washbasin mixer, fixed spout
140 mm, with pop-up waste


31195.1.004.120.1

as above, without pop-up waste



31195.1.504.130.1

Column washbasin mixer, fixed
spout 190 mm, without pop-up
waste




31195.7.004.220.1

Wall mixer, swivel spout 167 mm


31195.7.004.230.1*

Wall mixer, swivel spout 217 mm



34195.1.004.111.1

Bidet mixer, fixed spout, 96 mm,
with pop-up waste




32195.7.004.131.1

Bath mixer, complete with flexible
hose 1500 mm and Aquajet
handspray

32195.7.004.400.1

Bath mixer, with fittings, without
accessories




32195.2.004.137.1

Bath/shower deck mounted mixer,
gauge 180 mm, with diverter, with
synthetic flexible hose 1500 mm
and handspray Aquajet


332195.2.004.400.1

Bath/shower deck mounted mixer,
gauge 180 mm, with diverter,
without accessories




32195.8.004.400.1

Bath deck mounted mixer, gauge
180 mm




32395.7.004.400.1

Thermostatic bath/shower mixer,
with fittings, without accessories,
automatic diverter.



33395.7.004.400.1

Thermostatic shower mixer,
with fittings, without accessories




33195.7.004.131.1

Shower mixer, complete with
flexible hose 1500 mm and Aquajet
handspray


33195.7.004.400.1

Shower mixer, with fittings, without
accessories



33395.7.004.536.1

Showerstation, including thermostatic
shower mixer, rain shower head
Ø 206 mm, flexible hose 1500 mm
and handspray AquaJet




CITYPRO

32195.6.004.000.1

Pre-assembled set for flush-mounted bathtub mixer, for Simibox Standard & Light, 2 outlets for mixed water, automatic diverter, Ecototal cartridge


32195.6.004.010.1

as above, with vacuum breaker



33195.6.004.000.1

Pre-assembled set for flush-mounted shower mixer, for Simibox Standard & Light, 1 mixed water outlet, Ecototal cartridge




CITYPRO LIBERTY

31195.1.004.521.1

citypro Liberty, washbasin mixer, fixed spout 140 mm, with medical handle, cartridge with fixed temperature and flow limitations, with pop-up waste.

31195.1.004.520.1

as above, without pop-up waste



37898.0.000.000.1

Simibox concealed installation block for bath and shower mixer

37898.0.000.100.1

Simibox Light concealed installation block for bath and shower mixer, with stop valves

37898.0.000.101.1

Simibox Light concealed installation block for bath and shower mixer, without stop valves

37998.0.003.000.1

Mounting aid for Simibox

37998.0.000.500.1

Flange for Simibox

37998.0.000.050.1

Extension set L = 25 mm

37998.0.000.060.1

Extension set L = 50 mm

37998.4.004.050.1


Extension ring for rose, 15 mm

37998.4.004.060.1

Extension ring for rose, 30 mm


31195.7.004.520.1

citypro Liberty wall mixer, swivel spout 175 mm, with medical handle, cartridge with temperature and flow limitations




31195.7.004.530.1

citypro Liberty wall mixer, swivel spout 225 mm, with medical handle, cartridge with temperature and flow limitations




37195.0.004.060.1

Wall spout 185 mm




31195.8.004.110.1

Cold water faucet, fixed spout 110 mm, without pop-up waste




32195.7.004.138.1

citypro Liberty bath/shower mixer, with medical handle, complete with fittings, flexible hose 1500 mm and handspray Aquajet, cartridge with fixed temperature and flow limitations



33195.7.004.138.1

citypro Liberty shower mixer, with medical handle, complete with fittings, flexible hose 1500 mm and handspray Aquajet, cartridge with fixed temperature and flow limitations



SIMIBOX 1-Point & 2-Point

Simibox 1-Point and Simibox 2-Point enable a completely new faucet design for concealed wall and shower mixers. Thanks to the intelligent flush-mounting box, the fittings can be reduced to the essentials. Slim shapes and the finest faucets for a sophisticated appearance in the bathroom.



Simibox 1-point



Simibox 2-Point
(only Kartell by LAUFEN)



Simibox 2-Point
Available in 3 versions

Installation examples



Showermixer Twinplus
with Simibox 1-Point



Wall-mounted mixer Twinplus
with Simibox 2-Point

					
	Twinplus	Twinplus	Twinprime	Twinplus	Kartell by LAUFEN
Simibox 1-Point 37698.1.000.100.1	31162.9.004.220.1 31162.9.004.230.1	33162.9.004.131.1			
Simibox 2-Point Handle right 37698.1.000.351.1			31132.6.004.020.1 31132.6.004.030.1	31162.6.004.120.1	31133.6.004.120.1
Simibox 2-Point Handle left 37698.1.000.352.1			31132.6.004.020.1 31132.6.004.030.1	31162.6.004.120.1	
Simibox 2-Point Handle on top 37698.1.000.353.1			31132.6.004.020.1 31132.6.004.030.1	31162.6.004.120.1	

SIMIBOX

Three boxes, many advantages

The concealed Simibox system combines ingenious technology and easy handling with high design standards. Choose the Simibox Standard with integrated stop valves and reversible supply and outlet pipes or one of the simpler Simibox Light versions, depending on the local conditions.



Simibox Light with stop valves
37898.0.000.100.1






Simibox Standard with stop valves
Supply and outlet pipes reversible
37898.0.000.000.1



Pre-assembled set with
functional unit and decorative
finish

Simibox Light without stop valves
37898.0.000.101.1




	Recess depth	With stop valves	Positional correction up to 5°	Supply and outlet connections reversible	Fits mechanical pre-assembled sets	Fits thermostatic pre-assembled sets	Pre-assembled set can later be exchanged/replaced
 Simibox Light 37898.0.000.100.1	min. 74 mm	✓			✓	✓	✓
 Simibox Light 37898.0.000.101.1	min. 74 mm				✓	✓	✓
 Simibox Standard 37898.0.000.000.1	min. 102 mm	✓	✓	✓	✓	✓	✓




Integrated stop valves

Just turn two screws and the water stops. The local stop valves facilitates any necessary service quickly and easily without having to turn off the water in the entire building.



Simple positional correction after installation by up to 5°

If the box is not installed exactly level, the functional box of the Simibox Standard can later be adjusted by 5° on both sides.



Flexible

The connections for the supply lines and mixed water outlets can easily be reversed on the Simibox Standard.




SIMIBOX

Concealed system for all design ranges

Cutting-edge technology behind the wall means nothing without attractive packaging to round it off. The high-quality design of our concealed mixer perfectly complements the shower and bath experience. The pre-assembled kit is made up of the functional unit, together with the corresponding decorative elements, and is available to match all our design ranges. If new forms are required, a replacement is possible in next to no time. Whether you are looking for classical elegance, futuristic boldness or every-day simplicity – LAUFEN concealed mixers have something for every taste.

Pre-assembled kits

Mechanical	 Kartell by Laufen	 curveprime	 curveplus	 curvepro
 Without diverter	33133.6.004.000.1	33170.6.004.000.1	33109.6.004.000.1	33165.6.004.000.1
 With diverter	32133.6.004.000.1	32170.6.004.000.1	32109.6.004.000.1	32165.6.004.000.1
 With diverter and vacuum breaker	32133.6.004.010.1	32170.6.004.010.1	32109.6.004.010.1	32165.6.004.010.1

Thermostatic	
 Without diverter	
 With diverter	
 With diverter and vacuum breaker	

					
twinprime pin	twinprime	twinplus	cityplus	citypro S	citypro
33113.6.004.000.1	33132.6.004.000.1	33162.6.004.000.1	33175.6.004.000.1	33196.6.004.000.1	33195.6.004.000.1
32113.6.004.000.1	32132.6.004.000.1	32162.6.004.000.1	32175.6.004.000.1	32196.6.004.000.1	32195.6.004.000.1
32113.6.004.010.1	32132.6.004.010.1	32162.6.004.010.1	32175.6.004.010.1	32196.6.004.010.1	32195.6.004.010.1

		
twintherm	twintherm Comfort	citytherm
33362.6.004.000.1	33362.6.004.500.1	33375.6.004.000.1
32362.6.004.000.1	32362.6.004.500.1	32375.6.004.000.1
32362.6.004.010.1	32362.6.004.510.1	32375.6.004.010.1

CURVETRONIC



curvetronic brings a breath of fresh design to public and semi-public areas. The contactless infrared-controlled water tap upgrades any bathroom. curvetronic fulfils the highest hygiene requirements thanks to a shape that is easy to clean and to its contactless operation. It also saves up to 70% water compared to other water taps with operating levers.

The integrated, high-quality curvetronic electronics offer numerous functional options that can be adjusted to meet individual needs. The water tap can be operated either by battery or a mains connection. Simple maintenance is also ensured: The curved spout has a removable cover that provides quick and easy access to the integrated technical system without having to remove the fitting.



2014



reddot award 2014
winner

CURVETRONIC



The water flow starts as soon as your hands enter the detection area.


Infrared controllers - flexible technology for all needs

- Intelligent concept. Contactless operation for increased hygiene and convenience.
- Has a long service life and saves energy. Vandal-proof design and efficient components ensure a long service life.
- Maximum convenience. The high-quality electronics facilitate numerous functional options.
- Simple energy supply. Mains socket or battery – energy-saving electronics make all the difference.
- Superior infra-red technology. The water flows and stops automatically, controlled by an electronic sensor.

curvetronic tap faucet with IR sensor for cold or premixed water

31570.2.404.321.1
Model with battery, 6V, chrome


31570.2.404.322.1
Model for network, 230V, chrome



curvetronic washbasin mixer with IR sensor

31470.2.404.321.1
Model with battery, 6V, chrome

31470.2.404.322.1
Model for network, 230V, chrome



TWINTRONIC



The twintronic concealed solution facilitates particularly space-saving design for public washrooms. Twintronic can be installed with the Simibox Standard & Simibox Light concealed system.

Infrared controllers – flexible technology for all needs

The future of water taps: contactless, hygienic, vandal-proof and economical. Infra-red technology can save up to 70% water compared to conventional water taps and the easy-to-clean shape makes it very hygienic.

Ideal for public and semi-public installation: Low consumption and maintenance costs even during maximum use.

Ideal for hospitals, sport arenas, schools, airports, railway stations, gyms and restaurants.



TWINTRONIC



31664.7.404.321.1

twintronic electronic, flush-mounted washbasin mixer with IR sensors for Simibox Standard & Simibox Light, fixed spout 175 mm, with battery

31664.7.404.322.1

as above, model for network, 230 V with flush-mounted mains adapter



31664.7.404.331.1

twintronic electronic, flush-mounted washbasin mixer with IR sensors for Simibox Standard & Simibox Light, fixed spout 225 mm, with battery

31664.7.404.332.1

as above, model for network, 230 V with flush-mounted mains adapter



31664.7.404.341.1

twintronic electronic, flush-mounted washbasin mixer with IR sensors for Simibox Standard & Simibox Light, fixed spout 200 mm, with battery

31664.7.404.342.1

as above, model for network, 230 V with flush-mounted mains adapter

37898.0.000.000.1

Simibox concealed installation block

37898.0.000.100.1

Simibox Light concealed installation block, with stop valves

37898.0.000.101.1

Simibox Light concealed installation block, without stop valves



31764.7.404.321.1

twintronic electronic, flush-mounted washbasin tap for cold or mixed water, with IR sensors for Simibox Standard & Simibox Light, fixed spout 175 mm, with battery

31764.7.404.322.1

as above, model for network, 230 V with flush-mounted mains adapter

31764.7.404.331.1

twintronic electronic, flush-mounted washbasin tap for cold or mixed water, with IR sensors for Simibox Standard & Simibox Light, fixed spout 225 mm, with battery

31764.7.404.332.1

as above, model for network, 230 V with flush-mounted mains adapter

31764.7.404.341.1

twintronic electronic, flush-mounted washbasin tap for cold or mixed water, with IR sensors for Simibox Standard & Simibox Light, fixed spout 200 mm, with battery

31764.7.404.342.1




as above, model for network, 230 V with flush-mounted mains adapter

37798.0.000.010.1

Supplementary stopper for the installation of concealed washbasin mixer with IR sensor - to be ordered together with every twintronic model.

781039.000.000

Bluetooth adapter for mains version, optionally available



HANDSPRAYS AND RAIN SHOWER HEADS





The LAUFEN range of shower heads is growing: The rain shower heads are made from high-quality stainless steel and are complemented by numerous handsprays in different shapes, a wide range of colours, and two types of steel jets.



MyTwin120 handspray



MyCity120 handspray

RAIN SHOWER HEADS



36798.1.004.110.1
Shower head square,
202x202 mm*

36798.1.004.120.1
Shower head square
242x242 mm*

36798.1.004.130.1
Shower head square
302x302 mm*

36798.1.004.140.1
Shower head square
353x353 mm*


* wall or ceiling arm must be
ordered separately






36798.1.004.310.1
Shower head rectangular
222x342 mm*


* wall or ceiling arm must be
ordered separately




36698.0.004.001.1
Shower ceiling arm with square
rosette, 100 mm, suitable for square
and rectangular shower heads



36698.0.004.003.1
Shower wall arm with square
rosette, 420 mm, suitable for square
and rectangular shower heads






36798.1.004.210.1
Shower head round Ø 206 mm*


36798.1.004.220.1
Shower head round Ø 247 mm*

36798.1.004.230.1
Shower head round Ø 306 mm*

36798.1.004.240.1
Shower head round Ø 356 mm*


* wall or ceiling arm must be
ordered separately






36798.1.004.410.1
Shower head oval 226x346 mm*

* wall or ceiling arm must be
ordered separately




36698.0.xxx.002.1
Shower ceiling arm with round
rosette, 100 mm, suitable for oval
and round shower heads



Colours: .004 .090

36698.0.xxx.004.1
Shower wall arm with round rosette,
420 mm, suitable for oval and
round shower heads



Colours: .004 .090

HANDSPRAYS



36198.3.xxx.151.1
MyCity100 handspray, 1 jet,
chrome-plated

36198.3.xxx.371.1
MyCity120 handspray, 3 jets,
chrome-plated

Ecochoice
Flow rate eco 5.7 l/min
Flow rate comfort 11.3 l/min



73
100
G1/2


MyCity100



87
120
G1/2

MyCity120


Colours: .004 .074 .084



36198.2.xxx.151.1
MyTwin100 handspray, 1 jet,
chrome-plated

36198.2.xxx.371.1
MyTwin120 handspray, 3 jets,
chrome-plated

Ecochoice
Flow rate eco 5.7 l/min
Flow rate comfort 11.3 l/min



100
G1/2


MyCity100



120
G1/2


MyCity120

Colours: .004 .074 .084



36198.2.xxx.125.1
Twinstick metal handspray, 1 jet,
chrome-plated





Flow rate 8.5 l/min



Ø25
198
G 1/2

Colours: .004 .090

Colours handspray


	.004 chrome
	.074 chrome/black
	.084 chrome/white
	.090 PVD inox brushed steel.

SHOWER ACCESSORIES



The new shower accessories by LAUFEN are perfectly tailored to complement the new MyCity, MyTwin. From the convenient wall bracket to the carefully designed shower slide bar with sophisticated side-mounted controls, LAUFEN can provide the best possible solution for all needs.

SHOWER ACCESSORIES




36998.0.xxx.201.1

twin fixed handspray holder




Colours: .004 .090




36398.0.004.151.1

twin elbow to the wall with check valve




Colours: .004 .090



36398.0.xxx.152.1

twin elbow to the wall with integrated handspray holder with check valve



Colours: .004 .090




36498.0.xxx.310.1


TwinGliss sliding bar 600 mm

36498.0.004.410.1

TwinGliss sliding bar 1100 mm




Colours: .004 .090




36998.0.004.301.1

city fixed handspray holder




Colours: .004 .090




36398.0.004.161.1

city elbow to the wall with check valve




Colours: .004 .090



36398.0.004.162.1

city elbow to the wall with integrated handspray holder with check valve



Colours: .004 .090

Colours faucets

.004 chromed

.090 PVD inox brushed steel

CERAMIC SHELVES AND ACCESSORIES



It is not always easy to find what you want: High-quality ceramic accessories. Whether under-mirror shelves in a variety of sizes, toilet paper holders or toilet brush holders, our high-quality products bestow elegance and lend a certain majesty to your bathroom. In addition, these elegant accessories are practically indestructible and particularly easy to clean. As well as all that, practical ceramic tableaus provide easy-to-clean shelving under your washbasin.





CERAMIC SHELVES AND ACCESSORIES



Universal ceramic under-mirror shelf





87025.0
40 cm



87025.2
50 cm



87025.4
60 cm






* Determine exact measurement when mounting

Colours: .000 .018 .037 .049

Large ceramic shelf, cutable

	A
87043.3	900
87043.4	1200
87043.5	1300
87043.6	1500
87043.8	1800




Colours: .000

Options:
.000 Not cut
.710 Cut right
.711 Cut left
.712 Cut on both sides


For more ceramic shelves, refer to the chapter florakids.

87261.0
Universal ceramic toilet roll holder



Colours: .000

87368.0
Universal ceramic holder with toilet brush



Colours: .000 .018 .037 .049


Options:
.000 Screw mounting
.899 Adhesive mounting

87097.6
ILBAGNOALESSI One
Hanger





Colours: .000
Options: .000 .899

87097.2
ILBAGNOALESSI One
Shelf with integrated towel holder



Colours: .000
Options: .000 .899

87097.0
ILBAGNOALESSI One
Toilet roll holder



Colours: .000
Options: .000 .899

PRODUCT FEATURES AND BENEFITS: SANITARY WARE

Sanitary ware production: Tradition and innovation

The basic ingredients for making ceramics have always been naturally occurring raw materials: Kaolinite, clay, feldspar and quartz sand form the basis for this extremely durable and hard material. The individual components of this malleable material are combined, homogenised and cleaned as part of a unique and very protracted process at LAUFEN. The resulting slurry – the pourable starting material for ceramics – is poured into pre-prepared plaster moulds or shaped using a special pouring process developed at LAUFEN.


The formability and pourability of the material allows the creation of a wide variety of sanitary ware products, but nevertheless always poses a manufacturing challenge, especially when creating objects with complex geometries. Dried and glazed blanks are then baked in a kiln at temperatures up to 1240°C. Such extreme kiln temperatures ensure the hardness and durability of our high-quality LAUFEN products.

Ceramics, through their smooth, easy-to-clean surface, fulfil the highest hygiene standards – chemical acids, strong cleaning fluids or hydrochloric compounds hardly affect the material. Due its light fastness, versatility and pleasant appearance, ceramic is the most popular material used to manufacture high-quality sanitary fittings.



Top recycling qualities: Ceramic is the oldest malleable material used by mankind – and consists exclusively of naturally occurring raw materials. Ceramic is 100% recyclable and can be reintroduced into production processes as a ground powder or reused as a valuable raw material in other industries.





Ceramics or synthetic materials: Ceramic is the material which has been traditionally used in the bathroom over the centuries – and with good reason. The superiority of the material is evident, particularly in terms of hygiene, useful lifetime, environmental compatibility and durability. However, washbasins made of plastics and mineral-based cast materials are also available on the market, which present a design challenge to producers of sanitary ware. LAUFEN has always had a reputation as an innovator in the sanitary sector and is always striving to improve the materials and production techniques it uses. As a result of these efforts, new ceramic compositions have been developed that allow smaller tolerances and even more precise corner radii or large flat ceramic items. Made to measure washbasin solutions ensure that ceramic sanitary ware can be fitted with millimetre precision into bathroom floor plans. Ceramics therefore deliver outstanding performance in all respects.



A revolution in the formal language of ceramics:

The innovative and high-quality composition of SaphirKeramik bestows possibilities and versatility never seen before upon the base material, enabling exceptional shaping. Edge radii of 1–2 mm are thus technically feasible.

The new type of ceramic is considerably harder and has an improved bending strength. LAUFEN is thus able to produce thinner ceramic bodies, which reduces weight and the consumption of raw materials and energy. SaphirKeramik is not a replacement for any of the existing materials; instead, it broadens the range of forms of expression of the natural base material.




SaphirKeramik

PRODUCT FEATURES AND BENEFITS: SANITARY WARE

LCC stands for **Laufen Clean Coat**. This innovative ceramic surface finish is a vitreous silicate ceramic coating on top of the original glaze. LCC is an extremely hard, indeed almost indestructible indivisible part of the ceramic object to which it is applied.

The benefits of this process: With a roughness of only 4 nanometers, LCC is entirely free of pores. Thanks to this feature, lime, dirt and bacteria have practically nowhere to gain a foothold – and even if they do, they can be removed much more easily. A hydrophilic effect caused by the material ensures that dirt particles are more easily washed away on flushing. In addition, cleaning and disinfection fluids spread over the surface more easily and thus work more effectively. This is an ideal solution for the rigorous demands of everyday cleaning – for example in hotels or clinics – as LCC also means the sanitary ware is highly resistant to aggressive cleaning agents and chemicals. LCC ensures the highest standard of cleanliness and hygiene in the long-term. Even after years of use, the sanitary ware remains smooth and shiny, just as it was when it was brand new, in private bathrooms and public and semi-public areas.




The innovative glaze for durable hygiene.



2012 ■

Our **concealed overflow system**, the alternative to standard overflows for selected washbasins and bidets, has many benefits. Thanks to our overflow system which is invisible from the outside, our washbasins and bidets no longer have a visible overflow hole, which not only improves the appearance of the product, it also makes cleaning much easier. This hygienic and aesthetic innovation is very simple: water rises in a concealed internal channel in parallel with the water inside the washbasin, and overflows into the run-off when the water reaches the maximum level. Another attractive detail of LAUFEN washbasins is the ceramic cover on the pop-up waste, which is available in a variety of glazes. These covers are available with a wide range of pop-up waste versions for many washbasins and bidets (e.g. the ILBAGNOALESSI One, and the dOt, Lb3).





LAUFEN is breaking the mould when it comes to **drain design**. The new washbasins in the Kartell by LAUFEN range have no visible drainage opening. The water disappears into a narrow, hidden drain through an elegant pipe. A concealed overflow system has also been developed. A special valve allows you to choose between a solution which is always open or which can be closed off.



LAUFEN EasyFit: LAUFEN has developed a revolutionary wall fixation system for WCs, bidets and urinals. A patent has been lodged. The invisible, easy to mount fixation system meets the needs of both fitters and end users. For example, end users are impressed by a ceramic WC with a flawless surface which is really easy to clean since there's nowhere for dirt to hide. Fitters are enthusiastic about the time-saving, intuitive mounting system.



Thanks to our convenient **lowering system** many of our WC covers and seats close gently and quietly. For easier cleaning, all LAUFEN seats can be removed with a simple hand movement.

LAUFEN seats have been comprehensively tested: amongst others the test includes opening and closing 50,000 times.



PRODUCT FEATURES AND BENEFITS: SANITARY WARE

The installation dimensions of WCs are not always identical: In many renovation situations the LAUFEN **Vario outlet** can make it easier to connect the WC to the sewage network.

Both horizontal and vertical outlet wall clearances of up to 305 mm for washdown are possible.



Maximum wall clearance for vertical floor outlet



Minimum wall clearance for vertical wall floor outlet



Horizontal wall outlet

Most of the bowls of the new **LAUFEN rimless WCs** have. There's no longer anywhere for dirt and deposits to hide; instead, thanks to an innovative and powerful flushing system, everything's flushed cleanly away with both the 6/3-litre version and the 4.5/3 litre version. Both public toilets and private bathrooms can benefit from the easy cleaning and great hygiene of this system.



The latest generation of **LAUFEN water-saving WCs** are optimised to a full flushing volume of 4.5 litres of water. Compared to today's 6/3 litre Dual-Flush these models provide substantial water savings. With an average of 5,000 flushes per WC per year, the yearly water saving is at least 6,000 litres, or more than 27,000 litres if we take into consideration that 9 or even 12 litre models are still in use. LAUFEN WCs marked with the green 4.5/3L logo are not only fulfilling the requirements defined in the harmonized standard EN 997 Class 1 Type 5 and Class 2 (that cover the whole European territory), but also fulfill the challenging Australian requirements of SAI/Wels 4 Stars.

For Laufen the European water label is the most reliable and transparent way for consumers and professionals to clearly appreciate the potential regarding the reduction of water consumption. LAUFEN toilets, cisterns and urinals are developed to reach the highest level of water saving performance. Please note that a suitable downstream drainage system must be built for this kind of water-saving WCs. In case of restrictions of the existing drainage system or local regulations LAUFEN WCs marked with green 4.5/3L logo can also be flushed with standard 6 litre flushing volume.



High quality LAUFEN flushing mechanisms


The flushing mechanism is the heart of every cistern from LAUFEN. In order to exceed current standards, the engineers of the Swiss bathroom specialist set themselves the highest quality goals during their extensive development programme.



This is also confirmed by the certifications e.g. by LGA and Q Plus. During development it was ensured that the flushing mechanisms were prepared for future development and were completely backwards compatible. Replacing “old for new” is thus no problem for sanitary technicians. The water supply options also offer flexibility, as they can be attached at the side, at the rear or from below.

The love of detail is proven by the elegant, independent design of the chrome-plated flush mechanism.

The flushing mechanisms are produced completely within the European Union. Spare parts management and service are fully undertaken by LAUFEN.



HiJet WC: A new type of WC having highest-performance flushes with volumes of 4.5 and 6 litres. This unique model unites all worldwide standards. Maximum performance tests have shown that this powerful WC is prepared to meet future standards. It does already achieve outstanding flushing results with 2–3 litres, if the downstream drainage systems are designed for this purpose. LAUFEN has lodged a patent for this new flushing system.



The **intelligent control system** has different modes and can trigger cleaning after each user or at defined intervals with different flush quantities of between 0.5 and 3 litres. Following long periods of non-use, a hygiene flush takes place every 24 hours by default. There is also an integrated overflow protection function in case the drain hole becomes blocked.

Hybrid mode

The urinal flushes at a predefined interval if usage is detected, and not after every single use. The flushing interval can be set to six different values between 1 h and 12 h. A predefined flushing volume is assigned to each flushing interval.

PRODUCT FEATURES AND BENEFITS: SANITARY WARE




OL



The LAUFEN lema **0-litre urinal** saves water and money. It operates without water and does not require a water shut-off device or electricity to keep the drain closed. The urine itself helps to keep gases sealed in and to prevent their escape. The principle behind this “trap” is known in the chemical industry as the Erlenmeyer flask.



Made-to-measure sanitary ware: Many large LAUFEN washbasins can be manufactured made-to-measure at the factory. Using this innovative production technology, we can manufacture sanitary ware to fit the plan of your bathroom. On the one hand, the ceramic can be cut to size – even on the diagonal. On the other, even freestanding side elements can be custom made without any visible side panel attachments.



The bathroom is private. So that it stays that way, LAUFEN provides **sound insulation sets**, consisting of specialised foam and rubber elements for its washbasins and wall-mounted WCs. These elements considerably reduce the amount of noise due to usage and functions that passes through the wall into neighbouring rooms.

Depending on the structural situation, a sound reduction of up to 9 decibels can be achieved, which means that noise is reduced by almost half.

These sets have been tested against SIA 181 and DIN 4109 and certified by Fraunhofer.

- 89269.1 sound insulation set for washbasins up to 80 cm
- 89269.2 sound insulation set for washbasins of 80–100 cm
- 89269.3 sound insulation set for washbasins of 110–180 cm
- 89269.4 sound insulation set for EasyFit fixation system



PRODUCT FEATURES AND BENEFITS: WELLNESS

When choosing the **bathtub material** the choice depends on individual preference and intended use. In order to be able to provide the right solution for all situations, LAUFEN provides three different bathtub materials:

Solid surface material Sentec bathtubs and shower trays:

Bathing in a bathtub made of solid surface material Sentec feels like being in a natural basin. Due to a high percentage of mineral particles, the surface feels smooth.

The innovative material also allows an incredible freedom of design: almost every shape is feasible – from very organic to very straight and architectural.

Furthermore the non-porous surface of the material is hygienic, durable, UV-resistant, highly resistant to scratches and can be effortlessly cleaned.

Acrylic bathtubs and shower trays:

Bathtubs and shower trays made of sanitary acrylic have benefits due to the insulating properties of the material and its warm surface. Together with an underlay made of hard foam, the material helps your bath water retain its temperature for a long time. LAUFEN sanitary acrylic is integrally coloured, is light and colour fast and easy to clean.

Steel bathtubs and shower trays:

Bathtubs and shower trays in enamelled steel are hygienic, and resistant to acid, scratching, impacts and abrasion.

LAUFEN steel bathtubs are produced using heavy 3 and 3.5 mm enamelled steel; they are extremely dimensionally stable and come with an anti-slip coating. In addition, they are fitted with a sound insulation system.

Ceramic shower trays:

Modern shower trays made of sanitary ceramics can fit harmoniously into your bathroom. Like any of the LAUFEN ceramic products, they are characterised by their especially long life and tangible high-quality. Our attractive shower trays offer a conveniently low step-in height and can be supplied with an antislip coating, if required.

Whirlpool – Wellness at home: LAUFEN combines the rejuvenating energy of water, air and underwater lighting for reviving massages in your own bathtub at home. A feast for the senses – in total privacy.

When ordering whirl systems, LAUFEN always recommends to order bathtubs with acrylic panels or to install removable tiled drywalls for easier access in case of maintenance. If you can't avoid bricking in the bathtub, please plan large inspection chambers of minimum size 50x50 cm so that technical parts remain accessible. The installation of an additional ventilation grill is compulsory.


Air nozzles:

Up to 90 nozzles positioned in the bathtub floor effectively revive your body all over. The outlets are installed flush with the bathtub floor and therefore do not impede enjoyment of the whirlpool. The warm and tingling ozonised air is blown into the water via air conduits under the base of the tub. The system is self-drying and therefore hygienic and easy to maintain.



PRODUCT FEATURES AND BENEFITS: WELLNESS

Coloured lighting appeals to all senses. LAUFEN offers two different types of lighting: either underwater LED lamps illuminate the water or a LED strip in the overflow slot (used in Kartell by LAUFEN bathtubs) creates a relaxing atmosphere. Usually the colours of the LED lights change continuously, but one colour can also be selected via the sensor control system or remote control.



The wellness functions of the LAUFEN whirlpool can also be controlled by **touch-sensitive areas** on the bathtub rim: The system is safe, scratch-resistant, hygienic and easy to clean – and does not detract from the aesthetic of the bathtub.




Many of LAUFEN bathtubs are available with precise-fitting sanitary acrylic skirting for a variety of installation situations. These **acrylic panels** are secured quickly and easily using a magnetic mounting system and are an alternative to labour-intensive bricking in of the tub. These panels are made of the same high-quality and easy-to-clean acrylic as the tubs and allow easy access to the plumbing under the tub for maintenance purposes.





A bathroom that is properly installed and perfectly arranged helps to achieve a balanced and harmonic atmosphere. That's why LAUFEN offers a suitable **styrofoam carrier** for each drop-in bathtub (except the ones with whirl system). These carriers simplify the mounting of the bathtub enormously: mounting is quicker and cleaner, because there is no bricking necessary, and tiling is also much easier on the perfectly accurate surface of these unseen helpers.



The LAUFEN **installation kit** made of hard foam allows a wide range of shower trays to be installed flush with the floor – and also assists with sound and heat insulation. A protective peripheral strip securely permanently prevents water from entering between the tiles and tray.



LAUFEN bathtubs and shower trays conform to applicable European standards and are tested and monitored on-site by the independent testing institute LGA Quali Test GmbH.



LAUFEN **sound insulation sets** for bathtubs and shower trays significantly reduce the transmission of sound to neighbouring rooms and ensure a private, undisturbed bathing experience – without disturbing the neighbours. Irrespective of the structural conditions, a sound reduction of 10 or even 16 decibels can be achieved. Even a 10-decibel reduction corresponds to a 50% reduction in audible noise. LAUFEN sound insulation sets are tested against SIA 181 and DIN 4109 and are certified by Fraunhofer.



Antislip is a surface treatment which is applied to glazed and enamelled surfaces and then fired on and is thus optimally integrated into the surface structure. The surface offers a secure grip and is also easy to clean, and resistant to acids and scratching.

Antislip has been tested against the German industrial standard DIN 51097 and offers higher than average antislip performance. With or without antislip, LAUFEN shower trays feel comfortable on the skin.

PRODUCT FEATURES AND BENEFITS: FURNITURE, LIGHTS AND MIRRORS

Furniture surfaces in the bathroom are designed to deal with the room's special climate conditions. LAUFEN provides a range of different surfaces, all optimised for their intended use and come with a guaranteed long useful life.

Real wood veneer:


A cosy bathroom in wood. The classy wood veneers provide the haptics and optics of real wood. They are resistant to moisture and equipped with reinforced edges, making them resistant to impacts. These real wood veneers include those used in Lb3 and ILBAGNOALESSI One 'noce canal-etto'.

Film coatings:

Film coatings are pulled over corners, thus ensuring the furniture surfaces are joint-free and not sensitive to water. They are scratch, water and light-resistant. Their flexibility offers a great deal of design freedom in terms of the forms used, such as integrated handles, for example. LAUFEN uses film coatings in its LAUFEN pro, moderna plus and case ranges.

Painted furniture surfaces:

Our classic high-gloss paint finish, using two-component water-resistant paints, offers perfect surfaces with no unevenness and a wide range of colours. LAUFEN painted surfaces include the ILBAGNOALESSI One white furniture and LAUFEN also offers 39 additional special paints (shown on right) for the case and LAUFEN pro furniture ranges.



Tidy storage systems in drawers of the ILBAGNOALESSI One bathroom furniture range ensure tidy storage and prevent the return of chaos every time a drawer is closed fast.





Slamming of doors is not inevitable: At LAUFEN, **soft close** means gently-closing furniture doors and drawers. The system is integrated as standard into all LAUFEN furniture. In this case, quality can be felt and not heard.




Comfort in every detail: The flexible and adjustable **3D mounting system** makes installation LAUFEN furniture on the wall quick and easy.




LAUFEN undercounter furniture can optionally be equipped with an innovative **space-saving siphon** (1). This dispenses with the need for siphon cut-outs in the drawers (2), reclaims valuable storage space and ensures unlimited use of internal space.

PRODUCT FEATURES AND BENEFITS: FURNITURE, LIGHTS AND MIRRORS



1


Light in the bathroom – for bathing in light: With illuminated mirrors and mirror cabinets, LAUFEN offers a wide range of individual lighting solutions. From integrated LED lighting (1), to fitted lamps (4), to glass-edge lighting (3) in the cabinet shelving, from indirect atmospheric lighting (2) which lights up the entire room to optimum useful light directly in front of the mirror for applying make up or shaving.



2



3



4

As an option for the case mirrors, LAUFEN offers an integrated contact-free **sensor switch** for mirror lighting. This means you can switch the light on by putting your hand near the mirror, without having to touch the mirror at all.



The lighting elements

used in LAUFEN illuminated mirrors in the case range can be replaced very easily and quickly. The mirrors can remain on the wall during this process. As is the case with all electrical equipment in the bathroom furniture – they are protected from all directions against splash water and dust according to protection class IP 44.





LAUFEN offers a wide selection of colours for matt special coatings in addition to the standard decoration for the LAUFEN Pro, Space and Case furniture series: 39 colour tones especially created for LAUFEN allow the colours of your bathroom furniture to be coordinated with your bathroom.

PRODUCT FEATURES AND BENEFITS: FAUCETS

Eco & Eco+

Do your bit to save water and energy: even small changes make a big difference. Laufen has long been committed to preserving resources. For instance, through revolutionary technical solutions like the Ecototal control cartridge with integrated volume and hot water restraints, which was first launched in 1999, or the Eco and Eco+ water and energy-saving functions, which have just been launched for 2015. These new Eco functions make it easy for you to use less water and energy, and therefore do your bit for the environment. Faucets with the Eco+ function, for example, run cold water by default when the lever is in the central home position. Faucets with the Eco function offer standard mixer functionality, but with temperature and volume restraints to help draw attention to excess consumption.

Eco

- Smart, no-nonsense resource-saving solution for private households
- 30 % reduction in water and energy consumption thanks to a water-saving flow regulator as well as volume (FlowControl) and temperature restraints
- Long service life and low maintenance


Additional benefit of Eco+

- No unintentional use of hot water as the faucet runs only cold water when the lever is in the central home position ('cold water start')


FlowControl

- A noticeable resistance is exerted by the volume restraint
- Once the volume restraint is overridden, the full volume of water is supplied

Eco




Eco+



Twinplus and Cityplus

FlowControl



Thermostatic

Who isn't familiar with the situation? Fiddling with taps to get the temperature right before stepping into the bathtub or shower. Our user-friendly, highprecision thermostat mixers provide the answer.

Practical – smart technology at a second glance

The new generation of thermostatic mixers combine temperature and flow regulation at one side (see illustration 1). The inner workings are also remarkable. The thermostatic mixers have a built-in safety function: if the supply of cold water should fail, the hot water is stopped automatically. And, thanks to the insulated hot water line, the faucet body never gets hot.

Space-saving – flush-mounted thermostats arwa-twintherm & arwa-citytherm

Outstanding thermostat technology in the most compact design. Flushmounted thermostat mixers offer the same convenience as surface-mounted versions. In addition, with the flush-mounted solution Simibox you can simply build the technology into the wall. This saves space, and depending on the bathroom design, achieves an elegant stylish solution (see illustrations 2 and 3).


Spot on – precision selection of water temperature

Simply set the degree and enjoy your shower at the temperature of your choice. Additional safety feature: the child-friendly stop button limits the temperature to 38 °C. You have to press and turn the button at the same time (see illustration 4) for hotter water.

Economical – infinitely adjustable water flow

Regulate the water flow at the turn of a hand. Use the Eco button to easily save more water (see illustration 5). By pressing the stop button you leave the ECO range and the water runs at full flow (see illustration 6).

twinplus | cityplus | Thermostate



1



2



3

citypro



4



5



6

Showerstations

The new generation of showerstations offers a host of advantages that provide a unique showering experience: From simple designs to different settings and functions.



Slim, simple rain shower head

ø 300 mm or 300 x 300 mm, 2 mm thick, in chromed stainless steel, immediate non-drip water stop. shower head arm can be locked and swivelled horizontally by $\pm 60^\circ$.



Adjustable wall mount

The water-carrying shower rail fastener can be adjusted during mounting:
- height and lateral compensation ± 5 mm
- depth compensation -7 mm / +10 mm



Smooth MyTwin & MyCity hand-sprays included

Luxury handsprays with three spray modes and SmartSelect switchover function.



Easy handspray height adjustment

Push-action holder: simply press the button at the side, adjust height, let go and the spray is securely fixed..



One-handed thermostat control

Temperature and flow regulation at one side. Particularly helpful: thanks to smart water circulation, the faucet body does not get hot.



Discreet diverter

Positioned below the faucet, the simple and unobtrusive diverter switches from hand to rain spray.

Handshowers MyTwin & MyCity – Design with meticulous attention to detail



Convenience with a high pleasure factor

LAUFEN hand sprays not only look smart, they are smart. The 120 mm sprays feature the "Rain-Spray" option, the "MassageSpray" and a combination of both spray types, the "MixedSpray". A press of the SmartSelect button switches conveniently between a gentle rain shower and vigorous massage spray.

The integrated air mix enhances the soft pleasant showering experience. Thanks to RubiClean limescale residues rub off quickly and easily to ensure many years of unadulterated showering pleasure.



RainSpray




MixedSpray



Technically savvy

However arva's modern hand spray technology offers even more. All sprays are supplied with the "Ecochoice" limiter. It limits the water rate to 5.7 l/min and therefore bears the 'A' energy label. Anyone preferring a higher water flow of 11.3 l/min, can remove the controller manually. Special attention was paid to the choice of materials used. All water-conveying parts are made of quality materials that comply with drinking water ordinance requirements. Thanks to the smart technology inside the hand sprays do not heat up, and thus offer perfect protection against scalding.



MassageSpray



SmartSelect

NOTES

NOTES

Headquarters:

LAUFEN Bathrooms AG
Wahlenstrasse 46
CH-4242 Laufen
Tel. +41 61 765 71 11
feedback@laufen.ch
www.laufen.com

Export:

LAUFEN Bathrooms AG
Wahlenstrasse 46
CH-4242 Laufen
Tel. +41 61 765 76 09
export@laufen.ch
www.laufen.com/export

Asia:

Roca Sanitaryware Ltd.
Room 2303, 23/F
148 Electric Road
North Point, Hong Kong
Tel. +852 250 624 38
Fax +852 250 624 92
laufenasia@hongkong.laufen.ch
www.laufen.com/export

Oceania:**Australia, New Zealand & other**

Roca Bathroom Products
Australia P/L
Level 10, Suite 1004
46 Market Street
Sydney NSW 2000
Australia
Tel. +61 (2) 9290 2331
aus.admin@roca.net
www.laufen.com.au

Austria:

LAUFEN Austria AG
Mariazeller Strasse 100
A-3150 Wilhelmsburg
Tel. +43 2746 6060
Fax +43 2746 6060 380
office.wi@at.laufen.com
www.laufen.co.at

**Bosnia and Herzegovina,
Croatia, Kosovo, Macedonia,
Montenegro, Serbia, Slovenia:**

INKER d.d.
Industrijska 1
10290 Zaprešić
Tel. +385 1 3310 364
Fax +385 1 3310 275
komercijala@inker.hr
www.laufen.hr

Benelux:

LAUFEN Benelux B.V.
Meidoornkade 2A
NL-3992 AE Houten
Tel. +31 (0)33 450 20 90
info.benelux@laufen.ch
www.laufen.nl
www.laufen.be

Brazil:

Roca Sanitários Brasil Ltda.
Av. 14 de Dezembro,
2.800 - V. Mafalda
CEP: 13206-105
Jundiaí - SP - Brasil
PABX: +55 11 3378 4600
Assistência Técnica: 0800 70 11 510
info.br@laufen.com
www.laufen.com.br

Bulgaria:

Roca Bulgaria AD
5, Pirotka Str.
1301 Sofia, Bulgaria
Tel. +359 2 930 59 10
Fax +359 2 930 59 18
office.sofia@bg.roca.net
www.bg.roca.com

China:

Roca Sanitary Trading
(Shanghai) co. Ltd
Room 503-505, City Gateway
No. 396 North Caoxi Road
Shanghai 200030, China
Tel. +86 21 3368 8822
Fax +86 21 3368 8299
laufen_cn@roca.net.cn
www.cn.laufen.com

Czech Republic:

LAUFEN CZ s.r.o.
V Tűnűch 3/1637
120 00 Praha 2
Tel. +420 296 337 701
prague.gallery@cz.laufen.com
www.laufen.cz

Estonia, Latvia:

LAUFEN CZ s.r.o.
Pae 25-8
Tallinn, 11414
Estonia
Tel. +372 6 215 569
office.tallinn@ee.laufen.com
www.laufen.ee
www.laufen.lv

France:

Roca S.A.R.L.
Marque LAUFEN
Immeuble le Rond Point
5 Boulevard de l'Oise
F-95015 Cergy Pontoise Cédex
Tel. +33 1 34 40 39 31
Fax +33 1 30 37 02 65
commercial@roca.fr
www.laufen.fr

Germany:

Roca GmbH
Vertrieb LAUFEN
Feincheswiese 17
56424 Staudt
Germany
Tel. +49 26 02 / 94 93 33
Fax +49 26 02 / 94 93 355
info.staudt@de.laufen.com
www.de.laufen.com

Hungary:

LAUFEN CZ s.r.o.
Hungarian Trade Agency
Pasaréti u. 83
H-1026 Budapest
Tel. +36 1 274 05 35
Fax +36 1 391 04 58
office.budapest@hu.laufen.com
www.laufen.hu

India:

Roca Bathroom Products Pvt. Ltd.
3rd Floor, Tower B,
DLF Building No. 10, Phase – II
DLF Cyber City,
Gurgaon – 122002, Haryana
India
Tel. +91 124 4278347-49
Fax +91 124 4278350
Info.laufen@in.roca.com
www.laufen.in

Italy:

LAUFEN CZ s.r.o.
V Tűnűch 3/1637
CZ-120 00 Praha 2
Tel. +39 02 90016001
Fax. +39 02 90016011
www.laufen.it

Lithuania:

LAUFEN CZ s.r.o.
Užupio g. 30
Vilnius, 01203
Lietuva
Tel. +370 5 215 30 76
office.vilnius@lt.laufen.com
www.laufen.lt

Morocco:

Roca Maroc, S.A.
route de Marrakech, km 2,5
BP 571, 26000 Settat
Tel. +212 5 23 40 59 41
Fax +212 5 23 40 59 42
www.roca.com

Nordic Countries:**Denmark, Finland, Greenland, Iceland**

LAUFEN Nordic Aps
Tørnervvej 2
4600 Køge
Denmark
Tel. +45 56 287 287
info@dk.laufen.com
www.laufen.dk
www.laufen.fi

North America:

LAUFEN Bathrooms North America
Showroom
7610 NE 4th Court, Suite 104
Miami, FL 33138
USA
Toll free phone +1 (866) 696-2493
+1 (305) 357-6130
Toll free fax +1 (866) 628-1760
usa@laufen.com
canada@laufen.com
www.laufen.com/usa
www.laufen.com/ca
www.laufen.com.mx

Norway:

Laufen Norge AS
Syretårnet 41
NO-3048 Drammen
Tel.: +47 32 27 60 70
firmapost@no.laufen.com
www.laufen.no

Poland:

Roca Polska Sp. z o.o.
ul. Wyczółkowskiego 20
44-109 Gliwice
Tel. +48 32 339 41 00
biuro@roca.pl
www.laufen.pl

Portugal:

Roca, S.A., Portugal
Apartado 575, Ponte da Madalena
2416-905 - Leiria, Portugal
Tel. +351 244 720 000
marketing.le@pt.roca.net
www.laufen.pt

Romania:

Roca Obiecte Sanitare S.R.L.
Blvd. Preciziei nr. 1, Sector 6
062202 - Bucharest - Romania
Tel. +4031 822 2310
Fax +4021 318 1418
www.ro.roca.com

Russia:

Roca Rus
Promyshlennaya Str. 7, Tosno
Leningrad region, 187000, Russia
Tel. +7 812 347 94 49
marketing@ru.roca.com
www.laufen.ru

Roca Rus

2nd Khutorskaya, 38A, building 14
Moscow, 127287, Russia
Tel. +7 495 989 65 91
marketing@ru.roca.com
www.laufen.ru

Slovakia:

LAUFEN SK s.r.o.
Štefanovičova 12,
811 04 Bratislava
Tel. +421 2 52 621 024
www.sk.laufen.com

Spain:

Laufen Bathrooms S.A.
C/Covarrubias 23
28010 Madrid
Spain
Phone: +34 900 103 258
info@es.laufen.com
www.laufen.es

Sweden:

Laufen Sverige AB
Kämppegatan 15
SE-41104 Göteborg
Tel. +46 (0) 823 44 44
info@se.laufen.com
www.laufen.se

Switzerland:

Keramik Laufen AG
Wahlenstrasse 46
CH-4242 Laufen
Tel. +41 61 765 71 11
forum@laufen.ch
www.laufen.ch

Ukraine:

LAUFEN CZ s.r.o. Ukraine
Kiev 04128
19, Ak. Tupoleva str., office „Laufen“
Tel. +380 44 499 0620
Fax +380 44 499 0621
office.kiev@ua.laufen.com
www.ua.laufen.com

United Kingdom and Ireland:

ROCA Limited
c/o Laufen Limited
Hermitage Industrial Estate
Samson Road
Coalville
LE67 3FP
Tel. +44 (0)1530 510007
info@uk.laufen.com
www.uk.laufen.com

It is possible that not all products, sizes or colours are available in every country.

The price list of your LAUFEN/ROCA subsidiary is the most accurate reference point for product availability. Delivery periods may also differ.

The colours shown may not be absolutely identical to the actual colours. The bathroom environments shown here are simply decorative settings and do not take all technical requirements into consideration. The decoration schemes shown are not included in our range of products.

With the publication of this catalogue, all previous documents are are invalid. We reserve the right to change specifications without prior notice. We can provide you with the actual data on our website www.laufen.com.

Design is copyright protected.

Printed on certified paper from sustainably managed forests.

Photography

ILBAGNOALESSI ONE

Fabrizio Bergamo, Giuseppe Pino, Maurizio Marcato

ILBAGNOALESSI DOT

Santi Caleca, Riccardo Bianchi

PALOMBA COLLECTION

Adriano Brusaferrì, Max Majola, Carlo Ciraudò, Maurizio Marcato, Luca Fregoso, Max Zambelli

KARTELL BY LAUFEN

Adriano Brusaferrì

LIVING

Christoph Kern, Maurizio Marcato
Studio Casa

LB3

Max Zambelli, Maurizio Marcato

VAL

Adriano Brusaferrì

INO

Adriano Brusaferrì

PALACE

Studio Casa

MODERNA PLUS

Maurizio Marcato

LAUFEN PRO

Christoph Kern, Maurizio Marcato
Studio Casa

CLEANET RIVA

François Halard

CASE

Andrea Pitari

SPACE

Adriano Brusaferrì

BOUTIQUE

Adriano Brusaferrì

ANTERO

Adriano Brusaferrì

FLORAKIDS

Maurizio Marcato



www.laufen.com



www.tc.laufen.com



www.laufen.com/bimobjects
www.facebook.com/laufenbathrooms
www.twitter.com/laufenbathrooms
www.youtube.com/laufenbathrooms1
www.instagram.com/laufenbathrooms
www.pinterest.com/laufenbathrooms